

Pure Freude
an Wasser



SPECIFIERS' CATALOGUE 2020

EDITION FOR PROFESSIONALS

www.vosoughishop.com

دفتر مرکزی : مشهد، بین قرنی ۳۱ و ۳۳

تلفن : ۰۵۱ - ۳۷۱۳ ۳۰۰۰

GROHE

TABLE OF CONTENTS

Our brand			8
Bath Taps	Single Lever Mixers	Allure Brilliant	27
		Allure	37
		Atrio	49
		Grandera	65
		Lineare	77
		Eurocube Joy	87
		Eurocube	93
		GROHE Plus	105
		Europlus	119
		Essence	121
		Eurodisc Joy	133
		Eurodisc Cosmopolitan	137
		Concetto	145
		Eurostyle Cosmopolitan	155
		Eurostyle	163
		Eurosmart Cosmopolitan	175
		Eurosmart	187
		BauEdge	195
		BauLoop	201
		BauFlow	205
	Two Handle fittings	Costa L	209
	Universal	Universal	215
	Bath Sets	Talentofill	217
	Accessories	Selection	221
		Selection Cube	227
		Essentials	231
		Essentials Cube	239
		BauCosmopolitan	245
		Essentials Authentic	249
Thermostats		Grohtherm SmartControl	269
		Grohtherm 2 handle trim sets	283
		Grohtherm 3000 Cosmopolitan	291
		Grohtherm 2000	293

GROHE

TABLE OF CONTENTS

		Grohtherm Cube	299
		Grohtherm 1000 Cosmopolitan 3/4"	305
		Grohtherm 1000	307
		Grohtherm 1000 Performance	311
		Grohtherm 800 Cosmopolitan	315
		Grohtherm 800	319
Concealed Solutions		GROHE Rapido SmartBox	333
		GROHE Rapido	336
		GROHE Rapido C / stop valves	337
Showers	GROHE Digital	F-digital Deluxe	353
		F-digital Controllers	361
	Shower Systems	Rainshower System SmartControl	363
		Rainshower SmartActive System	371
		Rainshower System	377
		Euphoria SmartControl System	381
		Euphoria Shower System	385
		Tempesta System	397
		Shower System Accessories	403
	Head Showers	Head Showers	407
	Showers	Sena	435
		Rainshower SmartActive	439
		Rainshower	451
		Relaxa	457
		Euphoria	463
		Tempesta	475
		Sena Trigger Sprays	491
		Tempesta-F Trigger Sprays	493
		Trigger Sprays	497
		Shower Hoses	499
Shower Accessories		503	
Kitchen Fittings	Water Systems	GROHE Blue Professional	539
		GROHE Blue Home	547
		GROHE Blue Pure	557
		GROHE Blue Accessories	561

GROHE

TABLE OF CONTENTS

		GROHE Red	567
		Waste separation systems	573
Premium Lines		K7	577
		Foot Control	579
		Minta / Minta SmartControl / Minta Touch	581
		Zedra / Zedra SmartControl / Zedra Touch	587
		Atrio	591
		Essence	593
		Eurocube	597
Competence Lines		Ambi	599
		Parkfield	601
		Eurodisc Cosmopolitan	603
		Eurodisc	605
		Concetto	607
		Eurostyle Cosmopolitan	611
		Eurosmart Cosmopolitan	615
		Eurosmart	619
		Euroeco / Euroeco Special	623
		Costa	625
		Bau Lines	629
		Soap dispensers and Accessories	633
Kitchen sinks		Stainless steel sinks	637
		Composite sinks	645
Commercial fittings	Electronic Fittings	Eurocube E	661
		Essence E	665
		Bluetooth monitoring	669
		Europlus E	679
		Eurosmart Cosmopolitan E	683
		Euroeco Cosmopolitan E	693
		Bau Cosmopolitan E	699
	Special Thermostats	Grohtherm Micro	703
		Grohtherm Special	705
		Grohtherm XL	711
	Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	715

GROHE

TABLE OF CONTENTS

		Commercial Showers	717
		Euroeco Special	721
		Hospita	729
		Euroeco Single Sequential	731
	Self-closing Fittings	Eurodisc SE	735
		Eurosmart Cosmopolitan T	737
		Euroeco Cosmopolitan T	741
Shower Toilet		GROHE Sensia IGS	751
		GROHE Sensia Arena	755
		Manual bidet seat	761
Ceramics		Essence	773
		Cube Ceramic	783
		Euro Ceramic	789
		Bau Ceramic	797
		Acrylic shower trays	807
Installation Systems	Rapid SLX	Rapid SLX	813
	Rapid SL	Rapid SL for WC	817
		Rapid SL for Urinal	831
		Rapid SL for Wash Basin and Bidet	835
		Rapid SL for the Disabled	839
		Rapid SL Fitting Supports	843
		Rapid SL Accessories	845
Flushing Systems	WC	Flushing Cisterns	853
		Accessories for Flushing Cisterns	857
		WC Flush Valves	867
		Electronic Actuators for WC	873
	Urinal	Electronic Actuators for Urinal	877
		Urinal Flush Valves	883
Actuations	WC	Flush Plates for WC	889
		GROHE Fresh	897
		Flush Plates for WC Flush Valves	899
	Urinal	Flush Plates for Urinal	901
Connection and Security Technology		Angle Valves	906
		WAS valves	910

GROHE

TABLE OF CONTENTS

	Safety Systems	911
Spare Parts and Accessories	Cartridges	914
	Thermo elements and thermostatic cartridges	918
	Aquadimmer	922
	Head parts	923
	Spare parts for two-handle faucets	928
	Extension sets	930
	Unions	932
	Outlets and spouts	937
	Flow straighteners	940
	Waste sets and traps	946
	Connections and non-return valves	950
	Spare parts GROHE Sense	952
	Spare parts for electronics	953
	Diverter	954
	Hoses	956
	Spare parts for kitchen faucets	958
	Spare parts for showers	962
	Spare parts for accessories	966
	Seals	967
	Miscellaneous	968
	Special tools	972
	Cleaning and care	974
	Spare parts for sanitary systems	975
Spare parts for shower toilet	980	
Spare parts for Ceramics	983	
Survey of contents	985	
Discover the World of GROHE	1016	
LIXIL makes better homes a reality for everyone, everywhere	1018	

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.








QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –
Wirtschaftswoche, 2017*



TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –
Fortune Magazine, 2017*



DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003



SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in Bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each meter in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 meters in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 meters as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "Grohe 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service

No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fittings products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 500 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.



Pure Freude
an Wasser



SPECIFIERS'
CATALOGUE
2020
EDITION FOR PROFESSIONALS

GROHE
BATH FITTINGS





CONTENTS

Single Lever Mixers	Allure Brilliant	27
	Allure	37
	Atrio	49
	Grandera	65
	Lineare	77
	Eurocube Joy	87
	Eurocube	93
	GROHE Plus	105
	Europlus	119
	Essence	121
	Eurodisc Joy	133
	Eurodisc Cosmopolitan	137
	Concetto	145
	Eurostyle Cosmopolitan	155
	Eurostyle	163
	Eurosmart Cosmopolitan	175
	Eurosmart	187
	BauEdge	195
	BauLoop	201
	BauFlow	205
Two Handle fittings	Costa L	209
Universal	Universal	215
Bath Sets	Talentofill	217
Accessories	Selection	221
	Selection Cube	227
	Essentials	231
	Essentials Cube	239
	BauCosmopolitan	245
	Essentials Authentic	249

GROHE PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural Supersteel or Brushed Hard Graphite, according to your taste.

23 871 DC3

Basin mixer M-Size with pop-up waste set



32 612 003

Basin mixer S-Size with pop-up waste set



33 547 003 + 40 954 000

Shower mixer with shower set + tray

CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of cool sunrise or the intriguing elegance of brushed hard graphite - GROHE Colours are the perfect choice. A carefully selected range of 10 colors and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum color brilliance as well as unparalleled material resistance.

GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.




















GROHE COLOURS

PRODUCT RANGE	COLOUR OPTIONS										
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE	
GRANDERA											
ALLURE BRILLIANT											
ATRIO											
ESSENCE											
EUROCUBE											
LINEARE											
GROHE PLUS											

* not all SKUs in all SPA colours

GROHE BATHROOM COMBINATIONS

		THERMOSTATS									SHOWER SYSTEMS					HEAD SHOWERS							
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			•		•							•	•	•	•			•	•		•		
ALLURE			•			•					•	•	•					•	•		•		
ATRIO		•	•			•					•	•	•					•	•	•	•		
GRANDERA												•	•					•	•		•		
LINEARE			•	•		•					•	•	•		•				•	•	•	•	
EUROCUBE			•	•	•									•					•		•		
GROHE PLUS			•	•		•					•	•	•		•				•	•	•	•	
ESSENCE			•	•		•					•	•	•						•		•		
EURODISC COSMOPOLITAN			•	•			•				•		•		•						•	•	
CONCETTO				•				•		•					•							•	
EUROSTYLE COSMOPOLITAN				•				•		•					•							•	
EUROSTYLE				•				•	•						•							•	
EUROSMART COSMOPOLITAN				•				•		•						•							•
EUROSMART				•				•	•						•								•
BAUEDGE										•						•							•
BAULOOP										•						•							•
BAUFLOW										•						•							•


HAND SHOWERS							CERAMIC				ACCESSORIES					ACTUATIONS			
DESIGN HAND SHOWERS	SENA	RAINSHOWER SMARTACTIVE	POWER & SOUL	EUPHORIA CUBE	EUPHORIA	TEMPESTA	CUBE CERAMIC	ESSENCE	EURO CERMAIC	BAU CERAMIC	DESIGN ACCESSORIES	SELECTION CUBE	ESSENTIALS CUBE	ESSENTIALS	BAU COSMOPOLITAN	SKATE COSMOPOLITAN	NOVA COSMOPOLITAN	ARENA COSMOPOLITAN	SKATE AIR
•				•			•				•	•	•			•			
•	•						•				•	•				•			
	•							•			•						•		
•											•								
	•	•	•		•		•	•				•		•			•		
				•			•					•	•			•			
	•			•			•	•					•	•		•	•		
		•	•		•			•						•			•		
		•	•		•									•					
					•				•					•					•
						•			•					•				•	
							•		•					•			•		
										•					•				•
						•									•				•
										•					•				•
														•					•

GROHE ALLURE BRILLIANT



GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




23 029 000	Chrome	4005176898709	563.00
23 029 DC0	supersteel	4005176489471	752.59
23 029 A00	hard graphite	4005176338335	918.07
23 029 AL0	Brushed Hard Graphite	4005176353154	932.84

Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 033 000	Chrome	4005176898716	563.00
23 033 DC0	supersteel	4005176489488	752.59
23 033 A00	hard graphite	4005176489631	806.36
23 033 AL0	Brushed Hard Graphite	4005176489648	860.12

Ditto, smooth body




23 109 000	Chrome	4005176898754	706.80
23 109 DC0	supersteel	4005176489860	935.65
23 109 A00	hard graphite	4005176352683	1,003.00
23 109 AL0	Brushed Hard Graphite	4005176353161	1,070.00

Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 112 000	Chrome	4005176898778	706.80
23 112 A00	hard graphite	4005176489778	991.00
23 112 AL0	Brushed Hard Graphite	4005176489785	1,069.32

Ditto, smooth body



23 114 000	Chrome	4005176898792	872.71
23 114 DC0	supersteel	4005176489914	1,159.41
23 114 A00	hard graphite	4005176352690	1,259.54
23 114 AL0	Brushed Hard Graphite	4005176353178	1,310.00

Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses




29 086 000		4005176935497	231.18
------------	--	---------------	--------

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug


GROHE ALLURE BRILLIANT

Ref. No. Colour EAN code Retail Guide Price (£)





20 344 000	Chrome	4005176898884	828.48
20 344 DC0	supersteel	4005176489815	1,098.39
20 344 A00	hard graphite	4005176338342	1,340.62
20 344 AL0	Brushed Hard Graphite	4005176353185	1,361.43

Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
 spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves



20 342 000	Chrome	4005176898860	695.76
20 342 DC0	supersteel	4005176490071	920.13
20 342 A00	hard graphite	4005176490125	985.87
20 342 AL0	Brushed Hard Graphite	4005176490064	1,051.58

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
 low spout with integrated mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves





20 346 000	Chrome	4005176898907	717.86
20 346 DC0	supersteel	4005176490217	956.00
20 346 A00	hard graphite	4005176490262	1,024.30
20 346 AL0	Brushed Hard Graphite	4005176490200	1,092.57

Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
 wall mounted
without concealed body
 set for final installation for
 29 025 002
 valves hot/cold
 with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
 spout with integrated mousseur
 projection 161 mm

20 348 000	Chrome	4005176898921	762.12
20 348 DC0	supersteel	4005176490309	1,017.02
20 348 A00	hard graphite	4005176490354	1,089.68
20 348 AL0	Brushed Hard Graphite	4005176490293	1,162.31






DR-Brass, projection 210 mm



29 025 002		4005176519895	229.00
------------	--	---------------	--------


Two-handle basin mixer
concealed body, 1/2"
 for 3-hole basin mixer
 wall installation
without finishing trim set
DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 781 000	Chrome	4005176898822	684.68
	19 781 DC0	supersteel	4005176490392	915.34
	19 781 A00	hard graphite	4005176490446	970.00
	19 781 AL0	Brushed Hard Graphite	4005176490385	1,046.09
	Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm			
	19 783 000	Chrome	4005176898846	728.94
	19 783 DC0	supersteel	4005176490484	976.36
	19 783 A00	hard graphite	4005176490538	1,046.09
	19 783 AL0	Brushed Hard Graphite	4005176490477	1,115.83
	Ditto, projection 210 mm			
	23 200 002		4005176519901	220.00
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	23 200 000		4005176908354	231.19
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
	23 117 000	Chrome	4005176898938	640.44
	23 117 DC0	supersteel	4005176490576	854.27
	23 117 A00	hard graphite	4005176490620	915.32
	23 117 AL0	Brushed Hard Graphite	4005176490569	976.33
	Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			

GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 071 000	Chrome	4005176465901	364.36
24 071 DC0	supersteel	4005176465918	470.00
24 071 A00	hard graphite	4005176564734	503.00
24 071 AL0	Brushed Hard Graphite	4005176465925	537.00



Allure Brilliant

Single-lever shower mixer trim

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


flow performance:

outlet B or C = 30 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			

24 072 000	Chrome	4005176465932	401.01
24 072 DC0	supersteel	4005176465949	517.00
24 072 A00	hard graphite	4005176564741	554.00
24 072 AL0	Brushed Hard Graphite	4005176465956	590.00



Allure Brilliant

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter


flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			

24 099 000	Chrome	4005176480744	425.07
24 099 DC0	supersteel	4005176480751	592.89
24 099 A00	hard graphite	4005176564758	585.73
24 099 AL0	Brushed Hard Graphite	4005176480768	677.61



Allure Brilliant

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,

outlet B = 27 l/min,


outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



19 787 001	Chrome	4005176429057	1,563.17
19 787 DC1	supersteel	4005176489570	2,013.69
19 787 A01	hard graphite	4005176495427	2,157.54
19 787 AL1	Brushed Hard Graphite	4005176489563	2,301.37

Allure Brilliant
4-hole single-lever bath combination
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000




29 037 000		4005176865749	762.09
------------	--	---------------	--------

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color


45 388 000		4005176212758	77.76
------------	--	---------------	-------

Supporting legs for baseframe



23 119 001	Chrome	4005176428883	2,412.00
------------	--------	---------------	----------

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
without roughing-in-set
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with integrated mousseur
 hand shower Euphoria Cube+ 6.6 l/min
 Silverflex shower hose 1250 mm
 projection 270 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 protected against backflow













23 119 000	Chrome	4005176899027	2,542.95
23 119 DC0	supersteel	4005176489679	3,376.51
23 119 A00	hard graphite	4005176338601	3,923.55
23 119 AL0	Brushed Hard Graphite	4005176353208	4,185.12

Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
without roughing-in-set
 GROHE SilkMove 46 mm ceramic cartridge
 GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with integrated mousseur
 projection 270 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Euphoria Cube+
 metal shower hose 1250 mm
 protected against backflow

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 301 000	Chrome	4005176899041	1,431.83
	13 301 DC0	supersteel	4005176490804	2,084.00
	13 301 A00	hard graphite	4005176490859	2,228.00
	13 301 AL0	Brushed Hard Graphite	4005176490798	2,371.00
	<p>Allure Brilliant Bath spout, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with integrated mousseur total height 1070 mm projection 270 mm</p>			
				
	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
				
	29 086 000		4005176935497	231.18
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
				
	13 319 000	Chrome	4005176912627	739.98
	13 319 DC0	supersteel	4005176490651	978.82
	13 319 A00	hard graphite	4005176352782	1,037.00
	13 319 AL0	Brushed Hard Graphite	4005176353284	1,118.68
	<p>Allure Brilliant Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>			
				
	13 299 000	Chrome	4005176899003	319.64
	13 299 DC0	supersteel	4005176490712	423.08
	13 299 A00	hard graphite	4005176490767	453.30
	13 299 AL0	Brushed Hard Graphite	4005176490705	483.50
	<p>Allure Brilliant Bath spout wall mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur</p>			
				



GROHE ALLURE BRILLIANT



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 798 000	Chrome	4005176899157	264.35
	19 798 DC0	supersteel	4005176489969	345.80
	19 798 A00	hard graphite	4005176352614	359.00
	19 798 AL0	Brushed Hard Graphite	4005176353079	359.00
	Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE StarLight chrome finish installation depth adjustable 66 - 113 mm			
	29 033 000		4005176845338	253.30
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass			
	19 796 000	Chrome	4005176899133	186.94
	19 796 DC0	supersteel	4005176490019	248.17
	19 796 A00	hard graphite	4005176352607	258.00
	19 796 AL0	Brushed Hard Graphite	4005176353062	258.00
	Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm			
	29 032 000		4005176845277	32.08
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	27 707 000	Chrome	4005176908446	43.15
	27 707 DC0	supersteel	4005176490897	65.00
	27 707 A00	hard graphite	4005176490941	75.00
	27 707 AL0	Brushed Hard Graphite	4005176490880	79.00
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE StarLight chrome finish			
	27 706 000	Chrome	4005176908439	32.08
	27 706 DC0	supersteel	4005176490989	41.00
	27 706 A00	hard graphite	4005176491030	47.00
	27 706 AL0	Brushed Hard Graphite	4005176490972	50.00
	Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish			



GROHE ALLURE BRILLIANT

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
	 	40 494 000	Chrome	4005176899263	299.17
		40 494 DC0	supersteel	4005176491078	424.17
		40 494 A00	hard graphite	4005176491122	457.50
		40 494 AL0	Brushed Hard Graphite	4005176491061	482.50
		Allure Brilliant Holder with soap dispenser material: glass / metal filling quantity 150 ml concealed fastening GROHE StarLight chrome finish			
	 	40 493 000	Chrome	4005176899256	199.17
		40 493 DC0	supersteel	4005176491160	274.17
		40 493 A00	hard graphite	4005176491214	299.17
		40 493 AL0	Brushed Hard Graphite	4005176491153	315.83
		Allure Brilliant Holder with tumbler material: glass / metal concealed fastening GROHE StarLight chrome finish			
	 	40 503 000	Chrome	4005176900068	232.50
		40 503 DC0	supersteel	4005176491252	324.17
		40 503 A00	hard graphite	4005176491306	349.17
		40 503 AL0	Brushed Hard Graphite	4005176491245	374.17
		Allure Brilliant Shelf with tumbler material: glass / metal concealed fastening GROHE StarLight chrome finish			
	 	40 504 000	Chrome	4005176900075	240.83
		40 504 DC0	supersteel	4005176491436	332.50
		40 504 A00	hard graphite	4005176491481	357.50
		40 504 AL0	Brushed Hard Graphite	4005176491429	382.50
		Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish			
	 	40 496 000	Chrome	4005176899287	162.49
		40 496 DC0	supersteel	4005176491887	232.50
		40 496 A00	hard graphite	4005176491931	240.83
		40 496 AL0	Brushed Hard Graphite	4005176491870	257.50
		Allure Brilliant Towel bar 2 arms, not pivotable length 431 mm concealed fastening GROHE StarLight chrome finish			
	 	40 497 000	Chrome	4005176899294	182.50
		40 497 DC0	supersteel	4005176491528	257.50
		40 497 A00	hard graphite	4005176491573	274.17
		40 497 AL0	Brushed Hard Graphite	4005176491511	299.17
		Allure Brilliant Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish			

GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 498 000	Chrome	4005176899300	78.33
	40 498 DC0	supersteel	4005176491344	108.33
	40 498 A00	hard graphite	4005176491399	116.66
	40 498 AL0	Brushed Hard Graphite	4005176491337	124.99
Allure Brilliant Robe hook material: metal concealed fastening GROHE StarLight chrome finish				







 	40 499 000	Chrome	4005176899317	158.33
	40 499 DC0	supersteel	4005176491610	224.17
	40 499 A00	hard graphite	4005176491665	240.83
	40 499 AL0	Brushed Hard Graphite	4005176491603	257.50
Allure Brilliant Toilet roll holder without cover material: metal concealed fastening GROHE StarLight chrome finish				

 	40 500 000	Chrome	4005176899324	257.50
	40 500 DC0	supersteel	4005176491979	365.83
	40 500 A00	hard graphite	4005176492020	390.83
	40 500 AL0	Brushed Hard Graphite	4005176491962	415.83
Allure Brilliant Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish				











GROHE ALLURE













GROHE ALLURE











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 757 000	Chrome	4005176870897	397.09
	<p>Allure Basin mixer 1/2" M-Size</p> <p>monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 146 000	Chrome	4005176821622	507.70
	<p>Allure Single-lever basin mixer 1/2" L-Size</p> <p>monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 760 000	Chrome	4005176870927	673.62
	<p>Allure Basin mixer 1/2" XL-Size</p> <p>monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm</p>			
	23 403 000	Chrome	4005176941627	673.63
	<p>Allure Basin mixer 1/2" XL-Size</p> <p>monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter GROHE QuickFix Plus installation system smooth body projection 180 mm flexible connection hoses temperature limiter</p>			









GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 249 000	Chrome	4005176832383	717.87
<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	20 143 000	Chrome	4005176832581	629.38
<p>Allure Three-hole basin mixer 1/2" M-Size with metal plate GROHE StarLight chrome finish ceramic headpart 1/2", 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	20 188 000	Chrome	4005176875724	629.38
<p>Allure Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"</p>				
 	20 190 000	Chrome	4005176875748	562.99
<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted, without concealed body set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2" - 180° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm,</p>				
	20 192 000	Chrome	4005176875991	596.19
<p>Ditto, projection 220 mm</p>				
 	32 706 000		4005176855092	242.21
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set</p>				











	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	20 189 000	Chrome	4005176875731	562.99	
	<p>Allure Three-hole basin mixer 1/2" S-Size wall mounted, without concealed body set for final installation for 29 025 002 with lever handles with metal plate valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur projection 172 mm,</p>	20 193 000	Chrome	4005176876004	596.19
		Ditto , projection 220 mm			
	29 025 002		4005176519895	229.00	
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				
	19 309 000	Chrome	4005176820656	562.99	
	<p>Allure 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 33 769 000 with metal plate GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm</p>	19 386 000	Chrome	4005176876011	607.25
		Ditto , projection 220 mm			
	33 769 000		4005176819605	242.24	
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter</p>				
	32 147 000	Chrome	4005176821653	397.09	
	<p>Allure Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				

GROHE ALLURE













	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
 	32 846 000	Chrome	4005176882432	701.60	
<p>Allure Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow</p>					
 	32 826 000	Chrome	4005176882425	839.53	
<p>Allure Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>					
 	24 069 000	Chrome	4005176465888	336.09	
<p>Allure Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>					
			35 600 000	4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>					
 	24 070 000	Chrome	4005176465895	369.58	
<p>Allure Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>					
			35 600 000	4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>					
 	34 706 000	Chrome	4005176413797	1,370.46	
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>					

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 742 000	Chrome	4005176484094	1,293.06
<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600 000 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>				
 	19 316 000	Chrome	4005176821783	1,270.93
<p>Allure 3-hole single-lever bath combination trim set for 33 339 000 without baseframe single lever mixer operating element bath inlet with automatic diverter bath/shower hand shower (28 034 000) metal shower hose 2000 mm</p>				
 	33 339 000		4005176222818	784.24
<p>3-hole single-lever bath combination baseframe for installation under tiled surround without finishing trim set mounting plate and base frame 46 mm cartridge with GROHE SilkMove and spout fixing pre-assembled flexible connection hoses connection for shower hose drainage box with integrated outlet for splash water this part should be easy to access protected against backflow</p>				
	45 388 000		4005176212758	77.76
<p>Supporting legs for baseframe</p>				
 	32 754 002	Chrome	4005176428876	2,255.36
<p>Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 300 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1500 mm protected against backflow</p>				









GROHE ALLURE





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	13 218 000	Chrome	4005176847110	1,366.73
	<p>Allure Bath spout, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 300 mm total height 910 mm</p>			
	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
	29 086 000		4005176935497	231.18
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
	13 317 000	Chrome	4005176912603	739.98
	<p>Allure Cascade spout for bath and shower wall mounted GROHE StarLight chrome finish projection 180 mm</p>			
	13 264 000	Chrome	4005176882449	231.18
	<p>Allure Bath spout 3/4" wall mounted GROHE StarLight chrome finish projection 172 mm mousseur</p>			

GROHE ALLURE




	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 590 000	Chrome	4005176890529	197.97
<p>Allure 5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>				
 	29 033 000		4005176845338	253.30
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 334 000	Chrome	4005176823800	142.69
<p>Allure Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>				
 	35 028 000		4005176908316	131.61
<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 800 000		4005176504839	30.43
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>				
	29 802 000		4005176504853	51.42
<p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p>				
	29 805 000		4005176504884	86.36
<p>ditto, 1", pre-assembled headpart 1", thread union 1"</p>				
 	29 801 000		4005176504846	25.08
<p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass</p>				
	29 804 000		4005176504877	39.88
<p>ditto, soldered connection Ø 22 mm</p>				

GROHE ALLURE





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 811 000		4005176062711	51.42
	<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			
	19 384 000	Chrome	4005176875755	142.69
	<p>Allure Concealed stop-valve trim with lever handle set for final installation for 29 032 000 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>			
	35 028 000		4005176908316	131.61
	GROHE Rapido C rough-in box for single volume control			
	29 032 000		4005176845277	32.08
	<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>			
	27 469 000	Chrome	4005176882593	1,116.06
	<p>Rainshower F-Series System 254 Shower system with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower F-Series 254 (27 285 000) material: metal with ball joint, rotation angle ± 20° hand shower Sena (28 341 000) adjustable height via gliding element (12 140 000) metal shower hose 1750 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE TurboStat GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 070 000	Chrome	4005176937248	463.46
	<p>Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 060 000	Chrome	4005176937149	463.46
	ditto, with non-restricted flow			
	26 071 000	Chrome	4005176937255	463.46
	<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 278 000	Chrome	4005176824081	76.66
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 254 000	Glass	4005176211065	25.83
 	40 278 000	Chrome	4005176824081	76.66
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 256 000	Glass Matt	4005176211089	36.66
 	40 339 000	Chrome	4005176824111	104.16
<p>Allure Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 342 000	Chrome	4005176824142	154.16
<p>Allure Towel bar 2 arms, not pivotable length 426 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 341 000	Chrome	4005176824135	154.16
<p>Allure Towel rail 640 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 284 000	Chrome	4005176824104	42.08
<p>Allure Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHE ALLURE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 279 000	Chrome	4005176824098	104.16
<p>Allure Toilet roll holder without cover material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 340 000	Chrome	4005176824128	166.66
<p>Allure Toilet brush set wall model GROHE StarLight chrome finish</p>				
	40 207 000		4005176170973	14.59
<p>Spare brush head</p>				
	40 206 000	Chrome	4005176170904	58.03
<p>Spare brush</p>				
	40 265 000		4005176211171	63.02
<p>Spare glass for brush</p>				

GROHE ATRIO




GROHE ATRIO

Ref. No. Colour EAN code Retail Guide Price (£)




32 043 003	Chrome	4005176454479	309.85
32 043 DC3	supersteel	4005176454486	492.72
32 043 GL3	cool sunrise	4005176492211	487.00
32 043 AL3	Brushed Hard Graphite	4005176454691	563.13

Atrio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses




32 042 003	Chrome	4005176454448	357.42
32 042 DC3	supersteel	4005176454455	568.50
32 042 GL3	cool sunrise	4005176492143	561.64
32 042 DA3	warm sunset	4005176492167	561.64
32 042 AL3	Brushed Hard Graphite	4005176454462	649.72

Atrio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



32 647 003	Chrome	4005176454707	501.25
32 647 DC3	supersteel	4005176454714	795.94
32 647 GL3	cool sunrise	4005176492280	786.31
32 647 DA3	warm sunset	4005176492303	786.31
32 647 AL3	Brushed Hard Graphite	4005176454721	909.64

Atrio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses



19 287 003	Chrome	4005176454738	357.42
19 287 DC3	supersteel	4005176454745	568.50
19 287 GL3	cool sunrise	4005176492358	561.64
19 287 DA3	warm sunset	4005176492372	561.64
19 287 AL3	Brushed Hard Graphite	4005176454752	649.72


Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for 23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 918 003	Chrome	4005176454769	405.01
	19 918 DC3	supersteel	4005176454776	644.31
	19 918 GL3	cool sunrise	4005176492426	636.52
	19 918 DA3	warm sunset	4005176492440	636.52
	19 918 AL3	Brushed Hard Graphite	4005176454783	736.36
	<p>Atrio Two-hole basin mixer joystick wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 221 mm</p>			
	23 429 000		4005176993695	231.17
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	32 108 003	Chrome	4005176454790	405.01
	32 108 DC3	supersteel	4005176454806	644.31
	32 108 GL3	cool sunrise	4005176492495	636.52
	32 108 DA3	warm sunset	4005176492518	636.52
	32 108 AL3	Brushed Hard Graphite	4005176454813	736.36
	<p>Atrio Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 650 003	Chrome	4005176454820	429.32
	32 650 DC3	supersteel	4005176454837	682.21
	32 650 GL3	cool sunrise	4005176492563	673.95
	32 650 DA3	warm sunset	4005176492587	673.95
	32 650 AL3	Brushed Hard Graphite	4005176454844	779.67
	<p>Atrio Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>			
	32 652 003	Chrome	4005176454851	501.25
	32 652 DC3	supersteel	4005176454868	795.94
	32 652 GL3	cool sunrise	4005176492631	786.31
	32 652 DA3	warm sunset	4005176492655	786.31
	32 652 AL3	Brushed Hard Graphite	4005176454875	909.64
	<p>Atrio Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>			

GROHE ATRIO


Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 065 003	Chrome	4005176465741	312.01
24 065 DC3	supersteel	4005176465758	434.96
24 065 GL3	cool sunrise	4005176564574	429.69
24 065 DA3	warm sunset	4005176564550	430.00
24 065 AL3	Brushed Hard Graphite	4005176465765	497.09



Atrio
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		


24 066 003	Chrome	4005176465772	342.37
24 066 DC3	supersteel	4005176465789	478.44
24 066 GL3	cool sunrise	4005176564642	472.65
24 066 DA3	warm sunset	4005176564628	473.00
24 066 AL3	Brushed Hard Graphite	4005176465796	546.78



Atrio
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 096 003	Chrome	4005176480669	366.45
24 096 DC3	supersteel	4005176480676	511.58
24 096 GL3	cool sunrise	4005176564710	505.39
24 096 DA3	warm sunset	4005176564697	506.00
24 096 AL3	Brushed Hard Graphite	4005176480683	584.63




Atrio
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 134 003	Chrome	4005176480959	600.98
24 134 DC3	supersteel	4005176480973	840.09
24 134 GL3	cool sunrise	4005176564369	829.92
24 134 DA3	warm sunset	4005176564345	829.92
24 134 AL3	Brushed Hard Graphite	4005176480997	960.09



Atrio

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000

4005176413469

132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 135 003	Chrome	4005176480966	642.86
24 135 DC3	supersteel	4005176480980	898.59
24 135 GL3	cool sunrise	4005176564437	887.73
24 135 DA3	warm sunset	4005176564413	888.00
24 135 AL3	Brushed Hard Graphite	4005176481000	1,026.96

Atrio

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermosteement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set

35 600 000

4005176413469


132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation



GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 138 003	Chrome	4005176481017	642.86
24 138 DC3	supersteel	4005176481024	898.59
24 138 GL3	cool sunrise	4005176564505	887.73
24 138 DA3	warm sunset	4005176564482	888.00
24 138 AL3	Brushed Hard Graphite	4005176481031	1,026.96



Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed shower and bath symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles


flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



32 653 003	Chrome	4005176454912	1,382.12
32 653 DC3	supersteel	4005176454929	2,198.28
32 653 GL3	cool sunrise	4005176492709	2,171.69
32 653 DA3	warm sunset	4005176492723	2,171.69
32 653 AL3	Brushed Hard Graphite	4005176454936	2,512.31

Atrio

Single-lever bath mixer, floor mounted

set for final installation for

45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

spout with mousseur

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

with shower holder

hand shower Sena Stick (26 465)

Silverflex shower hose 1250 mm

protected against backflow

45 984 001		4005176992056	352.85
------------	--	---------------	--------

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath

mixers/spouts, depth compensation 104 mm


installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug


Can take a single mixed supply

fixing material




GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 021 003	Chrome	4005176455193	239.00
20 021 DC3	supersteel	4005176455209	379.04
20 021 GL3	cool sunrise	4005176493393	374.44
20 021 DA3	warm sunset	4005176493416	374.44
20 021 AL3	Brushed Hard Graphite	4005176455216	433.16




Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
flexible connection hoses
with lever handle

21 022 003	Chrome	4005176454943	381.75
21 022 DC3	supersteel	4005176454950	606.42
21 022 GL3	cool sunrise	4005176492778	599.09
21 022 DA3	warm sunset	4005176492792	599.09
21 022 AL3	Brushed Hard Graphite	4005176454967	693.07




Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

21 019 003	Chrome	4005176455223	381.75
21 019 DC3	supersteel	4005176455230	606.42
21 019 GL3	cool sunrise	4005176493461	599.09
21 019 DA3	warm sunset	4005176493485	599.09
21 019 AL3	Brushed Hard Graphite	4005176455247	693.07



Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


21 044 003	Chrome	4005176455254	524.51
21 044 DC3	supersteel	4005176455261	833.84
21 044 GL3	cool sunrise	4005176493539	823.74
21 044 DA3	warm sunset	4005176493553	823.74
21 044 AL3	Brushed Hard Graphite	4005176455278	952.95



Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour EAN code Retail Guide Price (£)




20 009 003	Chrome	4005176454974	381.74
20 009 DC3	supersteel	4005176454981	758.03
20 009 GL3	cool sunrise	4005176492839	748.86
20 009 DA3	warm sunset	4005176492853	748.86
20 009 AL3	Brushed Hard Graphite	4005176454998	866.30

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




20 008 003	Chrome	4005176455285	476.91
20 008 DC3	supersteel	4005176455292	758.03
20 008 GL3	cool sunrise	4005176493607	748.86
20 008 DA3	warm sunset	4005176493621	748.86
20 008 AL3	Brushed Hard Graphite	4005176455308	866.30

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



20 169 003	Chrome	4005176455001	405.01
20 169 DC3	supersteel	4005176455018	644.31
20 169 GL3	cool sunrise	4005176492907	636.52
20 169 DA3	warm sunset	4005176492921	636.52
20 169 AL3	Brushed Hard Graphite	4005176455025	736.36

Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





20 164 003	Chrome	4005176455315	405.01
20 164 DC3	supersteel	4005176455322	644.31
20 164 GL3	cool sunrise	4005176493676	636.52
20 164 DA3	warm sunset	4005176493690	636.52
20 164 AL3	Brushed Hard Graphite	4005176455339	736.36

Atrio
3-hole basin mixer
wall mounted
set for final installation for 29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


GROHE ATRIO

Ref. No. Colour EAN code Retail Guide Price (£)




29 025 002 **4005176519895** **229.00**

Two-handle basin mixer concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve




24 027 003 **Chrome** **4005176455346** **405.01**
24 027 DC3 **supersteel** **4005176455353** **644.31**
24 027 GL3 **cool sunrise** **4005176493744** **636.52**
24 027 DA3 **warm sunset** **4005176493768** **636.52**
24 027 AL3 **Brushed Hard Graphite** **4005176455360** **736.36**

Atrio Bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



26 003 003 **Chrome** **4005176455377** **429.32**
26 003 DC3 **supersteel** **4005176455384** **682.21**
26 003 GL3 **cool sunrise** **4005176493812** **673.95**
26 003 DA3 **warm sunset** **4005176493836** **673.95**
26 003 AL3 **Brushed Hard Graphite** **4005176455391** **779.67**











Atrio Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
shower outlet 1/2"
integrated non-return valves in the shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



25 010 003 **Chrome** **4005176455407** **572.10**
25 010 DC3 **supersteel** **4005176455414** **909.64**
25 010 GL3 **cool sunrise** **4005176493881** **898.65**
25 010 DA3 **warm sunset** **4005176493904** **898.65**
25 010 AL3 **Brushed Hard Graphite** **4005176455421** **1,039.58**


Atrio Bath / shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	25 044 003	Chrome	4005176455438	1,787.12
	25 044 DC3	supersteel	4005176455445	2,842.59
	25 044 GL3	cool sunrise	4005176493959	2,808.21
	25 044 DA3	warm sunset	4005176493973	2,808.21
	25 044 AL3	Brushed Hard Graphite	4005176455452	3,248.67
	<p>Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower Sena Stick (26 465) with shower holder Silverflex shower hose 1250 mm (28 362) protected against backflow, with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
				
	19 088 003	Chrome	4005176455162	107.85
	19 088 DC3	supersteel	4005176455179	139.57
	19 088 GL3	cool sunrise	4005176493324	130.00
	19 088 DA3	warm sunset	4005176493348	130.00
	19 088 AL3	Brushed Hard Graphite	4005176455186	150.16
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle</p>			
	19 069 003	Chrome	4005176455469	83.53
	19 069 DC3	supersteel	4005176455476	132.64
	19 069 GL3	cool sunrise	4005176494017	130.00
	19 069 DA3	warm sunset	4005176494031	130.00
	19 069 AL3	Brushed Hard Graphite	4005176455483	151.60
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with cross handle</p>			
	35 028 000		4005176908316	131.61
	<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			
				

GROHE ATRIO


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



29 032 000		4005176845277	32.08
------------	--	---------------	-------


Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass

19 922 003	Chrome	4005176455568	1,220.80
19 922 DC3	supersteel	4005176455575	1,515.00
19 922 GL3	cool sunrise	4005176494673	1,684.91
19 922 DA3	warm sunset	4005176494697	1,684.91
19 922 AL3	Brushed Hard Graphite	4005176455582	1,776.00




Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

19 923 003	Chrome	4005176455537	1,220.80
19 923 DC3	supersteel	4005176455544	1,705.54
19 923 GL3	cool sunrise	4005176494611	1,684.91
19 923 DA3	warm sunset	4005176494635	1,684.91
19 923 AL3	Brushed Hard Graphite	4005176455551	1,632.00



Atrio
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


29 037 002		4005176519918	724.00
------------	--	---------------	--------



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color


GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
13 139 003	Chrome	4005176455131	214.66
13 139 DC3	supersteel	4005176455148	341.09
13 139 GL3	cool sunrise	4005176493263	336.99
13 139 DA3	warm sunset	4005176493287	336.99
13 139 AL3	Brushed Hard Graphite	4005176455155	389.84



Atrio
Bath spout
 wall mounted
GROHE StarLight chrome finish
 mousseur
 projection 171 mm

29 118 000	Chrome	4005176412240	475.85
29 118 DC0	supersteel	4005176455032	606.00
29 118 GL0	cool sunrise	4005176492976	673.95
29 118 DA0	warm sunset	4005176492990	673.95
29 118 AL0	Brushed Hard Graphite	4005176455049	683.67




Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 119 000	Chrome	4005176412257	548.82
29 119 DC0	supersteel	4005176455056	742.85
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40


Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		



GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 121 000	Chrome	4005176412271	560.46
29 121 DC0	supersteel	4005176455094	714.00
29 121 GL0	cool sunrise	4005176493188	793.78
29 121 DA0	warm sunset	4005176493201	793.78
29 121 AL0	Brushed Hard Graphite	4005176455100	918.30



Grohtherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min


35 600 000

4005176413469

132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 122 000	Chrome	4005176412288	341.57
29 122 DC0	supersteel	4005176455117	436.00
29 122 GL0	cool sunrise	4005176515194	484.36
29 122 DA0	warm sunset	4005176515217	484.36
29 122 A00	hard graphite	4005176515231	484.36



Grohtherm SmartControl

Triple volume control trim

set for final installation for GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

35 600 000

4005176413469

132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 705 000	Chrome	4005176413285	1,381.53
------------	--------	---------------	----------

Grohtherm SmartControl

Perfect shower set with Rainshower SmartActive 310

Consisting of:

concealed thermostat with 3 valves

Grohtherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower with 2 sprays,


horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367 000)












Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)











Silverflex shower hose 1.500 mm (28 364)



GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 304 003	Chrome	4005176461576	47.49
	40 304 DC3	supersteel	4005176461583	66.66
	40 304 GL3	cool sunrise	4005176494130	106.00
	40 304 DA3	warm sunset	4005176494154	106.00
	40 304 AL3	Brushed Hard Graphite	4005176462399	76.24
<p>Atrio Glass/soap dish holder for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 306 003	Chrome	4005176461545	47.49
	40 306 DC3	supersteel	4005176461552	66.66
	40 306 GL3	cool sunrise	4005176494079	106.00
	40 306 DA3	warm sunset	4005176494093	106.00
	40 306 AL3	Brushed Hard Graphite	4005176461569	76.24
<p>Atrio Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holder: Atrio (40 304) GROHE StarLight chrome finish</p>				
 	40 254 003		4005176462405	39.00
	<p>Atrio Glass material: glass fits in the following holder: Atrio (40 304)</p>			
 	40 305 003	Chrome	4005176462412	47.49
	40 305 DC3	supersteel	4005176462429	66.66
	40 305 GL3	cool sunrise	4005176494185	106.00
	40 305 DA3	warm sunset	4005176494208	106.00
	40 305 AL3	Brushed Hard Graphite	4005176462436	76.24
<p>Atrio Glass/soap dish holder for Atrio soap dish (40 256 003) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 256 003	Glass Matt	4005176462443	36.24
	<p>Atrio Soap dish material: glass fits in the following holder: Atrio (40 305 xx3)</p>			
 	40 307 003	Chrome	4005176462450	63.74
	40 307 DC3	supersteel	4005176462467	87.49
	40 307 GL3	cool sunrise	4005176494246	142.00
	40 307 DA3	warm sunset	4005176494260	142.00
	40 307 AL3	Brushed Hard Graphite	4005176462474	104.16
<p>Atrio Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				









GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 308 003	Chrome	4005176462481	108.33
	40 308 DC3	supersteel	4005176462498	149.99
	40 308 GL3	cool sunrise	4005176494307	236.00
	40 308 DA3	warm sunset	4005176494321	236.00
	40 308 AL3	Brushed Hard Graphite	4005176462504	165.83
Atrio Towel bar material: metal 2 arms, not pivotable length 489 mm concealed fastening GROHE StarLight chrome finish				
 	40 309 003	Chrome	4005176462511	99.99
	40 309 DC3	supersteel	4005176462528	141.66
	40 309 GL3	cool sunrise	4005176494369	225.00
	40 309 DA3	warm sunset	4005176494383	225.00
	40 309 AL3	Brushed Hard Graphite	4005176462627	162.49
Atrio Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE StarLight chrome finish				
 	40 312 003	Chrome	4005176462535	32.91
	40 312 DC3	supersteel	4005176462542	45.83
	40 312 GL3	cool sunrise	4005176494420	73.00
	40 312 DA3	warm sunset	4005176494444	73.00
	40 312 AL3	Brushed Hard Graphite	4005176462559	52.49
Atrio Robe hook material: metal concealed fastening GROHE StarLight chrome finish				
 	40 313 003	Chrome	4005176462566	72.08
	40 313 DC3	supersteel	4005176462573	99.99
	40 313 GL3	cool sunrise	4005176494482	160.00
	40 313 DA3	warm sunset	4005176494505	160.00
	40 313 AL3	Brushed Hard Graphite	4005176462580	116.66
Atrio Toilet roll holder material: metal concealed fastening without cover GROHE StarLight chrome finish				
 	40 314 003	Chrome	4005176462597	141.66
	40 314 DC3	supersteel	4005176462603	199.17
	40 314 GL3	cool sunrise	4005176494543	318.00
	40 314 DA3	warm sunset	4005176494567	318.00
	40 314 AL3	Brushed Hard Graphite	4005176462610	232.50
Atrio Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish				
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
Spare brush head				











GROHE GRANDERA











GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 303 000	Chrome	4005176924088	352.87
	23 303 IGO	chrome/gold	4005176924095	463.45
	<p>Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 310 000	Chrome	4005176930331	352.87
	23 310 IGO	chrome/gold	4005176930348	463.45
	<p>Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses</p>			
	21 107 000	Chrome	4005176930393	419.22
	21 107 IGO	chrome/gold	4005176930409	551.94
	<p>Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 313 000	Chrome	4005176930614	463.45
	23 313 IGO	chrome/gold	4005176930621	607.24
	<p>Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses</p>			
	20 417 000	Chrome	4005176930553	496.64
	20 417 IGO	chrome/gold	4005176930560	651.49
	<p>Grandera Three-hole basin mixer 1/2" S-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			









GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 389 000	Chrome	4005176924101	551.95
	20 389 IGO	chrome/gold	4005176924118	717.87
	<p>Grandera Three-hole basin mixer 1/2" M-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 414 000	Chrome	4005176930492	408.16
	20 414 IGO	chrome/gold	4005176930508	506.69
	<p>Grandera Three-hole basin mixer 1/2" S-Size wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 200 mm projection 177 mm</p>			
	20 415 000	Chrome	4005176930515	431.51
	20 415 IGO	chrome/gold	4005176930522	596.19
	<p>29 025 002 Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	19 929 000	Chrome	4005176930430	400.92
	19 929 IGO	chrome/gold	4005176930447	551.94
	<p>Grandera 2-hole basin mixer S-Size wall mounted set for final installation for 23 319 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm</p>			
	19 930 000	Chrome	4005176930454	463.45
	19 930 IGO	chrome/gold	4005176930461	607.24
	<p>23 319 000 Grandera Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device</p>			











GROHE GRANDERA













	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 315 000	Chrome	4005176930652	397.10
	23 315 IGO	chrome/gold	4005176930669	518.77
	<p>Grandera Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 316 000	Chrome	4005176930690	389.77
	23 316 IGO	chrome/gold	4005176930706	506.69
	<p>Grandera Single-lever shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>			
	23 317 000	Chrome	4005176930799	518.76
	23 317 IGO	chrome/gold	4005176930805	633.37
	<p>Grandera Single-lever bath/shower mixer 1/2" wall mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow</p>			
	24 067 000	Chrome	4005176465802	296.30
	24 067 IGO	chrome/gold	4005176465819	355.98
	<p>Grandera Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE GRANDERA











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	24 068 000	Chrome	4005176465840	326.68
	24 068 IGO	chrome/gold	4005176465857	391.57
	<p>Grandera Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 936 000	Chrome	4005176930812	1,093.31
	19 936 IGO	chrome/gold	4005176930829	1,414.71
	<p>Grandera 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>			
	19 919 000	Chrome	4005176924125	1,160.31
	19 919 IGO	chrome/gold	4005176924132	1,514.26
	<p>Grandera 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing single lever mixer operating element bath spout with mousseur and diverter bath/shower Grandera hand shower 7.6 l/min metal shower hose flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>			
	29 037 000		4005176865749	762.09
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>			
	45 388 000		4005176212758	77.76
<p>Supporting legs for baseframe</p>				







GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 318 000	Chrome	4005176930874	1,658.06
	23 318 IGO	chrome/gold	4005176930881	2,144.75
	<p>Grandera Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 320 mm integrated non-return valves in the shower outlet 1/2" with shower holder Grandera hand shower 7.6 l/min Silverflex shower hose 1250 mm protected against backflow</p>			
	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
				
	29 086 000		4005176935497	231.18
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
				
	13 341 000	Chrome	4005176931000	231.18
	13 341 IGO	chrome/gold	4005176931017	308.60
	<p>Grandera Bath spout wall mounted GROHE StarLight chrome finish mousseur projection 177 mm</p>			
	19 942 000	Chrome	4005176931048	142.68
	19 942 IGO	chrome/gold	4005176931055	180.97
	<p>Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 708 000		4005176102653	292.78
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				
 	19 944 000 19 944 IGO	Chrome chrome/gold	4005176931086 4005176931093	109.48 131.62
<p>Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>				
 	29 032 000		4005176845277	32.08
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	29 802 000		4005176504853	51.42
<p>Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass</p>				
 	29 811 000		4005176062711	51.42
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	27 974 000 27 974 IGO	Chrome chrome/gold	4005176932793 4005176933486	430.28 563.00
<p>Grandera 210 Head shower 1 spray 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE GRANDERA







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 986 000	Chrome	4005176933011	98.43
	27 986 IGO	chrome/gold	4005176933547	131.61
	Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers			
	27 978 000	Chrome	4005176932830	76.31
	27 978 IGO	chrome/gold	4005176933509	98.43
	Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers			
	26 037 001	Chrome	4005176487392	104.70
	26 037 EN1	brushed nickel	4005176487408	177.98
	Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	26 037 IGO	chrome/gold	4005176936210	142.68
	Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses			
	27 993 000	Chrome	4005176933080	153.74
	27 993 IGO	chrome/gold	4005176933585	197.98
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969) Rotaflex shower hose 1500 mm (28 417 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 038 000	Chrome	4005176935404	216.69
	<p>Grandera Stick Shower rail set 1 spray Consisting of: Stick hand shower (26 037 000) shower rail 900 mm (27 785) Rotaflex Longlife metal shower hose 1750 mm (28 025) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater</p>			
 	27 970 000 27 970 IGO	Chrome chrome/gold	4005176931154 4005176931161	120.57 164.79
	<p>Grandera Shower outlet elbow, 1/2" material: metal male thread protected against backflow GROHE StarLight chrome finish</p>			
 	27 969 000 27 969 IGO	Chrome chrome/gold	4005176931123 4005176931130	87.38 109.50
	<p>Grandera Wall hand Shower holder material: metal GROHE StarLight chrome finish</p>			

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 627 000	Chrome	4005176927768	154.16
	40 627 IG0	chrome/gold	4005176927775	199.17
	Grandera holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE StarLight chrome finish			
	40 626 000	Chrome	4005176927737	116.66
	40 626 IG0	chrome/gold	4005176927744	149.99
	Grandera holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE StarLight chrome finish			
	40 628 000	Chrome	4005176927898	141.66
	40 628 IG0	chrome/gold	4005176927904	182.50
	Grandera soap dish with holder material: ceramic/metal concealed fastening GROHE StarLight chrome finish			
	40 630 000	Chrome	4005176927959	99.99
	40 630 IG0	chrome/gold	4005176927966	129.16
	40 630 EN0	brushed nickel	4005176927973	158.33
	Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE StarLight chrome finish			
	40 629 000	Chrome	4005176927928	162.49
	40 629 IG0	chrome/gold	4005176927935	207.50
	40 629 EN0	brushed nickel	4005176927942	257.50
	Grandera Towel rail 600 mm GROHE StarLight chrome finish			
	40 631 000	Chrome	4005176927980	46.66
	40 631 IG0	chrome/gold	4005176927997	60.41
	Grandera Robe hook material: metal concealed fastening GROHE StarLight chrome finish			

GROHE GRANDERA


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 633 000	Chrome	4005176928048	108.33
	40 633 IGO	chrome/gold	4005176928055	141.66
	40 633 ENO	brushed nickel	4005176928062	174.17
	Grandera Bath grip material: metal length 385 mm concealed fastening GROHE StarLight chrome finish			
	40 625 000	Chrome	4005176927706	120.83
	40 625 IGO	chrome/gold	4005176927713	158.33
	40 625 ENO	brushed nickel	4005176927720	190.83
	Grandera Toilet roll holder without cover material: metal concealed fastening GROHE StarLight chrome finish			
	40 632 000	Chrome	4005176928017	170.83
	40 632 IGO	chrome/gold	4005176928024	224.17
	Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish			

GROHE LINEARE




GROHE LINEARE

Ref. No. Colour EAN code Retail Guide Price (£)




32 109 001 **Chrome** **4005176408373** **220.11**
32 109 DC1 **supersteel** **4005176412691** **291.36**
32 109 AL1 **Brushed Hard Graphite** **4005176586118** **308.00**

Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 791 001 **Chrome** **4005176409097** **220.11**
23 791 DC1 **supersteel** **4005176412707** **291.36**
23 791 AL1 **Brushed Hard Graphite** **4005176586125** **308.00**

Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses




23 790 001 **Chrome** **4005176408380** **220.11**

Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses



32 114 001 **Chrome** **4005176409103** **209.05**
32 114 DC1 **supersteel** **4005176412714** **310.78**

Lineare
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 106 001 **Chrome** **4005176409110** **231.17**
23 106 DC1 **supersteel** **4005176412721** **310.78**
23 106 AL1 **Brushed Hard Graphite** **4005176586149** **328.00**

Lineare
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses


GROHE LINEARE

Ref. No. Colour EAN code Retail Guide Price (£)




23 296 001 **Chrome** 4005176409127 297.54
 23 296 DC1 **supersteel** 4005176412738 407.90

Lineare
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 swivel spout with mousseur
 and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses




23 405 001 **Chrome** 4005176409134 275.42
 23 405 DC1 **supersteel** 4005176412745 435.09
 23 405 AL1 **Brushed Hard Graphite** 4005176586163 459.00

Lineare
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
 smooth body
 flexible connection hoses



20 304 001 **Chrome** 4005176409141 352.85










Lineare
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm











19 409 001 **Chrome** 4005176409158 275.42
 19 409 DC1 **supersteel** 4005176412752 352.85
 19 409 AL1 **Brushed Hard Graphite** 4005176586170 374.00

Lineare
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm


GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 444 001	Chrome	4005176411977	275.41
	23 444 DC1	supersteel	4005176412769	383.81
	23 444 AL1	Brushed Hard Graphite	4005176586187	405.00
	<p>Lineare 2-hole basin mixer L-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 207 mm</p>			
	23 571 000		4005176334276	220.10
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	33 848 001	Chrome	4005176409172	253.30
	33 848 DC1	supersteel	4005176412776	339.95
	<p>Lineare Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 865 001	Chrome	4005176409202	286.48
	33 865 DC1	supersteel	4005176412790	369.42
	33 865 AL1	Brushed Hard Graphite	4005176586217	369.00
	<p>Lineare Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>			
	34 719 000	Chrome	4005176457654	370.52
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>			
				

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 849 001	Chrome	4005176409189	286.49
	33 849 DC1	supersteel	4005176412783	446.77
	33 849 AL1	Brushed Hard Graphite	4005176586200	471.00
	<p>Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow pillar installation optional with pillar unions 12 030 000</p>			
	34 718 000	Chrome	4005176457647	408.15
		<p>Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>		
	33 850 001	Chrome	4005176409196	331.84
		<p>Lineare Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Sena Stick (26 465) wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364)</p>		
	24 063 001	Chrome	4005176465703	188.47
	24 063 DC1	supersteel	4005176465727	262.72
	24 063 AL1	Brushed Hard Graphite	4005176586248	277.00
	<p>Lineare Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



24 064 001	Chrome	4005176465710	207.30
24 064 DC1	supersteel	4005176465734	288.99
24 064 AL1	Brushed Hard Graphite	4005176586255	305.00

Lineare

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



24 095 001	Chrome	4005176480645	231.39
24 095 DC1	supersteel	4005176480652	322.14
24 095 AL1	Brushed Hard Graphite	4005176586262	340.00

Lineare

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:


outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



25 113 000	Chrome	4005176881862	441.34
------------	--------	---------------	--------

Lineare

Two-handed Bath/Shower mixer 1/2"

deck mounted

metal handles

Longlife headpart 3/4"


automatic diverter: bath/shower

integrated non-return valves in the

shower outlet 1/2"

recommended pressure 0.2-5.0 bar

GROHE StarLight chrome finish



25 104 000	Chrome	4005176881794	408.14
------------	--------	---------------	--------

Lineare

Two-handed Bath filler 1/2"









deck mounted

metal handles

Longlife headpart 3/4"

recommended pressure 0.2-5.0 bar

GROHE StarLight chrome finish

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 577 001	Chrome	4005176409233	662.56
	19 577 DC1	supersteel	4005176412820	1,211.71
	19 577 EN1	brushed nickel	4005176413018	1,276.83
	19 577 AL1	Brushed Hard Graphite	4005176586224	1,277.00
	<p>Lineare 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000</p>			
	19 965 001	Chrome	4005176409240	485.57
	<p>Lineare 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish single lever mixer operating element diverter bath/shower hand shower Sena Stick (26 465) metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991</p>			
	<p>29 037 000 4005176865749 762.09 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>			
	45 388 000		4005176212758	77.76
	<p>Supporting legs for baseframe</p>			
	23 792 001	Chrome	4005176409257	1,635.92
	23 792 DC1	supersteel	4005176412837	2,253.21
	23 792 EN1	brushed nickel	4005176413001	2,374.36
	23 792 AL1	Brushed Hard Graphite	4005176586231	2,375.00
	<p>Lineare Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 271 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Sena Stick (26 465) Silverflex shower hose 1250 mm (28 362) protected against backflow</p>			











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
 	29 086 000		4005176935497	231.18
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
 	13 383 001 13 383 DC1	Chrome supersteel	4005176418167 4005176418174	197.99 330.23
	<p>Lineare Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			
 	34 705 000	Chrome	4005176413285	1,381.53
	<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	19 952 000 19 952 DC0 19 952 AL0	Chrome supersteel Brushed Hard Graphite	4005176174230 4005176467776 4005176353376	48.67 61.00 132.00
	<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 025 000	Chrome	4005176209154	54.19
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	28 912 000 28 912 DC0 28 912 AL0	Chrome supersteel Brushed Hard Graphite	4005176266751 4005176467905 4005176467844	231.18 215.00 243.00
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				
 	37 601 000 37 601 DC0 37 601 AL0	Chrome supersteel Brushed Hard Graphite	4005176416057 4005176416088 4005176529030	73.23 165.67 165.67
<p>Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small inspection shaft 40 911 000 sold separately</p>				











GROHE EUROCUBE JOY



GROHE EUROCUBE JOY


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 654 000	Chrome	4005176342080	231.19
	Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 656 000	Chrome	4005176342103	209.05
	Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses			
	23 657 000	Chrome	4005176342110	286.48
	Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 658 000	Chrome	4005176342127	220.11
	Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses			
	23 661 000	Chrome	4005176342158	297.54
	Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses			

GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 997 000	Chrome	4005176342189	242.23
	<p>Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm</p>			
	19 998 000	Chrome	4005176342196	275.42
	<p>ditto, projection 230 mm</p>			
	23 429 000		4005176993695	231.17
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	23 664 000	Chrome	4005176342202	242.23
	<p>Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 665 000	Chrome	4005176342219	264.35
	<p>Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow</p>			
	34 488 000	Chrome	4005176940620	352.85
	<p>Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			


GROHE EUROCUBE JOY

Ref. No. Colour EAN code Retail Guide Price (£)




23 666 000 Chrome 4005176342226 308.62

Eurocube Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE XL Waterfall
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow



34 497 000 Chrome 4005176940675 445.00


Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow



24 061 000 Chrome 4005176465680 181.12

Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 4005176413469 132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation




24 062 000 Chrome 4005176465697 199.98

Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

GROHE EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------


24 094 000	Chrome	4005176480638	223.00
------------	--------	---------------	--------



Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			


24 153 000	Chrome	4005176481178	474.29
24 153 DC0	supersteel	4005176574221	612.00
24 153 AL0	Brushed Hard Graphite	4005176585913	699.00



Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			









24 154 000	Chrome	4005176481185	528.73
24 154 DC0	supersteel	4005176574238	682.00
24 154 AL0	Brushed Hard Graphite	4005176585920	779.00



Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			









GROHE EUROCUBE JOY






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	24 155 000	Chrome	4005176481192	528.73
	24 155 DC0	supersteel	4005176574245	682.00
	24 155 AL0	Brushed Hard Graphite	4005176585937	779.00
	Grohtherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set			
				
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	34 741 000	Chrome	4005176481208	1,252.20
	Grohtherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grohtherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)			
				
	23 667 001	Chrome	4005176429019	1,616.04
	Eurocube Joy Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE FeatherControl Joystick cartridge GROHE StarLight finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" with shower holder protected against backflow			
				
	45 984 001		4005176992056	352.85
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material			
				

GROHE EUROCUBE




GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 137 000	Chrome	4005176901096	164.82
<p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	Chrome	4005176901591	220.12
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 127 000	Chrome	4005176900341	220.12
<p>ditto, with non-restricted flow</p>				
 	23 823 000	Chrome	4005176457944	198.00
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system mousseur pop-up waste set 1 1/4" flexible connection hoses with compression MI coupling 46 914 for low pressure min. recommended pressure 0.2 bar</p>				
 	23 132 00E	Chrome	4005176906725	209.06
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
	23 132 000	Chrome	4005176900990	209.06
<p>ditto, with non-restricted flow</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 390 00E	Chrome	4005176938436	220.12
	<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 392 00E	Chrome	4005176938450	220.11
	<p>Ditto, smooth body</p>			
	23 445 000	Chrome	4005176998706	231.18
	23 445 DC0	supersteel	4005176524974	291.00
	23 445 AL0	Brushed Hard Graphite	4005176584657	333.00
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 446 000	Chrome	4005176998720	220.10
	<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	23 135 00E	Chrome	4005176906732	231.18
	<p>Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 135 000	Chrome	4005176901027	242.23
<p>ditto, with non-restricted flow</p>				

GROHE EUROCUBE


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



23 406 000	Chrome	4005176941658	275.40
23 406 DC0	supersteel	4005176524998	384.00
23 406 AL0	Brushed Hard Graphite	4005176584671	439.00


Eurocube
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses

36 441 000	Chrome	4005176415630	739.17
------------	--------	---------------	--------




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

20 351 000	Chrome	4005176901041	297.54
20 351 DC0	supersteel	4005176525001	416.00
20 351 AL0	Brushed Hard Graphite	4005176584688	475.00



Eurocube
Three-hole basin mixer 1/2"
S-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm

19 895 000	Chrome	4005176901072	253.30
19 895 AL0	Brushed Hard Graphite	4005176585494	391.00





















Eurocube
2-hole basin mixer
S-Size
 wall mounted
 set for final installation for 23 200 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 171 mm

23 447 000	Chrome	4005176998737	253.30
------------	--------	---------------	--------


Ditto, projection 231 mm

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 200 002		4005176519901	220.00
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				
 	23 200 000		4005176908354	231.19
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>				
 	23 138 000	Chrome	4005176901133	209.07
<p>Eurocube Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 145 000	Chrome	4005176901270	242.22
	23 145 DC0	supersteel	4005176525049	313.00
	23 145 AL0	Brushed Hard Graphite	4005176585524	358.00
<p>Eurocube Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>				
 	18 541 000		4005176910869	32.08
<p>Eurocube Shelf for shower mixer 23 145 000 for shower mixer 23 193 000</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 488 000	Chrome	4005176940620	352.85
	<p>Grotherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	23 140 000	Chrome	4005176901157	264.36
	23 140 DC0	supersteel	4005176525056	365.00
	23 140 AL0	Brushed Hard Graphite	4005176585531	417.00
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>			
	23 141 000	Chrome	4005176901164	330.71
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)</p>			
	34 497 000	Chrome	4005176940675	445.00
	<p>Grotherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EcoJoy technology for less water and perfect flow</p>			

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 061 000	Chrome	4005176465680	181.12
24 061 AL0	Brushed Hard Graphite	4005176585586	267.00




Eurocube
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
------------	---------------	--------


GROHE Rapido SmartBox universal rough-in box for concealed installation

24 062 000	Chrome	4005176465697	199.98
24 062 DC0	supersteel	4005176553905	257.00
24 062 AL0	Brushed Hard Graphite	4005176585579	294.00



Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

24 094 000	Chrome	4005176480638	223.00
24 094 DC0	supersteel	4005176574047	287.00
24 094 AL0	Brushed Hard Graphite	4005176585593	328.00




Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
------------	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE


Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 153 000	Chrome	4005176481178	474.29
24 153 DC0	supersteel	4005176574221	612.00
24 153 AL0	Brushed Hard Graphite	4005176585913	699.00



Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		


24 154 000	Chrome	4005176481185	528.73
24 154 DC0	supersteel	4005176574238	682.00
24 154 AL0	Brushed Hard Graphite	4005176585920	779.00



Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		











24 155 000	Chrome	4005176481192	528.73
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed shower and bath symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set


35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 741 000	Chrome	4005176481208	1,252.20
	<p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p>			
	23 409 000	Chrome	4005176942105	672.50
	<p>Eurocube Perfect shower set with Euphoria Cube 152 Consisting of: Eurocube set for final installation (19 896 000) Euphoria Cube 152 head shower (27 705 000) Rainshower shower arm 275 mm (27 488 000) Euphoria Cube Stick hand shower set (27 702) Euphoria Cube shower outlet elbow (27 704) min. recommended pressure 1 bar</p>			
	23 143 000	Chrome	4005176901188	341.76
	<p>Eurocube Single-lever bath/shower mixer 1/2" deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow optional temperature limiter (46 375 000)</p>			
	25 137 000	Chrome	4005176906770	352.85
	<p>Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>			
	25 136 000	Chrome	4005176906763	308.59
	<p>Eurocube Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>			


GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 897 001	Chrome	4005176429101	1,072.92
19 897 DC1	supersteel	4005176525087	1,348.00
19 897 AL1	Brushed Hard Graphite	4005176585548	1,540.00




Eurocube
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.6 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000

19 966 000	Chrome	4005176986864	680.00
------------	--------	---------------	--------



Eurocube
3-hole bath combination trim set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 Consisting of:
 single lever mixer operating element
 diverter bath/shower
 without spout
 Euphoria Cube hand shower (27 699 000) 9.4 l/min
 metal shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000
 for combination with 28 990 / 28 991

29 037 000		4005176865749	762.09
------------	--	---------------	--------




4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color











45 388 000		4005176212758	77.76
------------	--	---------------	-------

Supporting legs for baseframe









23 672 001	Chrome	4005176429002	1,600.55
23 672 DC1	supersteel	4005176525094	2,070.00
23 672 AL1	Brushed Hard Graphite	4005176585555	2,366.00



Eurocube
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
 29 038 001
 29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
 Silverflex shower hose 1250 mm (28 362)
 projection 298 mm
 integrated non-return valve
 in the shower outlet 1/2"
 protected against backflow
 with shower holder

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 984 001		4005176992056	352.85
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p>			
	29 086 000		4005176935497	231.18
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
	13 303 000	Chrome	4005176906350	120.57
	13 303 DC0	supersteel	4005176525100	163.00
	13 303 AL0	Brushed Hard Graphite	4005176585562	186.00
	<p>Eurocube Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			
	13 304 000	Chrome	4005176906367	131.62
	<p>Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p>			
	19 910 000	Chrome	4005176987014	54.18
	<p>Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE StarLight chrome finish</p>			
	35 028 000		4005176908316	131.61
	<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>			


GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 800 000		4005176504839	30.43
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853	51.42
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	29 805 000		4005176504884	86.36
	ditto, 1", pre-assembled headpart 1", thread union 1"			
	29 801 000		4005176504846	25.08
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	39.88
	ditto, soldered connection Ø 22 mm			
	29 811 000		4005176062711	51.42
	ditto, 1/2", pre-assembled headpart 1/2", thread union 1/2"			
	22 012 000	Chrome	4005176906343	43.14
	22 012 DC0	supersteel	4005176525742	63.00
	22 012 AL0	Brushed Hard Graphite	4005176585944	72.00
	Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
	22 013 000	Chrome	4005176909689	43.14
	Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
	37 535 000	Chrome	4005176416019	63.95
	37 535 DC0	supersteel	4005176416040	165.60
	37 535 AL0	Brushed Hard Graphite	4005176431357	165.60
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small inspection shaft 40 911 000 sold separately			
				

GROHE PLUS




Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 958 003	Chrome	4005176605642	679.00
23 958 DC3	supersteel	4005176612756	947.43
23 958 AL3	Brushed Hard Graphite	4005176612749	1,082.76




GROHE Plus
Single-lever basin mixer 1/2" with LED display < br/>M-size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery
 mains power retrofit possible

23 959 003	Chrome	4005176605659	699.00
------------	--------	---------------	--------




GROHE Plus
Single-lever basin mixer 1/2" with LED display L-Size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery
 mains power retrofit possible

32 612 003	Chrome	4005176529696	199.00
32 612 DC3	supersteel	4005176574054	269.00
32 612 AL3	Brushed Hard Graphite	4005176585609	307.00



















GROHE Plus
Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

32 612 30L	Chrome	4005176529979	199.00
------------	--------	---------------	--------




GROHE Plus
Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 for **low pressure**
 min. recommended pressure 0.2 bar

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		33 163 003	Chrome	4005176529702	199.00
		<p>GROHE Plus Basin mixer 1/2\" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4\" flexible connection hoses</p>			
		23 870 003	Chrome	4005176529719	199.00
		<p>GROHE Plus Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4\" flexible connection hoses</p>			
		23 871 003 23 871 DC3 23 871 AL3	Chrome supersteel Brushed Hard Graphite	4005176529726 4005176574061 4005176585616	249.00 336.00 384.00
		<p>GROHE Plus Basin mixer 1/2\" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4\" flexible connection hoses</p>			
		23 872 003	Chrome	4005176529733	249.00
		<p>GROHE Plus Basin mixer 1/2\" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4\" flexible connection hoses</p>			


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 851 003	Chrome	4005176496523	279.00
	23 851 DC3	supersteel	4005176574078	376.00
	23 851 AL3	Brushed Hard Graphite	4005176585623	430.00
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 873 003	Chrome	4005176529986	279.00
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
				
	23 843 003	Chrome	4005176496547	329.00
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pop-up waste set 1 1/4" flexible connection hoses</p>			
				
	23 844 003	Chrome	4005176496554	329.00
	<p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
				

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




32 618 003	Chrome	4005176529740	299.00
32 618 DC3	supersteel	4005176574092	416.00
32 618 AL3	Brushed Hard Graphite	4005176585647	476.00

GROHE Plus
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 smooth body
 flexible connection hoses



20 301 003	Chrome	4005176529757	301.99
------------	--------	---------------	--------

GROHE Plus
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 rapid installation system
 pop-up waste set 1 1/4"
GROHE QuickFix installation system
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm




29 303 003	Chrome	4005176529764	249.00
29 303 DC3	supersteel	4005176574108	328.00
29 303 AL3	Brushed Hard Graphite	4005176585654	374.00

GROHE Plus
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 200 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 147 mm
min. recommended pressure 1 bar









29 306 003	Chrome	4005176529771	259.00
------------	--------	---------------	--------









ditto, projection 203 mm



23 200 002		4005176519901	220.00
------------	--	---------------	--------


Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 spout can be positioned on the right or left
 installation depth 45 to 75 mm
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 200 000		4005176908354	231.19
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			
 	33 241 003 33 241 DC3 33 241 AL3	Chrome supersteel Brushed Hard Graphite	4005176529849 4005176574184 4005176585739	199.00 269.00 307.00
	<p>GROHE Plus Bidet mixer 1/2" monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>			
 	33 577 003 33 577 DC3 33 577 AL3	Chrome supersteel Brushed Hard Graphite	4005176529801 4005176574139 4005176585685	239.00 322.00 368.00
	<p>GROHE Plus Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1 bar</p>			
 	34 719 000	Chrome	4005176457654	370.52
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 553 003	Chrome	4005176529795	299.00
	33 553 DC3	supersteel	4005176574122	403.00
	33 553 AL3	Brushed Hard Graphite	4005176585678	460.00
	<p>GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow min. recommended pressure 1 bar</p>			
	34 718 000	Chrome	4005176457647	408.15
		<p>Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>		
	33 547 003	Chrome	4005176529818	339.00
		<p>GROHE Plus Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower laminar mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Euphoria Cube Stick (27 698 000) wall shower holder (27 693 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1 bar</p>		
	40 954 000	Chrome	4005176496844	99.00
		<p>GROHE Plus Tray suitable for 33 553 003 33 547 003 33 577 003</p>		

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

24 059 003	Chrome	4005176529832	189.00
24 059 DC3	supersteel	4005176574153	255.00
24 059 AL3	Brushed Hard Graphite	4005176585708	292.00



GROHE Plus

Single-lever shower mixer trim

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever


flow performance:

outlet B or C = 30 l/min

without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 060 003	Chrome	4005176529825	199.00
24 060 DC3	supersteel	4005176574146	269.00
24 060 AL3	Brushed Hard Graphite	4005176585692	307.00



GROHE Plus

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter


flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

24 093 003	Chrome	4005176530050	219.00
24 093 DC3	supersteel	4005176574214	302.00
24 093 AL3	Brushed Hard Graphite	4005176585760	345.00



GROHE Plus

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with **GROHE QuickFix**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,


outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

25 132 003	Chrome	4005176529870	369.00
------------	--------	---------------	--------



GROHE Plus

Two-handed Bath filler 1/2"









deck mounted

metal handles


Longlife headpart 3/4"

recommended pressure 0.2 - 5.0 bar

GROHE StarLight finish


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	25 133 003	Chrome	4005176529887	399.00
<p>GROHE Plus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" recommended pressure 0.2 - 5.0 bar GROHE StarLight finish</p>				
 	29 307 003 29 307 DC3 29 307 AL3	Chrome supersteel Brushed Hard Graphite	4005176529993 4005176574160 4005176585715	799.00 1,107.00 1,265.00
<p>GROHE Plus 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 1 bar</p>				
 	23 845 003	Chrome	4005176496677	679.00
<p>GROHE Plus 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 for combination with 28 990 / 28 991 min. recommended pressure 1 bar</p>				
 	29 037 002		4005176519918	724.00
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p>				
	45 388 000		4005176212758	77.76
<p>Supporting legs for baseframe</p>				

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




23 846 003	Chrome	4005176496684	1,499.00
23 846 DC3	supersteel	4005176574177	2,039.00
23 846 AL3	Brushed Hard Graphite	4005176585722	2,330.00

GROHE Plus
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with laminar mousseur
 projection 282 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Euphoria Cube 6.6 l/min
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow
min. recommended pressure 1 bar




45 984 001		4005176992056	352.85
------------	--	---------------	--------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material



29 086 000		4005176935497	231.18
------------	--	---------------	--------

Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug




13 404 003	Chrome	4005176529788	139.00
------------	--------	---------------	--------

GROHE Plus
Bath spout
 wall mounted
GROHE StarLight chrome finish
 laminar mousseur
 male thread 1/2"
 projection 168 mm

GROHE PLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,093.94
26 507 LS0	moon white	4005176457609	1,259.85
26 507 DC0	supersteel	4005176526374	1,472.00
26 507 AL0	Brushed Hard Graphite	4005176557422	1,766.00



Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

GROHE PureRain and Centered Jet spray

hand shower Euphoria 110 Massage, spray plate white

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy

to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

26 508 000	Chrome	4005176457593	1,093.94
26 508 LS0	moon white	4005176457616	1,259.85
26 508 DC0	supersteel	4005176526367	1,472.00
26 508 AL0	Brushed Hard Graphite	4005176557507	1,766.00



Euphoria SmartControl System 310 Cube Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube Stick

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy

to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system











Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 705 000	Chrome	4005176413285	1,381.53
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	34 706 000	Chrome	4005176413797	1,370.46
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	19 952 000	Chrome	4005176174230	48.67
	19 952 DC0	supersteel	4005176467776	61.00
	19 952 AL0	Brushed Hard Graphite	4005176353376	132.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	19 025 000	Chrome	4005176209154	54.19
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	40 564 000	Chrome	4005176912740	253.31
	40 564 DC0	supersteel	4005176491795	329.00
	40 564 AL0	Brushed Hard Graphite	4005176491788	376.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>				

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




28 912 000	Chrome	4005176266751	231.18
28 912 DC0	supersteel	4005176467905	215.00
28 912 AL0	Brushed Hard Graphite	4005176467844	243.00

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish



37 535 000	Chrome	4005176416019	63.95
37 535 DC0	supersteel	4005176416040	165.60
37 535 AL0	Brushed Hard Graphite	4005176431357	165.60

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately



37 624 000	Chrome	4005176416095	73.23
37 624 DC0	supersteel	4005176416125	165.70
37 624 AL0	Brushed Hard Graphite	4005176529115	165.67


Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

GROHE EUROPLUS



GROHE EUROPLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



33 155 002	Chrome	4005176865947	253.29
------------	--------	---------------	--------


Europlus
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable minimum flow rate 2.5 l/min
 temperature limiter
GROHE StarLight chrome finish
 rapid installation system
 pull out spout with mousseur
 integrated non-return valve
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE ESSENCE




GROHE ESSENCE

Ref. No. Colour EAN code Retail Guide Price (£)




23 589 001	Chrome	4005176339172	159.28
23 589 DC1	supersteel	4005176369919	223.72
23 589 BE1	polished nickel	4005176419638	239.72
23 589 EN1	brushed nickel	4005176425844	255.69
23 589 GL1	cool sunrise	4005176407321	239.72
23 589 GN1	brushed cool sunrise	4005176419614	255.69
23 589 DA1	warm sunset	4005176407314	239.72
23 589 DL1	brushed warm sunset	4005176419621	255.69
23 589 A01	hard graphite	4005176407338	239.72
23 589 AL1	Brushed Hard Graphite	4005176407345	255.69

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




23 590 001	Chrome	4005176339189	148.22
23 590 DC1	supersteel	4005176369926	216.45
23 590 BE1	polished nickel	4005176426018	231.93
23 590 EN1	brushed nickel	4005176426025	247.38
23 590 GL1	cool sunrise	4005176425851	231.93
23 590 GN1	brushed cool sunrise	4005176425868	247.38
23 590 DA1	warm sunset	4005176425875	231.93
23 590 DL1	brushed warm sunset	4005176425882	247.38
23 590 A01	hard graphite	4005176426001	231.93
23 590 AL1	Brushed Hard Graphite	4005176425998	247.38

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses



23 591 001	Chrome	4005176339196	131.62
------------	--------	---------------	--------









Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




32 898 001	Chrome	4005176306860	153.74
------------	--------	---------------	--------

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE ESSENCE


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		34 294 001	Chrome	4005176306877	142.69
		<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
		23 379 001	Chrome	4005176306891	164.81
		<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 462 001	Chrome	4005176306907	186.92
		<p>23 462 DC1 supersteel 4005176369933 261.90 23 462 BE1 polished nickel 4005176426087 280.63 23 462 EN1 brushed nickel 4005176426094 299.33 23 462 GL1 cool sunrise 4005176426032 280.63 23 462 GN1 brushed cool sunrise 4005176426049 299.33 23 462 DA1 warm sunset 4005176426056 280.63 23 462 DL1 brushed warm sunset 4005176426063 299.33 23 462 A01 hard graphite 4005176425325 280.63 23 462 AL1 Brushed Hard Graphite 4005176426070 299.33</p>			
		<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 480 001	Chrome	4005176306921	184.00
		<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter retractable chain flexible connection hoses</p>			

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




23 463 001	Chrome	4005176306914	175.86
-------------------	---------------	----------------------	---------------

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses



32 628 001	Chrome	4005176306983	197.97
32 628 DC1	supersteel	4005176369940	287.36
32 628 BE1	polished nickel	4005176419669	307.90
32 628 EN1	brushed nickel	4005176426100	328.42
32 628 GL1	cool sunrise	4005176407369	307.90
32 628 GN1	brushed cool sunrise	4005176419645	328.42
32 628 DA1	warm sunset	4005176407352	307.90
32 628 DL1	brushed warm sunset	4005176419652	328.42
32 628 A01	hard graphite	4005176407376	307.90
32 628 AL1	Brushed Hard Graphite	4005176407383	328.42


Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses



23 541 001	Chrome	4005176313912	186.92
-------------------	---------------	----------------------	---------------

Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



32 901 001	Chrome	4005176306969	264.36
32 901 DC1	supersteel	4005176369957	389.24
32 901 BE1	polished nickel	4005176426131	417.06
32 901 EN1	brushed nickel	4005176426148	444.85
32 901 GL1	cool sunrise	4005176407505	417.06
32 901 GN1	brushed cool sunrise	4005176426117	444.85
32 901 DA1	warm sunset	4005176407499	417.06
32 901 DL1	brushed warm sunset	4005176426124	444.85
32 901 A01	hard graphite	4005176407512	417.06
32 901 AL1	Brushed Hard Graphite	4005176407529	444.85


Essence
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
 swivel spout with mousseur
 and stop limiter
 smooth body
 flexible connection hoses

36 445 000	Chrome	4005176415678	601.70
------------	--------	---------------	--------




Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

20 296 001	Chrome	4005176307072	253.30
------------	--------	---------------	--------



Essence
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



20 299 001	Chrome	4005176307096	319.66
------------	--------	---------------	--------

Essence
3-hole basin mixer
L-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm

19 408 001	Chrome	4005176307133	186.91
19 408 DC1	supersteel	4005176369964	287.36
19 408 BE1	polished nickel	4005176426216	307.90
19 408 EN1	brushed nickel	4005176426223	328.42
19 408 GL1	cool sunrise	4005176426155	307.90
19 408 GN1	brushed cool sunrise	4005176426162	328.42
19 408 DA1	warm sunset	4005176426179	307.90
19 408 DL1	brushed warm sunset	4005176426186	328.42
19 408 A01	hard graphite	4005176426209	307.90
19 408 AL1	Brushed Hard Graphite	4005176426193	328.42




Essence
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 183 mm

19 967 001	Chrome	4005176307140	209.06
19 967 DC1	supersteel	4005176369971	323.77
19 967 BE1	polished nickel	4005176426292	346.89
19 967 EN1	brushed nickel	4005176426308	370.00
19 967 GL1	cool sunrise	4005176426230	346.89
19 967 GN1	brushed cool sunrise	4005176426247	370.00
19 967 DA1	warm sunset	4005176426254	346.89
19 967 DL1	brushed warm sunset	4005176426261	370.00
19 967 A01	hard graphite	4005176426285	346.89
19 967 AL1	Brushed Hard Graphite	4005176426278	370.00


ditto, projection 230 mm

23 571 000		4005176334276	220.10
------------	--	---------------	--------




Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




32 935 001	Chrome	4005176307171	153.74
32 935 DC1	supersteel	4005176369988	223.72
32 935 BE1	polished nickel	4005176426377	239.72
32 935 EN1	brushed nickel	4005176426384	255.69
32 935 GL1	cool sunrise	4005176426315	239.72
32 935 GN1	brushed cool sunrise	4005176426322	255.69
32 935 DA1	warm sunset	4005176426339	239.72
32 935 DL1	brushed warm sunset	4005176426346	255.69
32 935 A01	hard graphite	4005176426360	239.72
32 935 AL1	Brushed Hard Graphite	4005176426353	255.69

Essence
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



33 636 001	Chrome	4005176307287	164.82
33 636 DC1	supersteel	4005176371141	247.36
33 636 BE1	polished nickel	4005176426674	265.05
33 636 EN1	brushed nickel	4005176426681	282.71
33 636 GL1	cool sunrise	4005176426612	265.05
33 636 GN1	brushed cool sunrise	4005176426629	282.71
33 636 DA1	warm sunset	4005176426636	265.05
33 636 DL1	brushed warm sunset	4005176426643	282.71
33 636 A01	hard graphite	4005176426667	265.05
33 636 AL1	Brushed Hard Graphite	4005176426650	282.71

Essence
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow




34 765 000	Chrome	4005176612022	188.59
------------	--------	---------------	--------

Grotherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




33 624 001	Chrome	4005176990786	198.01
33 624 DC1	supersteel	4005176371097	303.77
33 624 BE1	polished nickel	4005176426452	325.45
33 624 EN1	brushed nickel	4005176426469	347.14
33 624 GL1	cool sunrise	4005176426391	325.45
33 624 GN1	brushed cool sunrise	4005176426407	347.14
33 624 DA1	warm sunset	4005176426414	325.45
33 624 DL1	brushed warm sunset	4005176426421	347.14
33 624 A01	hard graphite	4005176426445	325.45
33 624 AL1	Brushed Hard Graphite	4005176426438	347.14

Essence

Single-lever bath/shower mixer 1/2"

wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow



33 628 001	Chrome	4005176990793	242.22
------------	--------	---------------	--------

Essence

Single-lever bath/shower mixer 1/2"


wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cosmopolitan
Stick (27 400 000) 6.6 l/min
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)


34 766 000	Chrome	4005176612039	245.70
------------	--------	---------------	--------

Grontherm 800 Cosmopolitan

Thermostatic bath/shower mixer 1/2"

wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow





Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 057 001	Chrome	4005176465468	164.38
24 057 DC1	supersteel	4005176465482	229.62
24 057 BE1	polished nickel	4005176465628	246.03
24 057 EN1	brushed nickel	4005176465642	262.42
24 057 GL1	cool sunrise	4005176465505	246.03
24 057 GN1	brushed cool sunrise	4005176465529	262.42
24 057 DA1	warm sunset	4005176465543	246.03
24 057 DL1	brushed warm sunset	4005176465567	262.42
24 057 A01	hard graphite	4005176465581	246.03
24 057 AL1	Brushed Hard Graphite	4005176465604	262.42

Essence

Single-lever shower mixer trim

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable


metal lever

flow performance:

outlet B or C = 30 l/min

without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 058 001	Chrome	4005176465475	181.12
24 058 DC1	supersteel	4005176465499	252.56
24 058 BE1	polished nickel	4005176465635	270.60
24 058 EN1	brushed nickel	4005176465659	288.65
24 058 GL1	cool sunrise	4005176465512	270.60
24 058 GN1	brushed cool sunrise	4005176465536	288.65
24 058 DA1	warm sunset	4005176465550	270.60
24 058 DL1	brushed warm sunset	4005176465574	288.65
24 058 A01	hard graphite	4005176465598	270.60
24 058 AL1	Brushed Hard Graphite	4005176465611	288.65

Essence

Single-lever mixer with 2-way diverter

set for final installation for
GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter


flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

without roughing-in-set

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



24 092 001	Chrome	4005176480522	205.21
24 092 DC1	supersteel	4005176480539	285.69
24 092 BE1	polished nickel	4005176480607	306.11
24 092 EN1	brushed nickel	4005176480614	326.49
24 092 GL1	cool sunrise	4005176480546	306.11
24 092 GN1	brushed cool sunrise	4005176480553	326.49
24 092 DA1	warm sunset	4005176480560	306.11
24 092 DL1	brushed warm sunset	4005176480577	326.49
24 092 A01	hard graphite	4005176481291	306.11
24 092 AL1	Brushed Hard Graphite	4005176481307	326.49

Essence

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600 000

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE QuickFix

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:


outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



34 705 000	Chrome	4005176413285	1,381.53
------------	--------	---------------	----------

Grohtherm SmartControl

Perfect shower set with Rainshower SmartActive 310

Consisting of:

concealed thermostat with 3 valves

Grohtherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600 000

Rainshower 310 head shower set (26 475) including head shower with 2 sprays,

horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367 000)

Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)

19 578 001	Chrome	4005176307195	739.99
19 578 DC1	supersteel	4005176371103	1,036.73
19 578 BE1	polished nickel	4005176426537	1,110.77
19 578 EN1	brushed nickel	4005176374463	1,184.83
19 578 GL1	cool sunrise	4005176426476	1,110.77
19 578 GN1	brushed cool sunrise	4005176426483	1,184.83
19 578 DA1	warm sunset	4005176426490	1,110.77
19 578 DL1	brushed warm sunset	4005176426506	1,184.83
19 578 A01	hard graphite	4005176426520	1,110.77
19 578 AL1	Brushed Hard Graphite	4005176426513	1,184.83

Essence

4-hole single-lever bath combination

GROHE SilkMove 35 mm ceramic cartridge

with temperature limiter

GROHE StarLight chrome finish

pre-assembled spout fixing

single lever mixer operating element

metal lever

bath inlet with mousseur

diverter bath/shower

for chrome: hand shower 27400000


metal shower hose 2000 mm







flexible connection hoses

connection for shower hose


protected against backflow

for use with 29 037 000



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 976 001	Chrome	4005176307218	441.32
<p>Essence 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish single lever mixer operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991</p>				
 	29 037 000		4005176865749	762.09
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>				
	45 388 000		4005176212758	77.76
<p>Supporting legs for baseframe</p>				
 	23 741 001	Chrome	4005176371509	1,713.37
	23 741 DC1	supersteel	4005176371516	3,069.05
<p>Essence Single-lever free-standing shower system floor-mounted set for final installation for 45 984 001 29 038 001 29 086 000 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter head shower/hand shower 360° horizontal swivable shower arm integrated non-return valve in the shower outlet 1/2" with shower holder Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000) with ball joint rotation angle ± 15° GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system for chrome: hand shower 27400000 Silverflex shower hose 1750 mm (28 388 000) protected against backflow</p>				

GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 491 001	Chrome	4005176307263	1,138.19
23 491 DC1	supersteel	4005176371127	1,636.94
23 491 BE1	polished nickel	4005176426605	1,753.87
23 491 EN1	brushed nickel	4005176371134	1,870.78
23 491 GL1	cool sunrise	4005176407581	1,753.87
23 491 GN1	brushed cool sunrise	4005176426582	1,870.78
23 491 DA1	warm sunset	4005176407574	1,753.87
23 491 DL1	brushed warm sunset	4005176426599	1,870.78
23 491 A01	hard graphite	4005176407598	1,753.87
23 491 AL1	Brushed Hard Graphite	4005176407604	1,870.78

Essence

Single-lever bath mixer 1/2", floor mounted

set for final installation for
45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur

and stop limiter

projection 277 mm

integrated non-return valve


in the shower outlet 1/2"

with shower holder

for chrome: hand shower 27400000

Silverflex shower hose 1250 mm (28 362)

protected against backflow



45 984 001

4005176992056

352.85

Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath

mixers/spouts, depth compensation 104 mm


installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

Can take a single mixed supply

fixing material



29 086 000

4005176935497

231.18

Rough-in set 1/2"

for floor-mounted tub spouts and mixers

without finishing trim set


installation plate with 360° horizontal and 3° vertical adjustment

installation depth 47-151 mm

depth compensation 104 mm

two 1/2" female connections (hot/cold supplies)

flushing plug



37 601 000

Chrome

4005176416057

73.23

37 601 DC0

supersteel

4005176416088

165.67

37 601 BE0

polished nickel

4005176529009

165.67

37 601 EN0

brushed nickel

4005176529047

165.67

37 601 GL0

cool sunrise

4005176524271

165.67

37 601 GN0

brushed cool sunrise

4005176529016

165.67

37 601 DA0

warm sunset

4005176524288

165.67

37 601 DL0

brushed warm sunset

4005176529023

165.67

37 601 A00

hard graphite

4005176528996

165.67

37 601 AL0

Brushed Hard Graphite

4005176529030

165.67

Nova Cosmopolitan S

Flush plate

for dual flush or start & stop actuation

for pneumatic drop valve AV1

compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm

made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

flush plate with magnetic holder and fixing brackets included

small inspection shaft 40 911 000 sold separately



GROHE EURODISC JOY



GROHE EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 425 000	Chrome	4005176993596	175.86
	23 425 LS0	moon white	4005176993602	231.17
	<p>Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 427 000	Chrome	4005176993619	197.99
	23 427 LS0	moon white	4005176993626	253.31
	<p>Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 428 000	Chrome	4005176993633	297.54
	23 428 LS0	moon white	4005176993640	386.03
	<p>Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	19 968 000	Chrome	4005176993657	209.05
	19 968 LS0	moon white	4005176993664	330.72
	<p>Eurodisc Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm</p>			
	19 969 000	Chrome	4005176993671	231.19
	19 969 LS0	moon white	4005176993688	253.31
	<p>Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm</p>			


GROHE EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 429 000		4005176993695	231.17
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	24 036 000 24 036 LS0	Chrome moon white	4005176993701 4005176993718	209.05 242.25
	<p>Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
 	23 430 000 23 430 LS0	Chrome moon white	4005176993725 4005176993732	220.12 242.22
	<p>Eurodisc Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow</p>			
 	23 431 000 23 431 LS0	Chrome moon white	4005176993749 4005176993756	220.11 253.30
	<p>Eurodisc Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove Joystick cartridge GROHE StarLight chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>			
 	24 055 002	Chrome	4005176465420	154.95
	<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>			

GROHE EURODISC JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

24 056 002	Chrome	4005176465437	169.61
------------	--------	---------------	--------













Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			










GROHE EURODISC COSMOPOLITAN



GROHE EURODISC COSMOPOLITAN


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 051 002	Chrome	4005176887567	98.44
<p>Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 049 002	Chrome	4005176887536	186.94
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 190 20E	Chrome	4005176887482	186.94
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 183 002	Chrome	4005176887499	176.98
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>				
 	32 469 20E	Chrome	4005176908835	175.89
<p>Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>				

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 469 20L	Chrome	4005176917110	166.85
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE QuickFix Plus installation system with centering support GROHE StarLight chrome finish mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	23 389 20E	Chrome	4005176938412	186.95
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar			
	23 384 20E	Chrome	4005176936722	209.06
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	23 382 20E	Chrome	4005176936708	175.89
	23 382 20E Chrome 4005176936708 175.89 Ditto, with GROHE SilkMove ES			
	23 448 002	Chrome	4005176998744	186.94
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			


GROHE EURODISC COSMOPOLITAN

Ref. No. Colour EAN code Retail Guide Price (£)




23 449 002 Chrome 4005176998768 175.86

Eurodisc Cosmopolitan Basin mixer 1/2" M-Size
 monobloc installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
 smooth body
 flexible connection hoses





23 054 003 Chrome 4005176472596 185.09

Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size
 monobloc installation
 metal lever
 covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
GROHE StarLight chrome finish
 GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix Plus installation system
 mousseur
 swivel tubular spout
 with stop restriction
 pop-up waste set 1 1/4"
 flexible connection hoses
min. recommended pressure 1 bar
 optional temperature limiter (46 375 000)



23 432 000 Chrome 4005176993763 286.48











Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size
 monobloc installation
 metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 smooth body
 flexible connection hoses
 optional temperature limiter (46 375 000)



23 055 002 Chrome 4005176887680 231.16

Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size
 monobloc installation
 metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 with centering support
 mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 optional temperature limiter (46 375 000)


GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	19 573 002	Chrome	4005176887659	209.07	
	Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide NEW centre distance 110 mm projection 170 mm	19 974 002	Chrome	4005176305948	220.11
		ditto, projection 225 mm			
	23 571 000		4005176334276	220.10	
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve				
	33 244 002	Chrome	4005176888779	175.87	
	Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)				
	33 569 002	Chrome	4005176887734	186.94	
	Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)				
	34 719 000	Chrome	4005176457654	370.52	
	Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow				

GROHE EURODISC COSMOPOLITAN


Ref. No. Colour EAN code Retail Guide Price (£)

33 192 002 Chrome 4005176887864 209.07




Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)

33 390 002 Chrome 4005176887796 209.07




Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

34 718 000 Chrome 4005176457647 408.15











Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

33 395 002 Chrome 4005176887802 275.40







Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109
with shower set
Consisting of:
hand shower euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	24 055 002	Chrome	4005176465420	154.95
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 056 002	Chrome	4005176465437	169.61
<p>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	34 705 000	Chrome	4005176413285	1,381.53
<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	33 392 002	Chrome	4005176889554	297.55
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow optional temperature limiter (46 308 000)</p>				











GROHE EURODISC COSMOPOLITAN












	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 278 002	Chrome	4005176887871	98.42
	Eurodisc Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm			
 	37 624 000	Chrome	4005176416095	73.23
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small inspection shaft 40 911 000 sold separately			

GROHE CONCETTO











GROHE CONCETTO











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 207 001	Chrome	4005176888878	99.99
<p>Concetto Pillar tap XS-Size monobloc installation metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm noise classification 1 in accordance with DIN4109</p>				
 	32 204 10E	Chrome	4005176887345	140.39
<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 931 001	Chrome	4005176584015	130.29
<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar noise classification 1 in accordance with DIN4109</p>				
 	23 060 001	Chrome	4005176888021	130.29
<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>				
 	32 202 10L	Chrome	4005176903960	130.29
<p>Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 240 10E	Chrome	4005176906794	130.29
	<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses</p>			
	32 240 10L	Chrome	4005176903977	120.19
	<p>Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p>			
	23 380 10E	Chrome	4005176938245	140.39
	<p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 385 10E	Chrome	4005176938269	130.29
	Ditto, with GROHE SilkMove ES			
	23 450 001	Chrome	4005176998775	150.49
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 932 001	Chrome	4005176584022	140.39
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>			









GROHE CONCETTO









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 451 001	Chrome	4005176998799	140.39
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 739 002	Chrome	4005176472602	199.00
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1 bar</p>			
	32 629 002	Chrome	4005176472619	170.69
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1 bar</p>			
	20 216 001	Chrome	4005176888373	221.19
	<p>Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			

GROHE CONCETTO






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 575 001	Chrome	4005176888366	180.79
	Concetto 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon GROHE StarLight chrome finish centre distance 110 mm projection 147 mm			
	23 571 000		4005176334276	220.10
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	32 208 001	Chrome	4005176888908	130.29
	Concetto Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
	32 210 001	Chrome	4005176888939	150.49
	Concetto Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109			
	34 765 000	Chrome	4005176612022	188.59
	Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow			

GROHE CONCETTO





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 211 001	Chrome	4005176889028	170.69
	<p>Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>			
 	34 766 000	Chrome	4005176612039	245.70
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	32 212 001	Chrome	4005176889035	200.99
	<p>Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Consisting of: Euphoria Cosmopolitan hand shower (27 400) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	32 700 001	Chrome	4005176887994	160.59
	<p>Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
		<p>24 053 001 Chrome 4005176465406 144.00</p> <p>Concetto Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>		
		<p>35 600 000 4005176413469 132.18 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
		<p>24 054 001 Chrome 4005176465413 158.00</p> <p>Concetto Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>		
		<p>35 600 000 4005176413469 132.18 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>		
		<p>19 345 001 Chrome 4005176888953 150.49</p> <p>Concetto Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>		
		<p>32 213 001 Chrome 4005176888960 150.49</p> <p>Concetto Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1 bar</p>		
		<p>19 346 001 Chrome 4005176889080 160.59</p> <p>Concetto Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling</p>		
		<p>32 213 001 Chrome 4005176888960 150.49</p> <p>Concetto Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1 bar</p>		

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 214 001	Chrome	4005176889097	170.69
	25 102 000	Chrome	4005176881671	231.29
	25 109 000	Chrome	4005176881848	261.59
	19 576 002	Chrome	4005176429088	693.87
	29 037 000	4/5-hole bath combination (optional) baseframe for installation under tiled surround		762.09
	45 388 000	Supporting legs for baseframe		77.76











GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 280 001	Chrome	4005176888687	89.89
	Concetto Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2"			
 	13 281 001	Chrome	4005176888694	120.19
	Concetto Bath spout with diverter wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2"			









GROHE EUROSTYLE COSMOPOLITAN













GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 039 002	Chrome	4005176886881	87.39
<p>Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish mousseur</p>				
 	23 037 002	Chrome	4005176886355	142.67
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4\" flexible connection hoses</p>				
 	23 387 20E	Chrome	4005176938382	120.55
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4\" flexible connection hoses</p>				
 	33 552 20E	Chrome	4005176886300	120.55
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4\" flexible connection hoses noise classification 1 in accordance with DIN4109</p>				
 	33 561 002	Chrome	4005176886379	142.69
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support flow straightener pop-up waste set 1 1/4\" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>				









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 468 20E	Chrome	4005176906886	120.54
	Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 468 20L	Chrome	4005176917097	115.27
	Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur, smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 374 20E	Chrome	4005176936678	120.55
	Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar			
	23 373 20E	Chrome	4005176936661	120.54
	Ditto, with GROHE SilkMove ES			
	23 043 003	Chrome	4005176472732	185.07
	Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar optional temperature limiter (46 375 000)			









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 208 002	Chrome	4005176886980	253.30
	<p>Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	19 571 002	Chrome	4005176886973	220.12
	<p>Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>			
	23 571 000		4005176334276	220.10
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	33 565 002	Chrome	4005176887000	120.55
	<p>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	33 590 002	Chrome	4005176887048	131.61
	<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>			











GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 229 002	Chrome	4005176887055	133.84
	<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109</p>			
	34 765 000	Chrome	4005176612022	188.59
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	33 614 002	Chrome	4005176887208	198.33
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)</p>			
	33 591 002	Chrome	4005176887123	153.75
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>			

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	245.70
	<p>Growtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	33 592 20A	Chrome	4005176454288	203.51
	<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	24 051 002	Chrome	4005176465383	148.67
	<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 052 002	Chrome	4005176465390	163.33
	<p>Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			











GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 507 002	Chrome	4005176887079	153.73
<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	19 506 002	Chrome	4005176887185	153.74
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	23 048 003	Chrome	4005176429132	828.48
<p>Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish pre-assembled spout fixing, single lever mixer operating element diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p>				
 	29 037 000		4005176865749	762.09
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p>				
	45 388 000		4005176212758	77.76
<p>Supporting legs for baseframe</p>				
 	13 276 002	Chrome	4005176887246	98.44
<p>Eurostyle Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				

GROHE EUROSTYLE





















GROHE EUROSTYLE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		33 558 003	Chrome	4005176334139	120.57
		33 558 LS3	moon white	4005176335686	163.71
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 929 003	Chrome	4005176583995	115.15
		<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 707 003	Chrome	4005176364778	109.50
		23 707 LS3	moon white	4005176364785	153.73
<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 564 003	Chrome	4005176334146	119.00
		<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 708 003	Chrome	4005176364990	103.97
		<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 374 003	Chrome	4005176334153	120.57
	23 374 LS3	moon white	4005176334450	164.81
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 709 003	Chrome	4005176365003	109.50
	23 709 LS3	moon white	4005176365010	142.67
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 930 003	Chrome	4005176584008	115.15
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 561 003	Chrome	4005176334160	120.57
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 557 003	Chrome	4005176334184	109.50
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses</p>			

GROHE EUROSTYLE









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 468 003	Chrome	4005176334207	109.50
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	23 715 003	Chrome	4005176365065	98.45
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	23 567 003	Chrome	4005176334214	120.57
	Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	23 716 003	Chrome	4005176365072	142.68
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	23 717 30L	Chrome	4005176365089	98.45
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 569 003	Chrome	4005176334238	209.06
	23 569 LS3	moon white	4005176334467	231.00
	<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 718 003	Chrome	4005176365096	186.94
	23 718 LS3	moon white	4005176365102	220.11
	<p>Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"</p>			
	23 570 003	Chrome	4005176334245	231.17
	23 570 LS3	moon white	4005176334474	275.43
	<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 719 003	Chrome	4005176365119	220.13
	23 719 LS3	moon white	4005176365126	253.30
	<p>Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			

GROHE EUROSTYLE



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 571 003	Chrome	4005176334269	220.13
	19 571 LS3	moon white	4005176334498	275.43
	<p>Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>			
	29 097 003	Chrome	4005176365133	204.00
	29 097 LS3	moon white	4005176365140	269.00
	<p>Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>			
	23 571 000		4005176334276	220.10
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
				
	33 565 003	Chrome	4005176334283	98.44
	33 565 LS3	moon white	4005176334504	165.92
	<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 720 003	Chrome	4005176365157	109.50
	23 720 LS3	moon white	4005176365164	153.73
	<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 590 003	Chrome	4005176334306	164.82
	33 590 LS3	moon white	4005176334511	175.86
	<p>Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>			
	23 722 003	Chrome	4005176365188	164.84
	23 722 LS3	moon white	4005176365195	164.81
	<p>Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>			
	34 143 003	Chrome	4005176309618	220.80
	<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	33 591 003	Chrome	4005176334351	175.86
	33 591 LS3	moon white	4005176334535	220.11
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>			


GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




23 726 003	Chrome	4005176365256	164.82
23 726 LS3	moon white	4005176365263	220.09

Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow




34 155 003	Chrome	4005176310027	273.62
------------	--------	---------------	--------

Grotherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow



33 592 30A	Chrome	4005176456497	190.56
------------	--------	---------------	--------

Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow
with shower set Tempesta
Consisting of:
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)











24 048 003	Chrome	4005176465345	136.11
24 048 LS3	moon white	4005176465352	176.93

Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set











35 600 000		4005176413469	132.18
------------	--	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROSTYLE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	24 046 003	Chrome	4005176465307	129.82
	24 046 LS3	moon white	4005176465314	168.57
	<p>Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 049 003	Chrome	4005176465369	149.72
	24 049 LS3	moon white	4005176465376	194.75
	<p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	24 047 003	Chrome	4005176465321	143.43
	24 047 LS3	moon white	4005176465338	185.31
	<p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
	19 507 003	Chrome	4005176334337	120.56
	19 507 LS3	moon white	4005176334528	168.00
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>			

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 098 003	Chrome	4005176365225	120.55
	29 098 LS3	moon white	4005176365232	162.00
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>			
	33 635 003	Chrome	4005176334344	147.00
	<p>Eurostyle Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix covered fixing Consisting of: compatible with (19 507 003) with concealed body adjustable flow rate limiter loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)</p>			
	23 725 003	Chrome	4005176365249	153.75
	<p>Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixing optional temperature limiter (46 308 000)</p>			
	19 506 003	Chrome	4005176334399	142.69
	19 506 LS3	moon white	4005176334542	186.93
	<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>			
	29 099 003	Chrome	4005176365300	142.68
	29 099 LS3	moon white	4005176365317	175.64
	<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing</p>			


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

33 637 003	Chrome	4005176334405	195.77
------------	--------	---------------	--------



Eurostyle
Single-lever bath/shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 Consisting of:
 compatible with
 (19 506 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 loop metal lever
 escutcheon- and shaft-sealing
 metal wall escutcheon
 optional temperature limiter (46 308 000)

23 730 003	Chrome	4005176365324	164.81
------------	--------	---------------	--------











Eurostyle
Single-lever bath/shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 Consisting of:
 compatible with
 (19 506 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 solid metal lever
 optional temperature limiter (46 308 000)
 metal wall escutcheons









GROHE EUROSMART COSMOPOLITAN











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 825 00E	Chrome	4005176874628	115.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation, metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>			
	32 825 000	Chrome	4005176874611	115.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar optional temperature limiter (46 375 000)</p>			
	32 955 000	Chrome	4005176880117	104.59
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>			
	23 925 000	Chrome	4005176583353	110.09
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support GROHE EcoJoy mousseur 5.7 l/min smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>			









GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 825 00L	Chrome	4005176917028	114.38
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			
	32 827 00E	Chrome	4005176906565	115.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109</p>			
	32 824 000	Chrome	4005176874604	104.59
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>			
	32 824 00L	Chrome	4005176917035	104.59
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish adjustable minimum flow rate 2.5 l/min GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p>			

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 377 00E	Chrome	4005176936630	115.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>			
	23 378 00E	Chrome	4005176936647	104.59
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support retractable chain flexible connection hoses</p>			
	23 376 00E	Chrome	4005176936623	109.87
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses</p>			
	23 325 000	Chrome	4005176933974	125.71
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			


GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 926 000	Chrome	4005176583360	125.71
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar optional temperature limiter (46 375 000)</p>			
	23 327 000 23 327 KW0	Chrome supermatt black	4005176934094 4005176565205	115.15 150.49
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>			
	23 396 00E	Chrome	4005176938504	125.71
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish temperature limiter GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1 bar</p>			
	23 927 000	Chrome	4005176583377	125.71
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	23 928 000	Chrome	4005176583384	115.15
	<p>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE EUROSMART COSMOPOLITAN

Ref. No. Colour EAN code Retail Guide Price (£)

32 830 001 Chrome 4005176472749 145.39




Eurosmart Cosmopolitan
Single-lever basin mixer 1/2"
L-Size

monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

23 933 001 Chrome 4005176584039 145.39
ditto, with push-open pop-up waste set 1 1/4"


36 327 001 Chrome 4005176305771 330.73



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing
device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K


20 187 000 Chrome 4005176874680 199.67



Eurosmart Cosmopolitan
Three-hole basin mixer 1/2"
S-Size

metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5-mm drilling











19 381 000 Chrome 4005176874673 178.54











Eurosmart Cosmopolitan
2-hole basin mixer
S-Size

wall mounted
set for final installation for 23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 170 mm











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 571 000		4005176334276	220.10
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				
 	32 839 000	Chrome	4005176874802	104.59
<p>Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
	32 840 000	Chrome	4005176874819	95.08
<p>ditto, with retractable chain</p>				
 	32 837 000	Chrome	4005176874772	125.71
<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p>				
 	18 349 000		4005176874796	26.41
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>				
 	34 765 000	Chrome	4005176612022	188.59
<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>				











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 836 000	Chrome	4005176874758	146.84
	<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000) Qualitel E1/E3C2A2U3 applied for</p>			
	32 831 000	Chrome	4005176874703	146.84
	<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>			
	34 766 000	Chrome	4005176612039	245.70
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	32 833 000	Chrome	4005176874727	120.43
	<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) Qualitel E1/E3C2A2U3 applied for</p>			





GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 832 000	Chrome	4005176874710	167.97
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
 	25 128 000	Chrome	4005176905209	199.67
<p>Eurosmart Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				
 	25 129 000	Chrome	4005176905216	241.93
<p>Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				
 	24 044 000	Chrome	4005176465185	129.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
			35 600 000	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 045 000	Chrome	4005176465291	142.00
<p>Eurosmart Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
			35 600 000	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE EUROSMART COSMOPOLITAN











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	25 219 001	Chrome	4005176466373	408.00
	Eurosmart Cosmopolitan Perfect shower set with Tempesta 210 Consisting of: Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)			
	19 383 000	Chrome	4005176874765	104.59
	Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing			
	32 880 000	Chrome	4005176877360	136.28
	Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter			
	19 382 000	Chrome	4005176874697	125.71
	Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing			
	32 879 000	Chrome	4005176877353	136.28
	Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: set for final installation concealed body 33 961 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower metal lever metal wall escutcheon screwed optional temperature limiter (46 308 000)			











GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 261 000	Chrome	4005176877384	83.46
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm			
 	13 262 000	Chrome	4005176877391	94.02
	Eurosmart Cosmopolitan Bath spout wall mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm			









GROHE EUROSMART





















	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 265 002	Chrome	4005176861543	94.02
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 922 002	Chrome	4005176583322	94.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 456 002	Chrome	4005176304941	91.91
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system hybrid pop-up waste set 1 1/4" flexible connection hoses			
	33 265 20L	Chrome	4005176304729	94.02
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar			
	33 188 002	Chrome	4005176862052	94.02
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses			







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 467 002	Chrome	4005176862069	83.46
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	32 467 20L	Chrome	4005176304736	83.46
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar			
	32 926 002	Chrome	4005176861567	94.02
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	32 154 002	Chrome	4005176862113	95.08
	Ditto, with GROHE SilkMove ES			
	23 322 001	Chrome	4005176934506	104.59
	Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 923 002	Chrome	4005176583339	104.59
	Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			







GROHE EUROSMART

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		23 323 001	Chrome	4005176934513	104.59
		Eurosmart Basin mixer 1/2\" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses			
		23 324 001	Chrome	4005176934520	94.02
		Eurosmart Basin mixer 1/2\" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
		23 393 10E	Chrome	4005176938467	104.59
		Eurosmart Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4\" flexible connection hoses			
		23 394 10E	Chrome	4005176938474	94.02
		Ditto, with GROHE SilkMove ES			
		23 924 002	Chrome	4005176583346	95.08
		ditto, smooth body with push-open pop-up waste set 1 1/4\"			
		23 395 10E	Chrome	4005176938481	94.02
		Ditto, with GROHE SilkMove ES			
		23 537 002	Chrome	4005176312212	125.71
		Eurosmart Single-lever basin mixer 1/2\" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4\" flexible connection hoses			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 929 002	Chrome	4005176862366	83.46
	Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 555 002	Chrome	4005176862304	94.02
	Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow			
	32 172 002	Chrome	4005176862311	94.02
	Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow Qualitel E1C2A2U3 applied for			
	33 412 002	Chrome	4005176862205	104.59
	Eurosmart Single-lever bath/shower mixer 1/2" monobloc installation metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow			
	33 300 002	Chrome	4005176862182	104.59
	Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 567 000	Chrome	4005176310157	241.93
	<p>Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	33 302 20A	Chrome	4005176456510	135.23
	<p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	33 304 002	Chrome	4005176862236	104.59
	<p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" without connection unions for wall mounting protected against backflow</p>			
	33 303 002	Chrome	4005176862243	189.10
	<p>Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow</p>			











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	25 098 000	Chrome	4005176881633	178.54
<p>Eurosmart Bath filler deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter</p>				
 	25 105 000	Chrome	4005176881800	210.23
<p>Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2"</p>				
 	24 042 002	Chrome	4005176465161	118.00
<p>Eurosmart Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p>				
			4005176413469	132.18
<p>35 600 000 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 043 002	Chrome	4005176465178	130.00
<p>Eurosmart Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p>				
			4005176413469	132.18
<p>35 600 000 GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	19 451 002	Chrome	4005176862335	94.02
<p>Eurosmart Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 450 002	Chrome	4005176862229	104.59
<p>Eurosmart Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>				
 	29 706 000		4005176102639	282.29
<p>3-way diverter concealed body, 1/2" without finishing trim set wall installation DR-brass ceramic discs connection mixed water 1/2" 2 outlets 1/2" protection sleeve installation depth adjustable 24-60 mm</p>				
 	29 708 000		4005176102653	292.78
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				


GROHE BAUEDGE



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 421 000	Chrome	4005176934353	49.49
	<p>BauEdge Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>			
	20 421 00M	Chrome	4005176986932	101.79
	<p>BauEdge Basin tap 1/2" metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow mousseur 2 pieces</p>			
	23 356 000	Chrome	4005176934131	74.74
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system metal pop up waste set flexible connection hoses</p>			
	23 328 000	Chrome	4005176934254	70.70
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 802 000	Chrome	4005176421655	71.71
	<p>ditto, with temperature limiter</p>			
	23 559 000	Chrome	4005176327698	73.73
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		23 329 000	Chrome	4005176934261	66.66
		BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system retractable chain flexible connection hoses			
		23 330 000	Chrome	4005176934278	64.64
		BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses			
		23 757 000	Chrome	4005176388453	99.00
		BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 35 mm ceramic cartridge adjustable flow rate limiter optional temperature limiter (46 375 000) GROHE StarLight chrome finish GROHE EcoJoy mousseur 4.0 l/min rapid installation system retractable chain flexible connection hoses with shower set consisting of hand shower with integrated diverter wall shower holder shower hose recommended pressure 1.0 - 5.0 bar			
		23 758 000	Chrome	4005176388460	86.86
		BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses			
		23 822 000	Chrome	4005176452192	86.86
		ditto, with temperature limiter			
		23 759 000	Chrome	4005176388477	86.86
		BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses			

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




23 760 000	Chrome	4005176388484	98.98
------------	--------	---------------	-------

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses




23 761 000	Chrome	4005176388491	117.16
------------	--------	---------------	--------

BauEdge
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses












36 451 000	Chrome	4005176473678	229.47
------------	--------	---------------	--------









Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



20 474 000	Chrome	4005176319112	169.00
------------	--------	---------------	--------

BauEdge
2-hole basin mixer
wall mounted
Consisting of:
set for final installation and concealed body
metal lever
GROHE Longlife 35 mm ceramic cartridge
GROHE StarLight chrome finish
mousseur
centre distance 110 mm
projection 171 mm











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	23 331 000	Chrome	4005176934285	70.70
	<p>BauEdge Bidet mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 332 000	Chrome	4005176934292	73.73
	<p>BauEdge Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 375 000)</p>			
	23 333 000	Chrome	4005176934308	69.69
	<p>BauEdge Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 375 000)</p>			
	23 334 000	Chrome	4005176934322	84.84
	<p>Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	34 567 000	Chrome	4005176310157	241.93











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 078 000	Chrome	4005176934315	116.15
<p>BauEdge Single-lever shower mixer 1/2" concealed installation Consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter (46 308 000)</p>				
 	29 079 000	Chrome	4005176934339	129.28
<p>BauEdge Single-lever bath/shower mixer 1/2" concealed installation Consisting of: set for final installation concealed body(33 963) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter (46 308 000)</p>				
 	25 217 000	Chrome	4005176479786	160.59
<p>BauEdge Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE StarLight chrome finish Min. recommended pressure 0.5 bar</p>				
 	25 216 000	Chrome	4005176479779	130.29
<p>BauEdge Two-handed Bath filler 1/2" deck mounted metal handles Ceramic valves 3/4", 90° GROHE StarLight chrome finish</p>				







GROHE BAULOOP



GROHE BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	20 422 000	Chrome	4005176934490	49.49
	<p>BauLoop Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>			
	23 335 000	Chrome	4005176934391	79.79
	<p>BauLoop Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 336 000	Chrome	4005176934407	79.79
	<p>BauLoop Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system retractable chain flexible connection hoses</p>			
	23 337 000	Chrome	4005176934414	64.64
	<p>BauLoop Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>			
	23 762 000	Chrome	4005176388538	86.86
	<p>BauLoop Basin mixer 1/2\" M-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 763 000	Chrome	4005176388545	98.98
<p>BauLoop Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 764 000	Chrome	400517638852	117.16
<p>BauLoop Basin mixer 1/2" XL-Size monobloc installation for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>				
 	23 338 000	Chrome	4005176934421	89.89
<p>BauLoop Bidet mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 340 000	Chrome	4005176934445	69.69
<p>BauLoop Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>				
 	23 341 000	Chrome	4005176934469	79.79
<p>BauLoop Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>				









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 567 000	Chrome	4005176310157	241.93
	<p>Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
	29 080 000	Chrome	4005176934452	109.06
	<p>BauLoop Single-lever shower mixer 1/2" concealed installation Consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing optional temperature limiter (46 308 000)</p>			
	29 081 000	Chrome	4005176934476	121.89
	<p>BauLoop Single-lever bath/shower mixer 1/2" concealed installation Consisting of: set for final installation concealed body(33 963) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower escutcheon- and shaft-sealing optional temperature limiter (46 308 000)</p>			

GROHE BAUFLOW




GROHE BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	20 575 000	Chrome	4005176388422	51.76
<p>BauFlow Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>				
 	23 751 000	Chrome	4005176388149	71.84
<p>BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 752 000	Chrome	4005176388156	67.61
<p>BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>				
 	23 753 000	Chrome	4005176388163	103.54
<p>BauFlow Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 754 000	Chrome	4005176388170	94.02
<p>BauFlow Bidet mixer 1/2" monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 755 000	Chrome	4005176388187	72.89
<p>BauFlow Single-lever shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>				
 	23 756 000	Chrome	4005176388392	83.46
<p>BauFlow Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>				
 	34 567 000	Chrome	4005176310157	241.93
<p>Grohtherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>				
 	29 112 000	Chrome	4005176388408	114.54
<p>BauFlow Single-lever shower mixer trim concealed installation Consisting of: set for final installation concealed body (33 964) metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter escutcheon- and shaft-sealing metal wall escutcheon</p>				

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

29 113 000	Chrome	4005176388415	127.88
------------	--------	---------------	--------













BauFlow
Single-lever bath/shower mixer trim
 concealed installation
 Consisting of:
 set for final installation
 concealed body(33 963)
 metal lever
 GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal wall escutcheon











GROHE COSTA L













GROHE COSTA L



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	20 404 001	Chrome	4005176842986	54.18
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	20 186 001	Chrome	4005176874437	65.26
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	20 393 001	Chrome	4005176842993	71.90
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	21 390 001	Chrome	4005176843006	142.69
<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>				
 	21 375 001	Chrome	4005176843037	98.44
<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>				

GROHE COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 330 001	Chrome	4005176843112	82.96
	<p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions GROHE StarLight chrome finish</p>			
	26 308 001	Chrome	4005176843129	98.45
	<p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" without connection unions for wall mounting GROHE StarLight chrome finish</p>			
	25 450 001	Chrome	4005176843372	131.61
	<p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
	25 452 001	Chrome	4005176843075	123.21
	<p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart shower top outlet 3/4" automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>			
	25 460 10A	Chrome	4005176456541	153.74
	<p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish</p>			







GROHE COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 540 000	Chrome	4005176005411	103.89
<p>Bath spout 3/4" wall mounted flow straightener female thread 3/4" projection 140 mm GROHE StarLight chrome finish</p>				
 	30 098 001	Chrome	4005176843266	32.07
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE StarLight finish mousseur Longlife-headparts</p>				
 	30 008 001	Chrome	4005176843242	32.07
<p>Costa L Stop cock wall mounted heat-insulated metal handle screwable marking: blue (cold) Longlife-headpart GROHE StarLight chrome finish pipe-ventilating valve</p>				
 	19 808 001	Chrome	4005176843204	21.01
<p>Costa L Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) GROHE StarLight chrome finish</p>				
	19 809 001	Chrome	4005176853876	21.01
<p>ditto, marking red</p>				
 	35 028 000		4005176908316	131.61
<p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 800 000		4005176504839	30.43
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853	51.42
	29 805 000		4005176504884	86.36
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4" ditto, 1", pre-assembled headpart 1", thread union 1"			
	29 801 000		4005176504846	25.08
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	39.88
	ditto, soldered connection Ø 22 mm			

GROHE UNIVERSAL






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	20 201 000	Chrome	4005176883354	105.07
<p>Universal pillar tap 1/2" C-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish projection 113 mm</p>				
 	20 205 000	Chrome	4005176883682	76.33
<p>Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE StarLight chrome finish projection 106 mm</p>				
 	20 203 000	Chrome	4005176883378	92.89
<p>Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE StarLight chrome finish projection 185 mm</p>				

GROHE TALENTOFILL



GROHE TALENTOFILL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	48.67
	19 952 DC0	supersteel	4005176467776	61.00
	19 952 EN0	brushed nickel	4005176468100	251.00
	19 952 A00	hard graphite	4005176352874	120.00
	19 952 AL0	Brushed Hard Graphite	4005176353376	132.00
	Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set			
in combination with Talentofill 28 990 000/28 991 000				
	28 990 000		4005176174025	131.61
	Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend			
	28 991 000		4005176174032	187.84
	Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set			
	28 993 000		4005176174056	92.88
	Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set			
	28 995 000		4005176175725	263.24
	Talentofill Connection set 3/4" with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			

GROHE TALENTOFILL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	20.62
<p>Talentofill Escutcheon for connection set 28 995 GROHE StarLight chrome finish</p>				
	28 963 000		4005176186479	37.67
<p>Inlet part with mousseur suitable for Talentofill 28 990/28 991 production before 03/2007</p>				
	29 009 000		4005176837838	47.96
<p>Inlet part with mousseur suitable for Talentofill 28 990/28 991 production after 03/2007</p>				
 	14 055 000		4005176413520	161.51
<p>Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	19 025 000	Chrome	4005176209154	54.19
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	28 939 000		4005176209161	82.90
<p>Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow</p>				

GROHE TALENTOFILL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



28 943 000		4005176209178	93.40
------------	--	---------------	-------


Talento
Pop-up bath waste and overflow
 with bowden cable
without finishing trim set
 bottle trap
 45° waste elbow

GROHE SELECTION




GROHE SELECTION

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




41 027 000	Chrome	4005176576836	49.00
41 027 DC0	supersteel	4005176576843	69.00
41 027 BE0	polished nickel	4005176576850	74.00
41 027 EN0	brushed nickel	4005176576867	79.00
41 027 GL0	cool sunrise	4005176576874	74.00
41 027 GN0	brushed cool sunrise	4005176576881	79.00
41 027 DA0	warm sunset	4005176576898	74.00
41 027 DL0	brushed warm sunset	4005176576904	79.00
41 027 A00	hard graphite	4005176576911	74.00
41 027 AL0	Brushed Hard Graphite	4005176576928	79.00

Selection
Glass/soap dish holder
 material: metal
 for Selection soap dispenser (41 028) or Selection glass (41 029 000)
 concealed fastening
GROHE StarLight chrome finish




41 028 000	Chrome	4005176576942	49.00
41 028 DC0	supersteel	4005176576959	69.00
41 028 BE0	polished nickel	4005176576966	74.00
41 028 EN0	brushed nickel	4005176576973	79.00
41 028 GL0	cool sunrise	4005176576980	74.00
41 028 GN0	brushed cool sunrise	4005176576997	79.00
41 028 DA0	warm sunset	4005176577000	74.00
41 028 DL0	brushed warm sunset	4005176577017	79.00
41 028 A00	hard graphite	4005176577024	74.00
41 028 AL0	Brushed Hard Graphite	4005176577031	79.00

Selection
Soap dispenser
 material: glass / metal
 filling quantity 120 ml
 fits in the following holder:
 41 027
GROHE StarLight chrome finish




41 029 000	Chrome	4005176577055	24.00
------------	--------	---------------	-------

Selection
White glass
 material: glass
 fits in the following holder:
 41 027





41 035 000	Chrome	4005176577062	55.00
41 035 DC0	supersteel	4005176577079	77.00
41 035 BE0	polished nickel	4005176577086	83.00
41 035 EN0	brushed nickel	4005176577093	88.00
41 035 GL0	cool sunrise	4005176577109	83.00
41 035 GN0	brushed cool sunrise	4005176577116	88.00
41 035 DA0	warm sunset	4005176577123	83.00
41 035 DL0	brushed warm sunset	4005176577130	88.00
41 035 A00	hard graphite	4005176577147	83.00
41 035 AL0	Brushed Hard Graphite	4005176577154	88.00

Selection
Towel ring
 material: metal
 holder for soap dish (41 036) and shower tray (41 037)
 length 200 mm
 concealed fastening
GROHE StarLight chrome finish








41 036 000	glass clear	4005176577178	32.00
------------	-------------	---------------	-------

Selection
Soap dish without holder
 material: glass
 for use with towel ring (41 035)


	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		41 037 000	Chrome	4005176577185	14.00
		Selection Shower tray without holder material: glass for use with towel ring (41 035)			
		41 038 000	Chrome	4005176577192	65.00
		41 038 DC0	supersteel	4005176577208	91.00
		41 038 BE0	polished nickel	4005176577215	97.00
		41 038 EN0	brushed nickel	4005176577222	104.00
		41 038 GL0	cool sunrise	4005176577239	97.00
		41 038 GN0	brushed cool sunrise	4005176577246	104.00
		41 038 DA0	warm sunset	4005176577253	97.00
		41 038 DL0	brushed warm sunset	4005176577260	104.00
		41 038 A00	hard graphite	4005176577277	97.00
		41 038 AL0	Brushed Hard Graphite	4005176577284	104.00
		Selection Corner shower tray with holder material: glass / metal consisting of holder and soap dish concealed fastening GROHE StarLight chrome finish			
				41 039 000	Chrome
41 039 DC0	supersteel			4005176577314	25.00
41 039 BE0	polished nickel			4005176577321	27.00
41 039 EN0	brushed nickel			4005176577338	29.00
41 039 GL0	cool sunrise			4005176577345	27.00
41 039 GN0	brushed cool sunrise			4005176577352	29.00
41 039 DA0	warm sunset			4005176577369	27.00
41 039 DL0	brushed warm sunset			4005176577376	29.00
41 039 A00	hard graphite			4005176577383	27.00
41 039 AL0	Brushed Hard Graphite			4005176577390	29.00
Selection Single robe hook material: metal concealed fastening GROHE StarLight chrome finish					
				41 049 000	Chrome
		41 049 DC0	supersteel	4005176577420	42.00
		41 049 BE0	polished nickel	4005176577437	44.00
		41 049 EN0	brushed nickel	4005176577444	47.00
		41 049 GL0	cool sunrise	4005176577451	44.00
		41 049 GN0	brushed cool sunrise	4005176577468	47.00
		41 049 DA0	warm sunset	4005176577475	44.00
		41 049 DL0	brushed warm sunset	4005176577482	47.00
		41 049 A00	hard graphite	4005176577499	44.00
		41 049 AL0	Brushed Hard Graphite	4005176577505	47.00
		Selection Double robe hook material: metal concealed fastening GROHE StarLight chrome finish			
				41 056 000	Chrome
41 056 DC0	supersteel			4005176577536	110.00
41 056 BE0	polished nickel			4005176577543	118.00
41 056 EN0	brushed nickel			4005176577550	126.00
41 056 GL0	cool sunrise			4005176577567	118.00
41 056 GN0	brushed cool sunrise			4005176577574	126.00
41 056 DA0	warm sunset			4005176577581	118.00
41 056 DL0	brushed warm sunset			4005176577598	126.00
41 056 A00	hard graphite			4005176577604	118.00
41 056 AL0	Brushed Hard Graphite			4005176577611	126.00
Selection Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE StarLight chrome finish					

GROHE SELECTION

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	41 057 000	Chrome	4005176577635	92.00
	<p>Selection Glass shelf material: glass durable surface for use with towel rail (41 056)</p> 			
	41 058 000	Chrome	4005176577642	102.00
	41 058 DC0	supersteel	4005176577659	143.00
	41 058 BE0	polished nickel	4005176577666	153.00
	41 058 EN0	brushed nickel	4005176577673	163.00
	41 058 GL0	cool sunrise	4005176577680	153.00
	41 058 GN0	brushed cool sunrise	4005176577697	163.00
	41 058 DA0	warm sunset	4005176577703	153.00
	41 058 DL0	brushed warm sunset	4005176577710	163.00
	41 058 A00	hard graphite	4005176577727	153.00
	41 058 AL0	Brushed Hard Graphite	4005176577734	163.00
	<p>Selection Towel rail material: metal length 800 mm concealed fastening GROHE StarLight chrome finish</p> 			
		41 059 000	Chrome	4005176577758
41 059 DC0		supersteel	4005176577765	151.00
41 059 BE0		polished nickel	4005176577772	162.00
41 059 EN0		brushed nickel	4005176577789	173.00
41 059 GL0		cool sunrise	4005176577796	162.00
41 059 GN0		brushed cool sunrise	4005176577802	173.00
41 059 DA0		warm sunset	4005176577819	162.00
41 059 DL0		brushed warm sunset	4005176577826	173.00
41 059 A00		hard graphite	4005176577833	162.00
41 059 AL0		Brushed Hard Graphite	4005176577840	173.00
<p>Selection Towel holder, non pivotable material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE StarLight chrome finish</p> 				
		41 063 000	Chrome	4005176577864
	41 063 DC0	supersteel	4005176577871	124.00
	41 063 BE0	polished nickel	4005176577888	132.00
	41 063 EN0	brushed nickel	4005176577895	141.00
	41 063 GL0	cool sunrise	4005176577901	132.00
	41 063 GN0	brushed cool sunrise	4005176577918	141.00
	41 063 DA0	warm sunset	4005176577925	132.00
	41 063 DL0	brushed warm sunset	4005176577932	141.00
	41 063 A00	hard graphite	4005176577949	132.00
	41 063 AL0	Brushed Hard Graphite	4005176577956	141.00
	<p>Selection Towel holder, pivotable material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE StarLight chrome finish</p> 			


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	41 064 000	Chrome	4005176577970	61.00
	41 064 DC0	supersteel	4005176577987	85.00
	41 064 BE0	polished nickel	4005176577994	91.00
	41 064 EN0	brushed nickel	4005176578007	97.00
	41 064 GL0	cool sunrise	4005176578014	91.00
	41 064 GN0	brushed cool sunrise	4005176578021	97.00
	41 064 DA0	warm sunset	4005176578038	91.00
	41 064 DL0	brushed warm sunset	4005176578045	97.00
	41 064 A00	hard graphite	4005176578052	91.00
	41 064 AL0	Brushed Hard Graphite	4005176578069	97.00
		Selection Grip bar material: metal length 336 mm (functional length 300 mm) concealed fastening GROHE StarLight chrome finish		
	41 066 000	Chrome	4005176578083	216.00
	41 066 DC0	supersteel	4005176578090	302.00
	41 066 BE0	polished nickel	4005176578106	323.00
	41 066 EN0	brushed nickel	4005176578113	345.00
	41 066 GL0	cool sunrise	4005176578120	323.00
	41 066 GN0	brushed cool sunrise	4005176578137	345.00
	41 066 DA0	warm sunset	4005176578144	323.00
	41 066 DL0	brushed warm sunset	4005176578151	345.00
	41 066 A00	hard graphite	4005176578168	323.00
	41 066 AL0	Brushed Hard Graphite	4005176578175	345.00
		Selection Multi-towel rack material: metal length 596 mm concealed fastening GROHE StarLight chrome finish		
	41 067 000	Chrome	4005176578199	49.00
	41 067 DC0	supersteel	4005176578205	69.00
	41 067 BE0	polished nickel	4005176578212	74.00
	41 067 EN0	brushed nickel	4005176578229	79.00
	41 067 GL0	cool sunrise	4005176578236	74.00
	41 067 GN0	brushed cool sunrise	4005176578243	79.00
	41 067 DA0	warm sunset	4005176578250	74.00
	41 067 DL0	brushed warm sunset	4005176578267	79.00
	41 067 A00	hard graphite	4005176578274	74.00
	41 067 AL0	Brushed Hard Graphite	4005176578281	79.00
		Selection Spare toilet paper holder (2 rolls) material: metal wall mounted concealed fastening GROHE StarLight chrome finish		
	41 068 000	Chrome	4005176578304	40.00
	41 068 DC0	supersteel	4005176578311	55.00
	41 068 BE0	polished nickel	4005176578328	59.00
	41 068 EN0	brushed nickel	4005176578335	63.00
	41 068 GL0	cool sunrise	4005176578342	59.00
	41 068 GN0	brushed cool sunrise	4005176578359	63.00
	41 068 DA0	warm sunset	4005176578366	59.00
	41 068 DL0	brushed warm sunset	4005176578373	63.00
	41 068 A00	hard graphite	4005176578380	59.00
	41 068 AL0	Brushed Hard Graphite	4005176578397	63.00
		Selection Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE StarLight chrome finish		

GROHE SELECTION



Ref. No.	Colour	EAN code	Retail Guide Price (£)
41 069 000	Chrome	4005176578410	79.00
41 069 DC0	supersteel	4005176578427	110.00
41 069 BE0	polished nickel	4005176578434	118.00
41 069 EN0	brushed nickel	4005176578441	126.00
41 069 GL0	cool sunrise	4005176578458	118.00
41 069 GN0	brushed cool sunrise	4005176578465	126.00
41 069 DA0	warm sunset	4005176578472	118.00
41 069 DL0	brushed warm sunset	4005176578489	126.00
41 069 A00	hard graphite	4005176578496	118.00
41 069 AL0	Brushed Hard Graphite	4005176578502	126.00

Selection
Toilet roll holder
 with cover
 material: metal
 wall mounted
 concealed fastening
GROHE StarLight chrome finish




41 076 000	Chrome	4005176578526	98.00
41 076 DC0	supersteel	4005176578533	137.00
41 076 BE0	polished nickel	4005176578540	147.00
41 076 EN0	brushed nickel	4005176578557	157.00
41 076 GL0	cool sunrise	4005176578564	147.00
41 076 GN0	brushed cool sunrise	4005176578571	157.00
41 076 DA0	warm sunset	4005176578588	147.00
41 076 DL0	brushed warm sunset	4005176578595	157.00
41 076 A00	hard graphite	4005176578601	147.00
41 076 AL0	Brushed Hard Graphite	4005176578618	157.00

Selection
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE StarLight chrome finish

40 791 001	white	4005176323409	4.58
40 791 KS1	velvet black	4005176336379	4.58

Spare brush head








41 077 000	Chrome	4005176578632	147.00
41 077 DC0	supersteel	4005176578649	206.00
41 077 BE0	polished nickel	4005176578656	220.00
41 077 EN0	brushed nickel	4005176578663	235.00
41 077 GL0	cool sunrise	4005176578670	220.00
41 077 GN0	brushed cool sunrise	4005176578687	235.00
41 077 DA0	warm sunset	4005176575587	220.00
41 077 DL0	brushed warm sunset	4005176578694	235.00
41 077 A00	hard graphite	4005176578700	220.00
41 077 AL0	Brushed Hard Graphite	4005176578717	235.00

Selection
Shaving mirror
 material: glass / metal
 without lights
 magnification: x 7
 concealed fastening
GROHE StarLight chrome finish













GROHE SELECTION CUBE









GROHE SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 865 000	Chrome	4005176378140	32.49
<p>Selection Cube Glass/soap dish holder material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening GROHE StarLight chrome finish</p>				
 	40 805 000	Chrome	4005176347924	40.41
<p>Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) GROHE StarLight finish</p>				
 	40 806 000	Glass Matt	4005176347931	27.08
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 783 000		4005176347894	21.66
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 766 000	Chrome	4005176347849	45.83
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>				
 	40 768 000	Chrome	4005176347863	129.16
<p>Selection Cube Double towel bar material: metal 2 arms, pivotable 400 mm concealed fastening GROHE StarLight finish</p>				

GROHE SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	87.49
<p>Selection Cube Towel rail 500 mm (functional length 459 mm) material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 804 000	Chrome	4005176347917	240.83
<p>Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish</p>				
 	40 782 000	Chrome	4005176347887	24.16
<p>Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish</p>				
 	40 807 000	Chrome	4005176347948	133.33
<p>Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish</p>				
 	40 781 000	Chrome	4005176347870	70.41
<p>Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE StarLight finish</p>				
 	40 784 000	Chrome	4005176347900	32.49
<p>Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight finish</p>				











GROHE SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	95.83
<p>Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight finish</p>				
 	40 809 000	Chrome	4005176347962	95.83
<p>Selection Cube Soap wire basket material: metal for corner installation large GROHE StarLight finish</p>				
 	40 808 000	Chrome	4005176347955	120.83
<p>Selection Cube Shaving mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE StarLight finish</p>				





GROHE ESSENTIALS







GROHE ESSENTIALS











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 369 001	Chrome	4005176326196	18.33
	40 369 DC1	supersteel	4005176412462	25.83
	40 369 BE1	polished nickel	4005176430176	27.49
	40 369 EN1	brushed nickel	4005176326202	29.58
	40 369 GL1	cool sunrise	4005176429422	27.49
	40 369 GN1	brushed cool sunrise	4005176429873	29.58
	40 369 DA1	warm sunset	4005176428975	27.49
	40 369 DL1	brushed warm sunset	4005176430022	29.58
	40 369 A01	hard graphite	4005176429576	27.49
	40 369 AL1	Brushed Hard Graphite	4005176429729	29.58
	Essentials Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
 	40 394 001	Chrome	4005176326233	14.99
	40 394 DC1	supersteel	4005176421532	21.24
	40 394 BE1	polished nickel	4005176430183	22.49
	40 394 EN1	brushed nickel	4005176412646	24.16
	40 394 GL1	cool sunrise	4005176429439	22.49
	40 394 GN1	brushed cool sunrise	4005176429880	24.16
	40 394 DA1	warm sunset	4005176428982	22.49
	40 394 DL1	brushed warm sunset	4005176430039	24.16
	40 394 A01	hard graphite	4005176429583	22.49
	40 394 AL1	Brushed Hard Graphite	4005176429736	24.16
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
 	40 368 001	glass clear	4005176326219	5.08
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001		4005176326226	6.08
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 448 001	Chrome	4005176328343	34.16
	40 448 DC1	supersteel	4005176413155	47.91
	40 448 EN1	brushed nickel	4005176335525	54.58
	Essentials Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			

GROHE ESSENTIALS







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 444 001	Chrome	4005176328336	23.33
	40 444 DC1	supersteel	4005176413148	32.91
	40 444 EN1	brushed nickel	4005176335501	37.49
	Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 447 001	Chrome	4005176328701	22.91
	40 447 DC1	supersteel	4005176413162	32.08
	40 447 EN1	brushed nickel	4005176335518	36.24
	Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 365 001	Chrome	4005176326240	18.33
	40 365 DC1	supersteel	4005176412431	25.83
	40 365 BE1	polished nickel	4005176430121	27.49
	40 365 EN1	brushed nickel	4005176326257	29.58
	40 365 GL1	cool sunrise	4005176429378	27.49
	40 365 GN1	brushed cool sunrise	4005176429828	29.58
	40 365 DA1	warm sunset	4005176428920	27.49
	40 365 DL1	brushed warm sunset	4005176429972	29.58
	40 365 A01	hard graphite	4005176429521	27.49
	40 365 AL1	Brushed Hard Graphite	4005176429675	29.58
	Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
		40 371 001	Chrome	4005176326318
40 371 DC1		supersteel	4005176412479	45.83
40 371 BE1		polished nickel	4005176430138	48.74
40 371 EN1		brushed nickel	4005176430268	52.08
40 371 GL1		cool sunrise	4005176429385	48.74
40 371 GN1		brushed cool sunrise	4005176429835	52.08
40 371 DA1		warm sunset	4005176428937	48.74
40 371 DL1		brushed warm sunset	4005176429989	52.08
40 371 A01		hard graphite	4005176429538	48.74
40 371 AL1		Brushed Hard Graphite	4005176429682	52.08
Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)				

GROHE ESSENTIALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	40 688 001	Chrome	4005176326288	26.66	
	40 688 DC1	supersteel	4005176413124	37.49	
	40 688 BE1	polished nickel	4005176430145	39.99	
	40 688 EN1	brushed nickel	4005176326295	42.91	
	40 688 GL1	cool sunrise	4005176429392	39.99	
	40 688 GN1	brushed cool sunrise	4005176429842	42.91	
	40 688 DA1	warm sunset	4005176428944	39.99	
	40 688 DL1	brushed warm sunset	4005176429996	42.91	
	40 688 A01	hard graphite	4005176429545	39.99	
	40 688 AL1	Brushed Hard Graphite	4005176429699	42.91	
	Essentials Towel rail material: metal 504 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	40 366 001	Chrome	4005176326264	29.16	
	40 366 DC1	supersteel	4005176412448	40.83	
	40 366 BE1	polished nickel	4005176430152	43.74	
	40 366 EN1	brushed nickel	4005176326271	46.66	
	40 366 GL1	cool sunrise	4005176429408	43.74	
	40 366 GN1	brushed cool sunrise	4005176429859	46.66	
	40 366 DA1	warm sunset	4005176428951	43.74	
	40 366 DL1	brushed warm sunset	4005176430008	46.66	
	40 366 A01	hard graphite	4005176429552	43.74	
	40 366 AL1	Brushed Hard Graphite	4005176429705	46.66	
	Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	40 386 001	Chrome	4005176326301	36.66	
	40 386 BE1	polished nickel	4005176430169	54.99	
	40 386 EN1	brushed nickel	4005176430275	58.74	
	40 386 GL1	cool sunrise	4005176429415	54.99	
	40 386 GN1	brushed cool sunrise	4005176429866	58.74	
	40 386 DA1	warm sunset	4005176428968	54.99	
	40 386 DL1	brushed warm sunset	4005176430015	58.74	
	40 386 A01	hard graphite	4005176429569	54.99	
	40 386 AL1	Brushed Hard Graphite	4005176429712	58.74	
	Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
		40 802 001	Chrome	4005176328107	49.99
40 802 BE1		polished nickel	4005176430251	75.41	
40 802 EN1		brushed nickel	4005176430329	80.41	
40 802 GL1		cool sunrise	4005176429507	75.41	
40 802 GN1		brushed cool sunrise	4005176429958	80.41	
40 802 DA1		warm sunset	4005176429354	75.41	
40 802 DL1		brushed warm sunset	4005176430107	80.41	
40 802 A01		hard graphite	4005176429651	75.41	
40 802 AL1		Brushed Hard Graphite	4005176429804	80.41	
Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)					


	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	40 800 001	Chrome	4005176327988	99.99	
	40 800 DC1	supersteel	4005176413223	137.49	
	40 800 BE1	polished nickel	4005176430244	145.83	
	40 800 EN1	brushed nickel	4005176430312	158.33	
	40 800 GL1	cool sunrise	4005176429491	145.83	
	40 800 GN1	brushed cool sunrise	4005176429941	158.33	
	40 800 DA1	warm sunset	4005176429347	145.83	
	40 800 DL1	brushed warm sunset	4005176430091	158.33	
	40 800 A01	hard graphite	4005176429644	145.83	
	40 800 AL1	Brushed Hard Graphite	4005176429798	158.33	
		Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)			
		40 364 001	Chrome	4005176326332	9.99
		40 364 BE1	polished nickel	4005176430114	14.99
40 364 EN1		brushed nickel	4005176326349	16.24	
40 364 GL1		cool sunrise	4005176429361	14.99	
40 364 GN1		brushed cool sunrise	4005176429811	16.24	
40 364 DA1		warm sunset	4005176428913	14.99	
40 364 DL1		brushed warm sunset	4005176429965	16.24	
40 364 A01		hard graphite	4005176429514	14.99	
40 364 AL1		Brushed Hard Graphite	4005176429668	16.24	
		Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 421 001	Chrome	4005176326325	29.16	
	40 421 DC1	supersteel	4005176413117	40.83	
	40 421 BE1	polished nickel	4005176430237	43.74	
	40 421 EN1	brushed nickel	4005176430305	46.66	
	40 421 GL1	cool sunrise	4005176429484	43.74	
	40 421 GN1	brushed cool sunrise	4005176429934	46.66	
	40 421 DA1	warm sunset	4005176429330	43.74	
	40 421 DL1	brushed warm sunset	4005176430084	46.66	
	40 421 A01	hard graphite	4005176429637	43.74	
	40 421 AL1	Brushed Hard Graphite	4005176429781	46.66	
		Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)			
	40 793 001	Chrome	4005176327599	41.66	
	40 793 DC1	supersteel	4005176413230	58.33	
	Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)				
	40 794 001	Chrome	4005176327605	49.99	
	40 794 DC1	supersteel	4005176413247	69.99	
	Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)				

GROHE ESSENTIALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	40 797 001	Chrome	4005176327636	129.16	
	<p>Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)</p> 				
	40 799 001	Chrome	4005176327971	33.33	
	40 799 DC1	supersteel	4005176413216	46.66	
<p>Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p> 					
	40 689 001	Chrome	4005176326363	21.66	
	40 689 DC1	supersteel	4005176413131	30.41	
	40 689 BE1	polished nickel	4005176430213	32.49	
	40 689 EN1	brushed nickel	4005176326370	34.58	
	40 689 GL1	cool sunrise	4005176429460	32.49	
	40 689 GN1	brushed cool sunrise	4005176429910	34.58	
	40 689 DA1	warm sunset	4005176429316	32.49	
	40 689 DL1	brushed warm sunset	4005176430060	34.58	
	40 689 A01	hard graphite	4005176429613	32.49	
	40 689 AL1	Brushed Hard Graphite	4005176429767	34.58	
	<p>Essentials Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p> 				
		40 367 001	Chrome	4005176326387	24.16
40 367 DC1		supersteel	4005176412455	33.74	
40 367 BE1		polished nickel	4005176430220	36.24	
40 367 EN1		brushed nickel	4005176326394	38.74	
40 367 GL1		cool sunrise	4005176429477	36.24	
40 367 GN1		brushed cool sunrise	4005176429927	38.74	
40 367 DA1		warm sunset	4005176429323	36.24	
40 367 DL1		brushed warm sunset	4005176430077	38.74	
40 367 A01		hard graphite	4005176429620	36.24	
40 367 AL1		Brushed Hard Graphite	4005176429774	38.74	
<p>Essentials Toilet roll holder material: metal with cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p> 					


GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 385 001	Chrome	4005176326356	18.33
40 385 DC1	supersteel	4005176413094	25.83
40 385 BE1	polished nickel	4005176430206	27.49
40 385 EN1	brushed nickel	4005176430299	29.58
40 385 GL1	cool sunrise	4005176429453	27.49
40 385 GN1	brushed cool sunrise	4005176429903	29.58
40 385 DA1	warm sunset	4005176429309	27.49
40 385 DL1	brushed warm sunset	4005176430053	29.58
40 385 A01	hard graphite	4005176429606	27.49
40 385 AL1	Brushed Hard Graphite	4005176429750	29.58



Essentials
Spare toilet paper holder
 material: metal
 wall mounted
 concealed fastening
GROHE StarLight chrome finish
 suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)


40 374 001	Chrome	4005176326400	29.99
40 374 DC1	supersteel	4005176412486	42.08
40 374 BE1	polished nickel	4005176430190	44.99
40 374 EN1	brushed nickel	4005176430282	48.33
40 374 GL1	cool sunrise	4005176429446	44.99
40 374 GN1	brushed cool sunrise	4005176429897	48.33
40 374 DA1	warm sunset	4005176429293	44.99
40 374 DL1	brushed warm sunset	4005176430046	48.33
40 374 A01	hard graphite	4005176429590	44.99
40 374 AL1	Brushed Hard Graphite	4005176429743	48.33



Essentials
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE StarLight chrome finish
 suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)


40 791 001	white	4005176323409	4.58
40 791 KS1	velvet black	4005176336379	4.58
Spare brush head			
40 392 000	Chrome	4005176846656	19.94
Spare brush			
40 393 000	daVinci satin white	4005176846663	12.49
Spare glass			

40 663 001	Chrome	4005176327834	40.83
------------	--------	---------------	-------













BauCosmopolitan
Soap wire basket
 material: metal
for corner installation
 large
 suitable for screwing (including screws and dowels)

40 664 001	Chrome	4005176327841	32.91
------------	--------	---------------	-------



BauCosmopolitan
Soap wire basket
 material: metal
for corner installation
 small
 suitable for screwing (including screws and dowels)













GROHE ESSENTIALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 407 001 40 407 DC1	Chrome supersteel	4005176328350 4005176413179	57.91 81.24
	Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 775 001 40 775 DC1 40 775 EN1	Chrome supersteel brushed nickel	4005176328626 4005176413186 4005176324765	57.08 79.99 91.66
	Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 776 001 40 776 DC1	Chrome supersteel	4005176328633 4005176413193	73.74 104.16
	Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 846 001	Chrome	4005176344091	91.66
	Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening GROHE StarLight finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 344 001 40 344 DC1	Chrome supersteel	4005176323461 4005176413209	91.66 129.16
	Essentials Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			













GROHE ESSENTIALS CUBE















GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 508 001	Chrome	4005176324413	24.16
	40 508 DC1	supersteel	4005176636554	34.16
	40 508 AL1	Brushed Hard Graphite	4005176636653	38.74
	Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
	40 394 001	Chrome	4005176326233	14.99
	40 394 DC1	supersteel	4005176421532	21.24
	40 394 AL1	Brushed Hard Graphite	4005176429736	24.16
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
	40 368 001	glass clear	4005176326219	5.08
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001		4005176326226	6.08
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 756 001	Chrome	4005176328381	39.16
	Essentials Cube Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
	40 755 001	Chrome	4005176328374	29.16
	Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE StarLight chrome finish			









GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	29.58
<p>Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 510 001 40 510 DC1 40 510 AL1	Chrome supersteel Brushed Hard Graphite	4005176324420 4005176636172 4005176636578	33.33 60.00 69.00
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 624 001 40 624 DC1 40 624 AL1	Chrome supersteel Brushed Hard Graphite	4005176324444 4005176636486 4005176636585	47.08 84.00 96.00
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 509 001 40 509 DC1	Chrome supersteel	4005176324437 4005176636493	37.08 67.00
<p>Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 512 001 40 512 AL1	Chrome Brushed Hard Graphite	4005176324451 4005176636608	120.83 249.00
<p>Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 511 001 40 511 DC1 40 511 AL1	Chrome supersteel Brushed Hard Graphite	4005176324475 4005176636516 4005176636615	14.16 26.00 29.00
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 514 001	Chrome	4005176324468	49.99
	40 514 DC1	supersteel	4005176636523	90.00
	40 514 AL1	Brushed Hard Graphite	4005176636622	103.00
	Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE StarLight chrome finish			
	40 507 001	Chrome	4005176324598	27.91
	40 507 DC1	supersteel	4005176636530	51.00
	40 507 AL1	Brushed Hard Graphite	4005176636639	58.00
	Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish			
	40 623 001	Chrome	4005176324482	23.33
	40 623 DC1	supersteel	4005176636547	42.00
	40 623 AL1	Brushed Hard Graphite	4005176636646	48.00
	Essentials Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 513 001	Chrome	4005176324604	48.74
	40 513 DC1	supersteel	4005176636165	87.00
	40 513 AL1	Brushed Hard Graphite	4005176636561	99.00
	Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
	Spare brush head			
	40 392 000	Chrome	4005176846656	19.94
	Spare brush			
	40 393 000	daVinci satin white	4005176846663	12.49
Spare glass				
	40 757 001	Chrome	4005176328497	81.66
	Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish			
				



GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 777 001	Chrome	4005176328640	71.24
<p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 778 001	Chrome	4005176328657	99.99
<p>Essentials Cube 4-in-1 Master bathroom accessories set material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 847 001	Chrome	4005176344107	116.66
<p>Essentials Cube 4-in-1 Bathroom accessories set material: glass / metal Consisting of: soap dispenser with holder (40 756 001) crystal glass with holder (40 755 001) double towel bar (40 624 001) robe hook (40 511 001) concealed fastening GROHE StarLight finish</p>				
 	40 758 001	Chrome	4005176328503	124.99
<p>Essentials Cube Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE StarLight chrome finish</p>				











GROHE BAUCOSMOPOLITAN



GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 585 001	Chrome	4005176327797	14.58
	BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
 	40 394 001	Chrome	4005176326233	14.99
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
 	40 368 001	glass clear	4005176326219	5.08
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 372 001		4005176326226	6.08
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	40 460 001	Chrome	4005176327803	14.58
	BauCosmopolitan Towel ring material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
 	40 459 001	Chrome	4005176327810	20.83
	BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			


GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 462 001	Chrome	4005176327827	77.08
<p>BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels)</p>				
 	40 461 001	Chrome	4005176327858	8.74
<p>BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 457 001	Chrome	4005176327865	18.33
<p>BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 463 001	Chrome	4005176327872	23.74
<p>BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
<p>Spare brush head</p>				
	40 392 000	Chrome	4005176846656	19.94
<p>Spare brush</p>				
	40 393 000	daVinci satin white	4005176846663	12.49
<p>Spare glass</p>				
 	40 663 001	Chrome	4005176327834	40.83
<p>BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels)</p>				

GROHE BAUCOSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 664 001	Chrome	4005176327841	32.91
------------	--------	---------------	-------



BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)











GROHE ESSENTIALS AUTHENTIC



GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 652 001	Chrome	4005176324321	18.33
	40 652 EN1	brushed nickel	4005176324239	29.58
	Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish			
	40 394 001	Chrome	4005176326233	14.99
	40 394 EN1	brushed nickel	4005176412646	24.16
	Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish			
	40 368 001	glass clear	4005176326219	5.08
	Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001		4005176326226	6.08
	Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 655 001	Chrome	4005176324338	18.33
	40 655 EN1	brushed nickel	4005176324246	29.58
	Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish			
	40 653 001	Chrome	4005176324345	29.16
	40 653 EN1	brushed nickel	4005176324253	46.66
	Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish			

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 654 001	Chrome	4005176324352	49.99
	40 654 EN1	brushed nickel	4005176324260	80.41
	Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish			
	40 660 001	Chrome	4005176324369	99.99
	40 660 EN1	brushed nickel	4005176324277	158.33
	Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE StarLight chrome finish			
	40 656 001	Chrome	4005176324383	9.99
	40 656 EN1	brushed nickel	4005176324291	16.24
	Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish			
	40 657 001	Chrome	4005176324390	21.66
	40 657 EN1	brushed nickel	4005176324307	34.58
	Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish			
	40 658 001	Chrome	4005176324406	29.99
	40 658 EN1	brushed nickel	4005176324314	48.33
	Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish			
	40 791 001	white	4005176323409	4.58
	40 791 KS1	velvet black	4005176336379	4.58
	Spare brush head			
	40 392 000	Chrome	4005176846656	19.94
	Spare brush			
	40 393 000	daVinci satin white	4005176846663	12.49
	Spare glass			

GROHE ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 659 001	Chrome	4005176324376	32.91
40 659 EN1	brushed nickel	4005176324284	52.49



**Essentials Authentic
Corner Basket, small**
material: metal
concealed fastening
GROHE StarLight chrome finish

GROHTHERM THERMOSTATS





CONTENTS

Grohtherm SmartControl	269
Grohtherm 2 handle trim sets	283
Grohtherm 3000 Cosmopolitan	291
Grohtherm 2000	293
Grohtherm Cube	299
Grohtherm 1000 Cosmopolitan 3/4"	305
Grohtherm 1000	307
Grohtherm 1000 Performance	311
Grohtherm 800 Cosmopolitan	315
Grohtherm 800	319

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



Always the right temperature, for ultimate convenience and safety.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat
- with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH





Safety first with 100% GROHE CoolTouch.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.



Safety surround = 100% GROHE CoolTouch No risk of scalding



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

Safety housing with water cooling

THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we’d all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL** COMBI SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl combi shower system, which offers a range of different installation options and possible combinations.

This means for example, that you are free to position the thermostat either vertically under the showerhead or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.




GROHTHERM 3000 COSMOPOLITAN

Minimalist & 100% GROHE CoolTouch.

Grotherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50%.



GROHTHERM 2000

100% GROHE CoolTouch, advanced ergonomics & EasyReach tray.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL WaterFall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100% GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aqua Paddle
Beautiful ergonomics for ease of use and precise water control.

GROHE Aquadimmer Eco
The water-saving system for bath and shower.

GROHE XL Waterfall
Wide bath spout with XL-size silent water flow.

100% GROHE CoolTouch
No scalding from hot surfaces; the child-friendly solution.

GROHTHERM CUBE

100% Cube.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aquadimmer Eco
The water-saving system for bath and shower.


GROHE TurboStat
For a perfect water temperature at all times.

GROHE XL Waterfall
Wide bath spout with XL-size silent water flow.

GROHTHERM 1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

MetalGrip
ergonomic metal handle with paddle for enhanced grip

EasyLogic
improved intuitive graphics on body

SafeStop
Safety lock protects against scalding.

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

Organic shaped spout
extruding from body

GROHTHERM 1000 PERFORMANCE

new

COOLTOUCH THERMOSTAT WITH PROGRIP.


Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE CoolTouch compact body
No risk of scalding on the body.

Smart Ergonomics
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape



SafeStop
Safety lock protects against scalding.

EasyLogic
improved intuitive graphics on body

GROHE AquaDimmer Eco
Switch between spout and shower with water saving function for shower.

GROHTHERM 800 COSMOPOLITAN

new

THERMOSTATS

Minimalistic design with ergonomic metal handle.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



Automatic diverter
automatically returns from hand
shower to bath spout when off

Metal grip
Ergonomic metal handle –
easy to use with soapy hands.

EcoButton
saving up to
50 % water.

GROHE TurboStat
For a perfect water
temperature at all times.

SafeStop
Temperature stop protects
against scalding.

GROHTHERM 800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38°C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



GROHE TurboStat
For a perfect water temperature at all times.

EasyLogic
improved intuitive graphics on body

SafeStop
Temperature stop protects against scalding.


Eco Button
Saving up to 50% water

GROHE GROHTHERM SMARTCONTROL



GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 123 000	Chrome	4005176413292	497.74
29 123 GN0	brushed cool sunrise	4005176558122	718.88
29 123 DL0	brushed warm sunset	4005176558092	718.88
29 123 A00	hard graphite	4005176558054	673.95
29 123 AL0	Brushed Hard Graphite	4005176558061	718.88



Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 124 000	Chrome	4005176413308	541.99
29 124 DC0	supersteel	4005176526329	684.94
29 124 GN0	brushed cool sunrise	4005176558207	782.79
29 124 DL0	brushed warm sunset	4005176558177	782.79
29 124 A00	hard graphite	4005176558139	733.87
29 124 AL0	Brushed Hard Graphite	4005176558146	782.79




Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min

35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

29 125 000	Chrome	4005176413315	650.38
------------	--------	---------------	--------




Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermostatic element
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			

29 126 000	Chrome	4005176413322	586.24
29 126 DC0	supersteel	4005176526343	740.86
29 126 GN0	brushed cool sunrise	4005176558368	846.71
29 126 DL0	brushed warm sunset	4005176558337	846.71
29 126 A00	hard graphite	4005176558290	793.78
29 126 AL0	Brushed Hard Graphite	4005176558306	846.71


Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermostatic element
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 127 000	Chrome	4005176413339	357.28
29 127 DC0	supersteel	4005176526350	452.08
29 127 GN0	brushed cool sunrise	4005176558443	516.64
29 127 DL0	brushed warm sunset	4005176558412	516.64
29 127 A00	hard graphite	4005176558375	484.36
29 127 AL0	Brushed Hard Graphite	4005176558382	516.64



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE StarLight chrome finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min


outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included

35 600 000 4005176413469 132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation



29 153 LS0 moon white 4005176413582 640.45

Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600 000

metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE StarLight finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min


35 600 000 4005176413469 132.18

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------


29 156 LS0	moon white	4005176413599	684.69
------------	------------	---------------	--------



Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			


29 157 LS0	moon white	4005176413605	728.91
------------	------------	---------------	--------




Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			


GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	29 158 LS0	moon white	4005176413612	452.39
	<p>Grohtherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

	29 118 000	Chrome	4005176412240	475.85
	29 118 DC0	supersteel	4005176455032	606.00
	29 118 BE0	polished nickel	4005176492952	673.95
	29 118 EN0	brushed nickel	4005176492969	711.00
	29 118 GL0	cool sunrise	4005176492976	673.95
	29 118 GN0	brushed cool sunrise	4005176492983	718.88
	29 118 DA0	warm sunset	4005176492990	673.95
	29 118 DL0	brushed warm sunset	4005176493003	711.00
	29 118 A00	hard graphite	4005176493010	673.95
	29 118 AL0	Brushed Hard Graphite	4005176455049	683.67
	<p>Grohtherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	548.82
29 119 DC0	supersteel	4005176455056	742.85
29 119 BE0	polished nickel	4005176493027	726.00
29 119 EN0	brushed nickel	4005176493034	774.00
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 GN0	brushed cool sunrise	4005176493058	774.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 DL0	brushed warm sunset	4005176493072	774.00
29 119 A00	hard graphite	4005176493089	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

29 120 000	Chrome	4005176412264	621.77
------------	--------	---------------	--------

Grotherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder


set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min



35 600 000	4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation		

GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 121 000	Chrome	4005176412271	560.46
29 121 DC0	supersteel	4005176455094	714.00
29 121 BE0	polished nickel	4005176493164	793.78
29 121 EN0	brushed nickel	4005176493171	837.00
29 121 GL0	cool sunrise	4005176493188	793.78
29 121 GN0	brushed cool sunrise	4005176493195	847.00
29 121 DA0	warm sunset	4005176493201	793.78
29 121 DL0	brushed warm sunset	4005176493218	846.71
29 121 A00	hard graphite	4005176493225	793.78
29 121 AL0	Brushed Hard Graphite	4005176455100	918.30



Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			





29 122 000	Chrome	4005176412288	341.57
29 122 DC0	supersteel	4005176455117	436.00
29 122 BE0	polished nickel	4005176493232	484.36
29 122 EN0	brushed nickel	4005176413728	469.00
29 122 GL0	cool sunrise	4005176515194	484.36
29 122 GN0	brushed cool sunrise	4005176515200	516.64
29 122 DA0	warm sunset	4005176515217	484.36
29 122 DL0	brushed warm sunset	4005176515224	516.64
29 122 A00	hard graphite	4005176515231	484.36
29 122 AL0	Brushed Hard Graphite	4005176455124	469.00









Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
 GROHE ProGrip with knurl structure
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			





GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 150 LS0	moon white	4005176413544	640.45
	<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 151 LS0	moon white	4005176413551	684.69
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min outlet B+C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 904 LSO	moon white	4005176413568	728.91
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p>				
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	29 152 LSO	moon white	4005176413575	452.39
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	34 742 000	Chrome	4005176484094	1,293.06
<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600 000 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>				









GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 706 000	Chrome	4005176413797	1,370.46
	<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>			
	34 743 000	Chrome	4005176484100	1,204.56
	<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p>			
	34 744 000	Chrome	4005176484117	1,012.08
	<p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600 000 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400) Silverflex shower hose 1250 mm (28 362)</p>			
	34 705 000	Chrome	4005176413285	1,381.53
	<p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 713 000	Chrome	4005176409776	883.79
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 3 valves, exposed/concealed wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow</p>			
	requires concealed body 26 449 000 – to be ordered separately			
	34 714 000	Chrome	4005176409783	828.47
	<p>Grotherm SmartControl Combi thermostatic shower mixer with 2 valves, exposed/concealed wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow</p>			
	requires concealed body 26 449 000 – to be ordered separately			
	26 449 000		4005176409790	275.40
	<p>Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			

GROHE GROHTHERM SMARTCONTROL







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	370.52
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p>			
	34 718 000	Chrome	4005176457647	408.15
	<p>Grotherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p>			
	34 721 000	Chrome	4005176457678	481.17
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>			
	34 720 000	Chrome	4005176457661	474.52
	<p>Grotherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			

GROHE GROHTHERM 2 HANDLE TRIM SETS









THERMOSTATS









GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	24 078 000	Chrome	4005176466038	365.39
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 079 000	Chrome	4005176466045	407.27
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 080 000	Chrome	4005176466052	407.27
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				









GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 728 000	Chrome	4005176466069	563.29
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>			
	34 729 000	Chrome	4005176466076	632.40
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
	34 730 000	Chrome	4005176466342	1,368.44
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362)</p>			
	34 734 000	Chrome	4005176466403	965.34
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p>			

GROHE GROHTHERM 2 HANDLE TRIM SETS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	24 075 000	Chrome	4005176465987	365.39
	<p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 076 000	Chrome	4005176465994	407.27
	<p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				
 	24 077 000	Chrome	4005176466007	407.27
	<p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 000 GROHE TurboStat compact cartridge with wax thermostatic element GROHE StarLight chrome finish wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p>				

GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 726 000	Chrome	4005176466014	552.82
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>			
	34 727 000	Chrome	4005176466021	618.78
	<p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
	34 731 000	Chrome	4005176466359	1,368.44
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>			
	34 732 000	Chrome	4005176466366	939.16
	<p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>			

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour EAN code Retail Guide Price (£)




34 735 000 Chrome 4005176466410 770.59

Grotherm Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grotherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan Headshower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

24 153 000 Chrome 4005176481178 474.29
24 153 DC0 supersteel 4005176574221 612.00
24 153 AL0 Brushed Hard Graphite 4005176585913 699.00


Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set



35 600 000 4005176413469 132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 Chrome 4005176481185 528.73
24 154 DC0 supersteel 4005176574238 682.00
24 154 AL0 Brushed Hard Graphite 4005176585920 779.00


Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermoelement
GROHE StarLight chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set



35 600 000 4005176413469 132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	528.73
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermostatic element
GROHE StarLight chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			










34 741 000	Chrome	4005176481208	1,252.20
------------	--------	---------------	----------

Grotherm Cube
Perfect shower set with Rainshower Allure 230
 Consisting of:
 Grotherm Cube set for final installation with Aquadimmer (24 154)
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
 Rainshower Allure 230 metal head shower (27 479)
 Rainshower shower arm (27 709)
 hand shower Euphoria Cube (27 699 000) 9.5 l/min.
 shower outlet elbow (26 370)
 Silverflex shower hose 1250 mm (28 362)

GROHE GROHTHERM 3000 COSMOPOLITAN









GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 274 000	Chrome	4005176847905	430.28
	<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves, dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 276 000	Chrome	4005176847929	507.72
	<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 277 000	Chrome	4005176847936	463.44
	<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2", mousseur built-in non return valves, dirt strainers protected against backflow without connection unions for wall mounting</p>			
	47 175 000		4005176803895	156.36
	<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>			

GROHE GROHTHERM 2000




GROHE GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 469 001	Chrome	4005176926396	330.73
  <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE TurboStat compact cartridge with wax thermoelement volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EasyReach shower tray removable for easy cleaning chrome GROHE EcoJoy technology for less water and perfect flow</p>			
34 463 001	Chrome	4005176926419	365.00
  <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop Plus integrated temperature limiter at max 50°C integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" integrated flow limiter 14 l/min in the shower outlet built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EasyReach shower tray removable for easy cleaning chrome GROHE EcoJoy technology for less water and perfect flow</p>			
34 169 001	Chrome	4005176926518	308.59
  <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			


GROHE GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 446 001	Chrome	4005176926402	308.59




Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet

34 170 001	Chrome	4005176926471	286.47
------------	--------	---------------	--------







Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

34 464 001	Chrome	4005176926433	374.96
------------	--------	---------------	--------




Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray removable for easy cleaning
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 174 001	Chrome	4005176926426	374.99
<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE EcoJoy technology for less water and perfect flow</p>			
 			
34 466 001	Chrome	4005176926440	386.05
<p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control shower bottom outlet 1/2" - diverter: bath/shower GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) min. recommended pressure 1 bar integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>			
 			


GROHE GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 484 001	Chrome	4005176932519	397.09




Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

34 176 001	Chrome	4005176926488	695.76
------------	--------	---------------	--------



Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 deck mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - flow control
 - diverter: bath/shower
 - integrated (economy button with economy stop for shower)
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow

34 281 001	Chrome	4005176926501	485.57
------------	--------	---------------	--------




Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grohtherm 2000 thermostat shower mixer (34 469)
 Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)


GROHE GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

34 195 001	Chrome	4005176926631	330.74
------------	--------	---------------	--------



Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grohtherm 2000 thermostat shower mixer (34 469)
 Euphoria 110 Massage shower set, 600 mm (27 231 001)



18 608 001	Chrome	4005176985140	43.14
------------	--------	---------------	-------

Grohtherm 2000
GROHE EasyReach shower tray
 metal tray
 removable for easy cleaning
GROHE StarLight chrome finish
 suitable for Grohtherm 2000
 - exposed thermostatic shower mixer with centre distance 150 mm
 - exposed thermostatic bath mixer with centre distance 150 mm



47 175 000		4005176803895	156.36
------------	--	---------------	--------

GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000
 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE GROHTHERM CUBE


THERMOSTATS



GROHE GROHTHERM CUBE


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

34 491 000	Chrome	4005176940644	397.08
------------	--------	---------------	--------




Grotherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

34 488 000	Chrome	4005176940620	352.85
------------	--------	---------------	--------



Grotherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

34 509 000	Chrome	4005176941801	363.91
------------	--------	---------------	--------




Grotherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 shower bottom outlet 1/2"
 ceramic headpart 1/2", 180°
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
 integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE


Ref. No. Colour EAN code Retail Guide Price (£)

34 502 000 Chrome 4005176940798 496.63




Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow

34 497 000 Chrome 4005176940675 445.00



Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EcoJoy technology for less water and perfect flow

34 508 000 Chrome 4005176941795 474.52




Grotherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

18 700 000	daVinci satin white	4005176940811	43.13
------------	---------------------	---------------	-------




Grohtherm Cube
GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
Da Vinci satin white finish
suitable for Grohtherm Cube
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

47 175 000		4005176803895	156.36
------------	--	---------------	--------



GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000
exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

24 153 000	Chrome	4005176481178	474.29
24 153 DC0	supersteel	4005176574221	612.00
24 153 AL0	Brushed Hard Graphite	4005176585913	699.00




Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
------------	--	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000	Chrome	4005176481185	528.73
24 154 DC0	supersteel	4005176574238	682.00
24 154 AL0	Brushed Hard Graphite	4005176585920	779.00




Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
------------	--	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM CUBE


Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	528.73
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge with wax thermostatic element
GROHE StarLight chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed shower and bath symbol
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox universal rough-in box for concealed installation			



34 741 000	Chrome	4005176481208	1,252.20
------------	--------	---------------	----------









Grotherm Cube
Perfect shower set with Rainshower Allure 230

Consisting of:
 Grotherm Cube set for final installation with Aquadimmer (24 154)
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
 Rainshower Allure 230 metal head shower (27 479)
 Rainshower shower arm (27 709)
 hand shower Euphoria Cube (27 699 000) 9.5 l/min.
 shower outlet elbow (26 370)
 Silverflex shower hose 1250 mm (28 362)

GROHE GROHTHERM 1000 COSMOPOLITAN 3/4"



GROHE GROHTHERM 1000 COSMOPOLITAN 3/4"










	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 430 000	Chrome	4005176917981	241.93
<p>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>				
 	34 437 000	Chrome	4005176918025	284.18
<p>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)</p>				
 	34 448 000	Chrome	4005176919183	358.14
<p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE StarLight chrome finish chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>				
 	34 519 000	Chrome	4005176998515	271.69
<p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2" GROHE StarLight finish chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>				

GROHE GROHTHERM 1000







THERMOSTATS








GROHE GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 143 003	Chrome	4005176309618	220.80
			Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow
			Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow
34 438 003	Chrome	4005176309632	220.80
			Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow
			Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow
34 146 003	Chrome	4005176309625	210.23
			Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 155 003	Chrome	4005176310027	273.62
  <p>Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
34 439 003	Chrome	4005176310041	284.18
  <p>Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
34 156 003	Chrome	4005176310034	284.18
  <p>Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			







GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 256 004	Chrome	4005176456671	273.62
<p>Grohtherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003) Tempesta shower set II, 900 mm (27 646)</p>				
	34 151 004	Chrome	4005176456664	269.40
<p>Grohtherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 143 003) Tempesta shower rail set 2 sprays, 600 mm (27 598) min. recommended pressure 1 bar</p>				
	34 557 001	Chrome	4005176456688	241.93
<p>Grohtherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 438 003) Tempesta shower rail set 2 sprays, 600 mm (27 598)</p>				
	34 152 004	Chrome	4005176456640	289.47
<p>Grohtherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 NEW thermostatic shower mixer 1/2" (34 146 003) Tempesta shower rail set 2 sprays, 600 mm (27 598) min. recommended pressure 1 bar</p>				
	47 175 000		4005176803895	156.36
<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>				

GROHE GROHTHERM 1000 PERFORMANCE



GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 776 000	Chrome	4005176612930	199.07
	<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 779 000	Chrome	4005176612961	259.35
	<p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 780 000	Chrome	4005176612978	254.56
	<p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 781 000	Chrome	4005176612985	203.15
<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			

34 782 000	Chrome	4005176612992	263.42
<p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			

34 783 000	Chrome	4005176613005	229.78
<p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000) Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002) optional GROHE EcoJoy 5.7 l/min flow limiter included</p>			

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



34 784 000	Chrome	4005176613012	233.20
------------	--------	---------------	--------

Grotherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included



34 787 000	Chrome	4005176613043	233.85
------------	--------	---------------	--------

Grotherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 781 000)
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)









47 175 000		4005176803895	156.36
------------	--	---------------	--------

GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
 Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000
 exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after
 being installed in exposed fittings







GROHE GROHTHERM 800 COSMOPOLITAN



GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 765 000	Chrome	4005176612022	188.59
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 767 000	Chrome	4005176612046	183.80
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			
	34 771 000	Chrome	4005176612886	192.66
	<p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			


GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	245.70
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 770 000	Chrome	4005176612077	240.91
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			
	34 772 000	Chrome	4005176612893	249.77
	<p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

34 768 000	Chrome	4005176612053	219.09
------------	--------	---------------	--------




Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"

Consisting of:

Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included

34 769 000	Chrome	4005176612060	224.48
------------	--------	---------------	--------



Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"

Consisting of:

Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included

47 175 000		4005176803895	156.36
------------	--	---------------	--------



GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)

fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
 Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000

exposed thermostats

service solution, does not comply with EN1111







Note: CoolTouch-function is omitted after
 being installed in exposed fittings

GROHE GROHTHERM 800




THERMOSTATS



GROHE GROHTHERM 800

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 562 000	Chrome	4005176310102	199.67
  <p>Grotherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
34 567 000	Chrome	4005176310157	241.93
  <p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
34 569 000	Chrome	4005176310171	241.93
  <p>Grotherm 800 Thermostatic bath mixer 1/2", 160cc wall mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			

GROHE GROHTHERM 800

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 566 001	Chrome	4005176456701	230.31
<p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower set II, 900 mm (27 646) min. recommended pressure 1 bar</p>				
	34 565 001	Chrome	4005176456718	210.23
<p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower rail set 2 sprays, 600 mm (27 598) min. recommended pressure 1 bar</p>				
	47 175 000		4005176803895	156.36
<p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000 exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p>				

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox	333
GROHE Rapido	336
GROHE Rapido C / stop valves	337

MASTERPIECE OF **TECHNOLOGY**

GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.





GROHE SMARTCONTROL



- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS



- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with Grohe Aquadimmer






















SINGLE-LEVER MIXERS




















- New trims in coordinated design for all Grohe bath lines
- 1-, 2- and 3-function models
- Slim wall plates with Grohe QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX













OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
GROHE Plus	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24046003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	























GROHE RAPIDO SMARTBOX

OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	 24 153 000	 24 154 000	 24 155 000
Grohtherm (square)	 24 078 000	 24 079 000	 24 080 000
Grohtherm (round)	 24 075 000	 24 076 000	 24 077 000

GROHE RAPIDO SMARTBOX


















OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions	3 functions	4 functions
Grohtherm SmartControl round	 29 118 000	 29 119 000 29 120 000	 29 121 000	 29 118 000 + 29 122 000
Grohtherm SmartControl square	 29 123 000	 29 124 000 29 125 000	 29 126 000	 29 123 000 + 29 127 000
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0	 29 904 LS0	 29 150 LS0 + 29 152 LS0
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0	 29 157 LS0	 29 153 LS0 + 29 158 LS0
SmartControl Mixer round	 29 144 000	 29 145 000	 29 146 000	
SmartControl Mixer square	 29 147 000	 29 148 000	 29 149 000	

GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

* Concealed valve 29 032 000 with longlife headpart can also be used


	<p>Rapido C stop-valve with pre-assembled ceramic headpart</p> <p>35 028</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart</p> <p>29 800/29 802/29 805</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart</p> <p>29 801/29 803/29 804/29 806</p>	<p>Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart</p> <p>29 811/29 813</p>
<p>Brilliant</p>				
	19 830 000 / 19 831 000	19 830 000 / 19 831 000	19 830 000 / 19 831 000	19 830 000 / 19 831 000
<p>Costa</p>				
	19 808 001 19 809 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
<p>Eurocube</p>				
	19 910 000	19 910 000	19 910 000	19 910 000
<p>Grandera</p>				
	19 944 000			
<p>Grohtherm 3000 Cosmopolitan</p>				
	19 470 000	19 470 000	19 470 000	19 470 000

GROHE RAPIDO SMARTBOX




GROHE RAPIDO SMARTBOX

Ref. No. Colour EAN code Retail Guide Price (£)




35 600 000 4005176413469 132.18

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation



14 055 000 4005176413520 161.51

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers




14 053 00M 4005176413513 50.88

Service stops
fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces




47 790 000 4005176841491 59.72

Rapido connection set
fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600)
VA approved
2 pcs./unit



14 048 000 4005176413483 151.54

GROHE Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
25 mm
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox




14 056 000 4005176466298 114.13

Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox


GROHE RAPIDO SMARTBOX

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



14 057 000		4005176466304	147.62
------------	--	---------------	--------

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**



14 058 000		4005176466311	147.63
------------	--	---------------	--------

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**



49 003 000	Chrome	4005176413537	208.31
------------	--------	---------------	--------



GROHE TurboStat cartridge 3/4"
for reversed inlets (hot water right)
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

GROHE RAPIDO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	33 961 000		4005176119972	303.27
<p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops</p>				
	33 962 000		4005176119989	208.83
<p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops</p>				
	33 963 000		4005176128387	92.35
<p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing</p>				
	33 964 000		4005176128394	93.40
<p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing</p>				

GROHE RAPIDO C / STOP VALVES


Ref. No. Colour EAN code Retail Guide Price (£)



35 028 000 4005176908316 131.61

GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

CONCEALED SOLUTIONS



29 800 000 4005176504839 30.43


Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
threaded union 1/2"
DR-brass

29 802 000 4005176504853 51.42

ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"

29 805 000 4005176504884 86.36

ditto, 1", pre-assembled headpart 1", thread union 1"




29 801 000 4005176504846 25.08

Concealed stop-valve, 1/2"
pre-assembled headpart 1/2"
short spindle
protection sleeve
soldered connection Ø15 mm
DR-brass

29 804 000 4005176504877 39.88

ditto, soldered connection Ø 22 mm




29 811 000 4005176062711 51.42

Concealed stop valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass

29 813 000 4005176062735 82.90

ditto, 3/4"



45 202 000 4005176052835 11.54

Extension 20-80
for concealed valves, 1/2", 3/4"

45 203 000 4005176052842 19.94

ditto, 200 mm

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	353
	F-digital Controllers	361
Shower Systems	Rainshower System SmartControl	363
	Rainshower SmartActive System	371
	Rainshower System	377
	Euphoria SmartControl System	381
	Euphoria Shower System	385
	Tempesta System	397
	Shower System Accessories	403
Head Showers	Head Showers	407
Showers	Sena	435
	Rainshower SmartActive	439
	Rainshower	451
	Relaxa	457
	Euphoria	463
	Tempesta	475
	Sena Trigger Sprays	491
	Tempesta-F Trigger Sprays	493
	Trigger Sprays	497
	Shower Hoses	499
	Shower Accessories	503

GROHE SHOWERS

INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS - DESIGNED TO MAKE YOU SMILE

Life is fun. And so is Showering.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130mm and 150mm – and with either a chrome-plated or white moulded spray face as well as a host of color options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



Right is just one click away.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



GROHE Rain

A soft and refreshing shower



GROHE ActiveMassage

A moving spray reducing stress and tension



GROHE Jet

The power shower after sports






With **GROHE DripStop**, not a single drop leaves the Rain or Jet spray nozzles after turning off the hand shower.





EUPHORIA SMARTCONTROL YOUR TURN - YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grotherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.





GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING - PUSH, TURN, SHOWER


Rainshower SmartControl – Choose the spray, control the volume, save the settings. All with one control.

Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = An innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to handshower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.


GROHE SPA F-DIGITAL DELUXE ALL OF THE SENSES IN **PERFECT HARMONY**

F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.

Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App* lets you design your own personal combination of lighting, sound and fsteam - by wireless Bluetooth® connection - for a unique spa sanctuary in your own home.




A UNIQUE EXPERIENCE FOR ALL THE SENSES



TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules**, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.



* Available for free via iTunes app or Google Play store.

** This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A - A**




INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



SPRAYS		
① Waterfall	④ Pure	⑦ Drizzle
② Rain	⑤ Rain	⑧ AquaCurtain
③ Bokoma	⑥ Waterfall	⑨ Handshower

For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide.




GROHE F-DIGITAL DELUXE



GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

26 373 001	Chrome	4005176415593	20,739.05
------------	--------	---------------	-----------




Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 material: metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grotherm SmartControl
 3 x Grotherm SmartControl (29 126 000)
 3 x GROHE Rapido SmartBox (35 600 000)
 1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++




26 376 001	Chrome	4005176415609	1,974.41
------------	--------	---------------	----------

Rainshower F-Series 40"
Roughing-in set
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 Waterways: Brass
 1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

29 126 000	Chrome	4005176413322	586.24
------------	--------	---------------	--------













Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min





35 600 000		4005176413469	132.18
------------	--	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE F-DIGITAL DELUXE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 370 000	Chrome	4005176341380	32.07
<p>Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight chrome finish</p>				
 	27 888 000	Chrome	4005176921179	87.39
<p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	28 143 000	Chrome	4005176601347	21.81
<p>Relexaflex Metal Longlife Metal shower hose 1500 1500 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging</p>				
 	27 865 000	Chrome	4005176918179	4,216.78
<p>Rainshower F-Series 20" Ceiling shower with light, 1 spray Rain 508 x 508 x 59 mm material: metal full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>				
 	29 069 000		4005176918384	131.62
<p>Rainshower F-Series Cable connection for ceiling shower with light (27 865 000) Consisting of: 2 cable extensions (5 m each)</p>				

GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 359 000	Chrome	4005176918414	1,248.82
	Rainshower F-Series Light set 127 x 127 mm per module full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection Consisting of: - 1 light module with two plug connections - 1 light module with one plug connection waterproof & corrosion protected supply voltage: 12 V DC CE approved GROHE StarLight chrome finish requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.			
	29 072 000		4005176918421	242.24
	Rainshower F-Series Rough-in set light set for use with double light modules (36 359 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each)			
	36 360 000	Chrome	4005176918438	1,071.84
	Rainshower F-Series Sound set 127 x 127 mm per module full range stereo speaker Consisting of: 2 speakers with plug connections waterproof & corrosion protected GROHE StarLight chrome finish requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation For detailed planning and product information please contact your local GROHE Customer Service.			
	29 073 000		4005176918445	242.24
	Rainshower F-Series Rough-in set sound set for use with double sound modules (36 360 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each) - 1 Y-piece			

GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 934 000	Chrome	4005176927157	3,272.98



GROHE F-digital Deluxe Steam generator 6.6 kW with steam outlet and temperature sensor

Consisting of:

steam generator

415 x 445 x 130 mm
suitable for rooms up to 12.5 m³
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet 3/4"
operating pressure 1 - 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55°C
steam outlet 1/2"

type of protection IP 23

CE approved

with connection plug

steam outlet module with indentation for fragranced oil

127 x 127 mm

connection thread 1/2"

temperature sensor module

60 x 60 x 12 mm


SpeedClean anti-limescale system

GROHE StarLight chrome finish

requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.

SHOWERS



29 074 000		4005176918469	386.03
------------	--	---------------	--------

GROHE F-digital Deluxe Rough-in set steam generator

for use with steam module (36 362 000 or 27 934 000)

Consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m



14 015 000	Chrome	4005176932748	135.37
------------	--------	---------------	--------


GROHE F-digital Deluxe

Descaler 6 x 80 g

to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings
and the natural environment

2 bags sufficient for one time descaling

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



26 374 000		4005176350825	894.84
------------	--	---------------	--------

GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)

- 1 plug connection for one pair of light modules (36 359 000)

- 1 plug connection LightCurtain for Rainshower F-Series 40"

AquaSymphony (26 373 000)

- 2 plug connections for steam module (36 362 000 or 36 368 000), including

1 connection for steam generator and 1 connection for temperature sensor

- 2 plug connections for power supply (per power supply max. 4 devices light/

sound)

- 2 plug connections for Bluetooth unit (supply voltage and data line)




CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000

component to be ordered separately

GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 397 000		4005176999413	1,071.82
	42 429 000		4005176918520	109.52
	36 371 000		4005176928970	607.24

GROHE F-digital Deluxe

Base unit box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000

GROHE F-digital Deluxe

Power supply base unit box

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices

- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz

output voltage: 12 V DC

CE approved

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication

combinable with existing 36 365 000 docking station

wall mounted

86 x 73 x 42 mm

Features:

reset switch

status indicator (LED)

stand alone/maximum configuration

one-to-one connection

with safety cut-off mechanism (1 user)

safety shutdown in case of connection loss

connection cable set for data communication and power supply (5 m each)

CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be

ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

System requirements: Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**

Apple operating system: as of release iOS 6.0 and above












Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 367 000		4005176923203	286.48
<p>GROHE F-digital Deluxe Rough-in set base unit box for use with base unit box (26 374 000 or 36 397 000) 550 x 700 x 110 mm height (100 mm) and depth (50 mm) adjustable with adjustable front frame for installation in wall niches with adjustable front frame for installation in wall niches galvanized and powder coated (RAL 9010, pure white) steel plate 1 mm thick steel plate with two mounting rails and elbow for power outlets and mounting materials</p>				
 	47 837 000		4005176918490	76.32
<p>GROHE F-digital Deluxe Cable extension steam generator AquaSymphony, 5 m extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000) cable extension up to 10 m</p>				
 	47 867 000		4005176923227	76.32
<p>GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m</p>				
	47 910 000		4005176938887	54.19
<p>ditto, length 1.65 m</p>				
 	47 868 000		4005176923234	76.32
<p>GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m</p>				
 	47 877 000		4005176923241	76.32
<p>GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m</p>				
	40 666 000	Chrome	4005176935633	836.40
<p>Spare part LED set spare part for 27 865 000 Consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>				

GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------











48 348 000	Chrome	4005176408502	29.09
------------	--------	---------------	-------

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key

GROHE F-DIGITAL CONTROLLERS



GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 309 000	Chrome	4005176894794	264.37
<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>GROHE StarLight chrome finish energy efficiency class illumination of control unit: not applicable</p>				
 	36 078 000		4005176856532	109.51
<p>Plug power supply 110-240 V operating voltage 6V cable length 400 mm</p>				
 	47 727 000		4005176884160	30.43
<p>Connection wire 2-pin cable length 3 m</p>				
 	36 356 000		4005176911347	164.80
<p>GROHE F-digital Transceiver optional accessory for digital mixing unit</p>				


GROHE RAINSHOWER SYSTEM SMARTCONTROL



GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No. Colour EAN code Retail Guide
Price (£)

26 250 000 Chrome 4005176316999 1,403.65



Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

26 250 LS0 moon white 4005176317002 1,381.53




Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No. Colour EAN code Retail Guide Price (£)


26 361 000 Chrome 4005176347580 1,281.97



Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

SHOWERS

26 361 LS0 moon white 4005176409707 1,270.92



Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No. Colour EAN code Retail Guide Price (£)



26 443 000 Chrome 4005176409875 1,281.98

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermosteement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately




* to be decided during initial installation; factory default setting: GROHE PureRain



26 443 LS0 moon white 4005176409882 1,270.92

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermosteement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately



* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No. Colour EAN code Retail Guide Price (£)



26 446 000 Chrome 4005176409905 1,372.68

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed

Consisting of:
exposed/concealed SmartControl thermostat allows change between:
head shower Rainshower Mono 360 with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately




* to be decided during initial installation; factory default setting: GROHE PureRain



26 446 LS0 moon white 4005176409912 1,372.68

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed

Consisting of:
exposed/concealed SmartControl thermostat allows change between:
head shower Rainshower Mono 360 with horizontal 450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately




* to be decided during initial installation; factory default setting: GROHE PureRain



26 254 000 Chrome 4005176317026 585.12











Rainshower Duo 360
Head shower set 450 mm, 2 sprays

Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately










* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 254 LS0	moon white	4005176409806	695.73
	<p>Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 000	Chrome	4005176409813	543.12
	<p>Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 LS0	moon white	4005176409820	543.12
	<p>Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 264 001		4005176417108	198.00
	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			
	26 449 000		4005176409790	275.40
	<p>Concealed body for exposed/concealed variants wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			

GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	110.60
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>				
 	48 350 000	Chrome	4005176409868	138.27
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
	48 348 000	Chrome	4005176408502	29.09
<p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key</p>				
 	26 385 000	Chrome	4005176375057	19.94
<p>Rainshower SmartControl spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable</p>				


GROHE RAINSHOWER SMARTACTIVE SYSTEM



GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

26 647 000	Chrome	4005176533013	855.00
------------	--------	---------------	--------



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 561)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 544)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar


26 647 LS0	moon white	4005176533051	984.00
------------	------------	---------------	--------



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 561)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 544)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 648 000	Chrome	4005176533020	855.00



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 574)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

SHOWERS

26 648 LS0	moon white	4005176533068	984.00
------------	------------	---------------	--------




Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 574)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------


26 649 000	Chrome	4005176533037	855.00
------------	--------	---------------	--------



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 652 000	Chrome	4005176533044	855.00
ditto, with GROHE EcoJoy 9.5 l/min flow limiter			

26 657 000	Chrome	4005176533075	984.00
------------	--------	---------------	--------




Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

27 966 001	Chrome	4005176532993	1,040.00
------------	--------	---------------	----------



Rainshower SmartActive 310

Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

material: metal

with ball joint

rotation angle $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermostatic element

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE CoolTouch prevents scalding on hot surfaces

GROHE DreamSpray perfect spray pattern

GROHE One-Click Showering spray selection

with one click

GROHE StarLight chrome finish

GROHE QuickFix (upper bracket adjustable)

SpeedClean anti-limescale system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

27 968 001	Chrome	4005176533006	1,040.00
------------	--------	---------------	----------


ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE RAINSHOWER SYSTEM




GROHE RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 174 001	Chrome	4005176877162	1,259.86




Rainshower System 400
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 400 head shower (28 778 000)
 material: metal
 with ball joint
 rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 966 000	Chrome	4005176929250	1,116.06
------------	--------	---------------	----------



Rainshower System 310
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
 minimum flow rate 7 l/min.


27 968 000	Chrome	4005176929687	1,116.06
------------	--------	---------------	----------



Rainshower System 310
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
 minimum flow rate 7 l/min.

GROHE RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




27 469 000	Chrome	4005176882593	1,116.06
------------	--------	---------------	----------

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower F-Series 254 (27 285 000)
 material: metal
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena (28 341 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 569 000	Chrome	4005176894275	1,116.06
------------	--------	---------------	----------


ditto, with non-restricted flow



27 032 001	Chrome	4005176877155	983.33
------------	--------	---------------	--------

Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 967 000	Chrome	4005176929670	983.33
------------	--------	---------------	--------




Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 head shower (28 368 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.

SHOWERS

GROHE RAINSHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

27 641 000	Chrome	4005176901645	1,116.06
------------	--------	---------------	----------



Rainshower System 210
Shower system with bath thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 material: metal
 with ball joint, rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower Sena (28 341 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 058 000	Chrome	4005176830464	695.74
------------	--------	---------------	--------




Rainshower System 210
Shower system with diverter
for wall mounting
 horizontal swivable 450 mm projection shower arm
 change between hand and head shower
 by using the diverter
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 connection to water supply with 1/2"-thread of
 the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE EUPHORIA SMARTCONTROL SYSTEM



GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,093.94
26 507 LS0	moon white	4005176457609	1,259.85
26 507 DC0	supersteel	4005176526374	1,472.00
26 507 BE0	polished nickel	4005176557439	1,667.72
26 507 EN0	brushed nickel	4005176557460	1,765.81
26 507 GL0	cool sunrise	4005176557477	1,667.72
26 507 GN0	brushed cool sunrise	4005176557484	1,765.81
26 507 DA0	warm sunset	4005176557446	1,667.72
26 507 DL0	brushed warm sunset	4005176557453	1,765.81
26 507 A00	hard graphite	4005176557415	1,667.72
26 507 AL0	Brushed Hard Graphite	4005176557422	1,766.00



Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

GROHE PureRain and Centered Jet spray

hand shower Euphoria 110 Massage, spray plate white

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

26 508 000	Chrome	4005176457593	1,093.94
26 508 LS0	moon white	4005176457616	1,259.85
26 508 DC0	supersteel	4005176526367	1,472.00
26 508 GN0	brushed cool sunrise	4005176557569	1,765.81
26 508 DL0	brushed warm sunset	4005176557538	1,765.81
26 508 A00	hard graphite	4005176557491	1,667.72
26 508 AL0	Brushed Hard Graphite	4005176557507	1,766.00

Euphoria SmartControl System 310 Cube Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube Stick

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

min. recommended pressure 1 bar



GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 509 000	Chrome	4005176457623	950.14



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

26 510 000	Chrome	4005176457630	1,105.01
------------	--------	---------------	----------



Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.


min. recommended pressure 1 bar

GROHE EUPHORIA SHOWER SYSTEM



GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 075 000	Chrome	4005176937606	817.41
	26 075 DC0	supersteel	4005176371219	1,208.49
	26 075 BE0	polished nickel	4005176428593	1,658.07
	26 075 EN0	brushed nickel	4005176428609	1,658.06
	26 075 GL0	cool sunrise	4005176425332	1,658.07
	26 075 GN0	brushed cool sunrise	4005176425349	1,658.06
	26 075 DA0	warm sunset	4005176425356	1,658.07
	26 075 DL0	brushed warm sunset	4005176425363	1,658.06
	26 075 A00	hard graphite	4005176425387	1,658.07
	26 075 AL0	Brushed Hard Graphite	4005176425370	2,215.55



Euphoria System 310

Shower system with thermostatic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-limescale system

Twistfree preventing the hose from twisting


GROHE MetalGrip ergonomically shaped metal handles


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar


optional upgrade: **GROHE EasyReach** tray (26 362)

	26 384 000	Chrome	4005176369032	871.61
	Euphoria System 310			
	Shower system with thermostatic mixer for wall mounting			
	Consisting of:			
	horizontal swivable 450 mm projection shower arm			
	GROHE MetalGrip ergonomically shaped metal handles			
	exposed thermostatic shower			
	with Aquadimmer function			
	allows change between:			
	Rainshower Cosmopolitan 310 metal head shower			
	Rain spray pattern			
GROHE EcoJoy 12 l/min flow limiter				
with ball joint				
rotation angle $\pm 15^\circ$				
hand shower Euphoria 110 Massage				
GROHE EcoJoy 9.5 l/min flow limiter				
adjustable height via gliding element				
Silverflex shower hose 1750 mm (28 388 000)				
minimum flow rate 7 l/min.				
GROHE DreamSpray perfect spray pattern				
GROHE StarLight finish				
GROHE TurboStat compact cartridge				
with wax thermoelement				
SpeedClean anti-limescale system				
Inner WaterGuide for a longer life				
Twistfree preventing the hose from twisting				
suitable for instantaneous heaters from 18 kW/h				
min. recommended pressure 1 bar				
optional upgrade: GROHE EasyReach tray (26 362)				



GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 296 002	Chrome	4005176417818	571.86



Euphoria System 260
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 455)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS


27 615 001	Chrome	4005176417825	571.86
------------	--------	---------------	--------



Euphoria System 260
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)


GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 087 000	Chrome	4005176940828	1,215.61



Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
 shower arm
 projection 400 mm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Allure head shower (27 479 000)
 material: metal
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube (27 699)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
 minimum flow rate 7 l/min.


26 187 000	Chrome	4005176310744	939.09
------------	--------	---------------	--------



Euphoria System 230
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Allure 230 (27 479 000)
 material: metal
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 363 000	Chrome	4005176339264	695.75



Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EasyReach tray (26 362 LN0)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

SHOWERS


27 964 000	Chrome	4005176929595	717.86
------------	--------	---------------	--------



Euphoria System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)


GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



26 383 000	Chrome	4005176369025	726.71
------------	--------	---------------	--------

Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 metal head shower
 Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
 with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)




26 383 001	Chrome	4005176460050	889.31
------------	--------	---------------	--------

Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 metal head shower
 Rain spray pattern
 hand shower Euphoria 110 Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 249 000	Chrome	4005176317156	585.12



Euphoria System 190
Shower system with thermostat for wall mounting
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 190 1 spray (27 370)
 Rain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001)
 adjustable height via gliding element
GROHE EasyReach shower tray
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

SHOWERS


27 296 001	Chrome	4005176896293	579.99
------------	--------	---------------	--------



Euphoria System 180
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)


GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 418 000	Chrome	4005176407666	471.00




Euphoria System 180 E
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 with ergonomic handles
 allows change between:
 head shower Euphoria Cosmopolitan 180 (27 491 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

27 932 000	Chrome	4005176924231	551.96
------------	--------	---------------	--------



Euphoria System 150
Shower system with thermosttic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria Cube 150 (27 705 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 12^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)



26 241 000	Chrome	4005176316319	434.72
------------	--------	---------------	--------



Euphoria Shower System
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 475 001	Chrome	4005176417863	715.65



Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar







SHOWERS

26 114 001	Chrome	4005176417870	701.28
------------	--------	---------------	--------



Euphoria System 260
Shower system with bath thermostat for wall mounting
 with short shower rail for installation in showers
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 455)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 221 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar


GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 243 000	Chrome	4005176316326	580.73
<p>Euphoria Shower System Shower system with bath thermostat for wall mounting with short shower rail for installation in showers Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function separate diverter for hand shower gliding element Silverflex shower hose 1750 mm (28 388 000) distance between thermostat and upper bracket: 1016 mm GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE StarLight chrome finish Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				
 	27 473 001	Chrome	4005176417900	514.33
<p>Euphoria System 260 Shower system with single lever for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle ± 15° hand shower Euphoria 110 Massage (27 239 000) 3 spray patterns: Rain, SmartRain, Massage adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE SilkMove 46 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				
 	23 061 002	Chrome	4005176417917	543.14
<p>Euphoria Concetto System 260 Shower system with single lever for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed single-lever shower mixer with diverter allows change between: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet with ball joint rotation angle ± 15° hand shower Euphoria Cosmopolitan Stick (27 400) Rain spray pattern adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE SilkMove 46 mm ceramic cartridge GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heaters from 18 kW/h minimum flow rate 7 l/min. min. recommended pressure 1 bar</p>				

GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

23 058 003	Chrome	4005176313790	659.85
------------	--------	---------------	--------



Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cosmopolitan Stick (27 400)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

23 147 001	Chrome	4005176313271	1,171.38
------------	--------	---------------	----------




Euphoria Cube System 230
Shower system with single lever for wall mounting
 Consisting of:
 shower arm
 projection 400 mm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 Rainshower Allure 230 metal head shower (27 479)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

SHOWERS

GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------


27 421 002	Chrome	4005176417924	456.82
------------	--------	---------------	--------



Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

27 696 000	Chrome	4005176907074	684.68
------------	--------	---------------	--------



Euphoria Cube System 150 Shower system with diverter for wall mounting

Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle $\pm 20^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar


GROHE TEMPESTA SYSTEM



GROHE TEMPESTA SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

27 922 001	Chrome	4005176985348	491.25
------------	--------	---------------	--------



Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 210 (26 408)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)


26 514 000	Chrome	4005176476099	565.21
------------	--------	---------------	--------



Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 210 9.5 l/min (26 410)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



26 302 001	Chrome	4005176408137	491.25
------------	--------	---------------	--------

Tempesta Cosmopolitan System 210

Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Relaxaflex shower hose 1500 mm (28 161)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS



27 922 000	Chrome	4005176923364	506.04
------------	--------	---------------	--------

Tempesta Cosmopolitan 160

Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life



Twistfree preventing the hose from twisting

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

26 223 001	Chrome	4005176408144	628.59
------------	--------	---------------	--------



Tempesta Cosmopolitan System 210

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 224 001	Chrome	4005176408168	436.32
------------	--------	---------------	--------



Tempesta Cosmopolitan System 210

Shower system with single lever for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed single-lever shower mixer

with diverter

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 381 001	Chrome	4005176451980	241.93



Tempesta System 210

Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

Rain spray pattern

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to faucet / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

ShockProof silicone ring prevents damage caused by a shower falling











suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.







GROHE SHOWER SYSTEM ACCESSORIES



GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	110.60
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>				
 	48 350 000	Chrome	4005176409868	138.27
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	48 053 000	Chrome	4005176890031	93.40
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>				
 	48 054 000	Chrome	4005176890048	72.41
<p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE StarLight chrome finish</p>				
 	14 014 000	Chrome	4005176929274	54.19
<p>Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>				











GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 180 000	Chrome	4005176839306	43.12
	Rainshower spacer for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 GROHE StarLight chrome finish			
 	26 385 000	Chrome	4005176375057	19.94
	Rainshower SmartControl spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			
 	26 362 LN0	white	4005176339257	19.94
	GROHE EasyReach tray for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm			

GROHE HEAD SHOWERS




GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 254 000	Chrome	4005176317026	585.12
	<p>Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 254 LS0	moon white	4005176409806	695.73
	<p>Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 000	Chrome	4005176409813	543.12
	<p>Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 450 LS0	moon white	4005176409820	543.12
	<p>Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain				
	26 264 001		4005176417108	198.00
	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			

GROHE HEAD SHOWERS


SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 475 000	Chrome	4005176423758	519.87
26 475 DC0	supersteel	4005176526237	656.97
26 475 BE0	polished nickel	4005176557118	750.85
26 475 EN0	brushed nickel	4005176557149	797.76
26 475 GL0	cool sunrise	4005176557156	750.85
26 475 GN0	brushed cool sunrise	4005176557163	797.76
26 475 DA0	warm sunset	4005176557125	750.85
26 475 DL0	brushed warm sunset	4005176557132	797.76
26 475 A00	hard graphite	4005176557095	750.85
26 475 AL0	Brushed Hard Graphite	4005176557101	797.76




Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
 Consisting of:
 head shower Rainshower SmartActive 310
 2 spray patterns:
 GROHE PureRain, ActiveRain
 horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 475 LS0	moon white	4005176425899	682.46
------------	------------	---------------	--------




Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
 Consisting of:
 head shower Rainshower SmartActive 310, spray plate moon white
 2 spray patterns:
 GROHE PureRain, ActiveRain
 horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 000	Chrome	4005176423772	519.87
26 477 DC0	supersteel	4005176526244	656.97
26 477 BE0	polished nickel	4005176557194	750.85
26 477 EN0	brushed nickel	4005176557224	797.76
26 477 GL0	cool sunrise	4005176557231	750.85
26 477 GN0	brushed cool sunrise	4005176557248	797.76
26 477 DA0	warm sunset	4005176557200	750.85
26 477 DL0	brushed warm sunset	4005176557217	797.76
26 477 A00	hard graphite	4005176557170	750.85
26 477 AL0	Brushed Hard Graphite	4005176557187	797.76











Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
 Consisting of:
 head shower Rainshower SmartActive 310
 2 spray patterns:
 GROHE PureRain, ActiveRain
 142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 LS0	moon white	4005176425912	682.46
------------	------------	---------------	--------







Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
 Consisting of:
 head shower Rainshower SmartActive 310, spray plate moon white
 2 spray patterns:
 GROHE PureRain, ActiveRain
 142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately










GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 479 000	Chrome	4005176425196	547.54
	26 479 DC0	supersteel	4005176526251	691.96
	26 479 GN0	brushed cool sunrise	4005176557323	840.22
	26 479 DL0	brushed warm sunset	4005176557293	840.22
	26 479 A00	hard graphite	4005176557255	790.79
	26 479 AL0	Brushed Hard Graphite	4005176557262	840.22
		<p>Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
	26 479 LS0	moon white	4005176425936	710.14
		<p>Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
	26 481 000	Chrome	4005176425219	547.54
	26 481 DC0	supersteel	4005176526268	691.96
	26 481 GN0	brushed cool sunrise	4005176557408	840.22
	26 481 DL0	brushed warm sunset	4005176557378	840.22
	26 481 A00	hard graphite	4005176557330	790.79
	26 481 AL0	Brushed Hard Graphite	4005176557347	840.22
		<p>Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		
	26 481 LS0	moon white	4005176425950	710.14
		<p>Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>		









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 484 000	Chrome	4005176425110	108.40
	<p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE EcoJoy 9.5 l/min flow limiter per each water way without set for final installation</p>			
	26 483 000	Chrome	4005176425103	108.40
	<p>ditto, with non-restricted flow</p>			
	26 642 000	Chrome	4005176530227	589.00
	<p>Rainshower SmartConnect 310 Cube Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 Cube (26 643) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with square escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>			
	26 640 000	Chrome	4005176530203	566.00
	<p>Rainshower SmartConnect 310 Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 (26 641) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with round escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p>			












GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 558 000	Chrome	4005176481727	366.46
	Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 557 000	Chrome	4005176481710	366.46
	ditto, with non-restricted flow			
	26 560 000	Chrome	4005176481741	366.46
	Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 559 000	Chrome	4005176481734	366.46
	ditto, with non-restricted flow			
	26 564 000	Chrome	4005176481789	392.63
	26 564 GN0	brushed cool sunrise	4005176557804	722.20
	26 564 DL0	brushed warm sunset	4005176557774	722.20
	26 564 A00	hard graphite	4005176557736	686.09
	26 564 AL0	Brushed Hard Graphite	4005176557743	722.20
	Rainshower Mono 310 Cube Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 563 000	Chrome	4005176481772	392.63
	26 563 000	Chrome	4005176481772	392.63
	ditto, with non-restricted flow			
	26 566 000	Chrome	4005176482106	392.63
	26 566 GN0	brushed cool sunrise	4005176557880	722.20
	26 566 DL0	brushed warm sunset	4005176557859	722.20
	26 566 A00	hard graphite	4005176557811	686.09
	26 566 AL0	Brushed Hard Graphite	4005176557828	722.20
	Rainshower Mono 310 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 565 000	Chrome	4005176482090	392.63
	ditto, with non-restricted flow			









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 256 000	Chrome	4005176318597	762.09
	Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 257 000	Chrome	4005176317927	551.95
	Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1 bar			
	26 066 000	Chrome	4005176937200	518.76
	26 066 DC0	supersteel	4005176371172	748.83
	26 066 BE0	polished nickel	4005176427244	855.78
	26 066 EN0	brushed nickel	4005176427251	909.28
	26 066 GL0	cool sunrise	4005176427183	855.78
	26 066 GN0	brushed cool sunrise	4005176427190	909.28
	26 066 DA0	warm sunset	4005176427206	855.78
	26 066 DL0	brushed warm sunset	4005176427213	909.28
	26 066 A00	hard graphite	4005176427237	855.78
	26 066 AL0	Brushed Hard Graphite	4005176427220	909.28
 				
	Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve			
	26 056 000	Chrome	4005176937101	518.76
	ditto, with non-restricted flow			
 				
	Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 070 000	Chrome	4005176937248	463.46
	<p>Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 275 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 060 000	Chrome	4005176937149	463.46
	ditto, with non-restricted flow			
	26 071 000	Chrome	4005176937255	463.46
	<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 064 000	Chrome	4005176937187	529.82
	<p>Rainshower Allure 230 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 054 000	Chrome	4005176937088	529.82
	ditto, with non-restricted flow			
	26 065 000	Chrome	4005176937194	485.57
	<p>Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	26 171 000	Chrome	4005176997310	397.09
	<p>Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater starting at 0.5 bar flow pressure</p>			





GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 062 000	Chrome	4005176937163	374.97
	<p>Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>			
	26 052 000	Chrome	4005176937064	374.97
	ditto, with non-restricted flow			
	26 063 000	Chrome	4005176937170	374.97
	<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>			
	26 459 000	Chrome	4005176416965	221.23
	<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 458 000	Chrome	4005176416958	221.23
	ditto, with non-restricted flow			
	26 461 000	Chrome	4005176416989	175.88
	<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 460 000	Chrome	4005176416972	175.88
	ditto, with non-restricted flow			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 073 000	Chrome	4005176937279	231.19
<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	26 412 000	Chrome	4005176390173	160.40
<p>Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 414 000	Chrome	4005176408090	134.96
<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 413 000	Chrome	4005176390180	160.41
<p>ditto, with non-restricted flow</p>				
 	26 267 001	Chrome	4005176444197	57.50
<p>Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure min. recommended pressure 1 bar</p>				
 	27 869 001	Chrome	4005176444005	77.45
<p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				











GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 090 001	Chrome	4005176443992	71.88
<p>Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 089 001	Chrome	4005176444067	68.56
<p>Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 373 001	Chrome	4005176415593	20,739.05
	<p>Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light 1016 mm x 762 mm x 145 mm material: metal minimum flow rate 25 l/min min. recommended pressure 3.0 bar 1 x AquaCurtain 1 x Pure XL spray 1 x 2 mist spray 2 x GROHE PureRain spray 400 x 190 mm 2 x XL Waterfall (separately controlled) 1 x 4 Bokoma Spray with adjustment angle 20° and combinations full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved SpeedClean anti-limescale system GROHE DreamSpray perfect spray pattern GROHE StarLight finish</p> <p>requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p> <p>recommendation: configuration with Grohtherm SmartControl 3 x Grohtherm SmartControl (29 126 000) 3 x GROHE Rapido SmartBox (35 600 000) 1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)</p> <p>this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++</p>			
 	26 376 001	Chrome	4005176415609	1,974.41
	<p>Rainshower F-Series 40" Roughing-in set for use with Rainshower F-Series 40" AquaSymphony ceiling shower 1000 mm x 745 mm x 152 mm min. installation depth: 167 mm Waterways: Brass 1/2" connections</p> <p>The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.</p>			
 	27 865 000	Chrome	4005176918179	4,216.78
	<p>Rainshower F-Series 20" Ceiling shower with light, 1 spray Rain 508 x 508 x 59 mm material: metal full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>			










GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 286 000	Chrome	4005176860737	1,768.67
	Rainshower F-Series 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 939 001	Chrome	4005176927287	3,029.65
	Rainshower F-Series 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets			
 	27 938 001	Chrome	4005176927072	3,029.65
	Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately head shower has to be controlled by 4 outlets			
 	26 042 000		4005176935954	196.79
	Rainshower F-Series 15" Roughing-in set for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections			
 	27 467 000	Chrome	4005176882609	607.25
	Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 285 000	Chrome	4005176860713	441.33
	Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 271 000	Chrome	4005176860690	441.33
	Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 252 000	Chrome	4005176856334	109.49
	Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body also to be used as head shower 127 x 127 mm flow straightener with ball joint (\pm 12.5° rotatable) female thread 1/2" NPT GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system suitable for instantaneous heater			
 	27 251 000	Chrome	4005176856327	109.49
	27 251 DC0	supersteel	4005176431586	145.70
	27 251 BE0	polished nickel	4005176431593	166.53
	27 251 EN0	brushed nickel	4005176431562	176.92
	27 251 GL0	cool sunrise	4005176338861	166.53
	27 251 GN0	brushed cool sunrise	4005176431555	176.92
	27 251 DA0	warm sunset	4005176338854	166.53
	27 251 DL0	brushed warm sunset	4005176431579	176.92
	27 251 A00	hard graphite	4005176338878	180.61
	27 251 AL0	Brushed Hard Graphite	4005176338885	191.88
	Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (\pm 12.5° rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system			
	27 254 000	Chrome	4005176856372	164.80
	Rainshower F-Series 5" Head shower 1 spray Normal spray wall mounted 127 x 127 mm flow straightener with ball joint (\pm 12.5° rotatable) female thread 1/2" NPT GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system suitable for instantaneous heater			










GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 253 000	Chrome	4005176856365	164.80
	Rainshower F-Series 5" Head shower 1 spray wall mounted 127 x 127 mm flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system			
 	26 643 000	Chrome	4005176530234	546.00
	Rainshower SmartConnect 310 Cube Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 641 000	Chrome	4005176530210	522.00
	Rainshower SmartConnect 310 Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
	26 569 000	Chrome	4005176482175	287.00
	26 569 EN0	brushed nickel	4005176482182	430.00
	Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 562 000	Chrome	4005176481765	300.49
	26 562 LS0	moon white	4005176482144	390.54
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 561 000	Chrome	4005176481758	300.49
	26 561 LS0	moon white	4005176482137	390.54
	ditto, with non-restricted flow			









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 570 000	Chrome	4005176482199	312.00
	26 570 EN0	brushed nickel	4005176482205	468.00
	Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 568 000	Chrome	4005176482120	326.67
	26 568 LSO	moon white	4005176482168	425.07
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
	26 567 000	Chrome	4005176482113	326.67
	26 567 LSO	moon white	4005176482151	425.07
	ditto, with non-restricted flow			
	27 470 000	Chrome	4005176882531	463.46
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 470 LSO	moon white	4005176997235	554.11
	Rainshower Veris 300 Head shower 1 spray Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar			
	27 863 000	Chrome	4005176918155	662.55
	Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 469 000	Chrome	4005176423970	469.00
	Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 480 000	Chrome	4005176883316	474.53
Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar				
	27 479 000	Chrome	4005176883309	474.53
ditto, with non-restricted flow				
 	28 778 000	Chrome	4005176820526	640.44
Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497				
	26 472 000	Chrome	4005176424908	484.00
Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater				
 	27 478 000	Chrome	4005176883293	485.58
Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar				
	27 477 000	Chrome	4005176883286	485.58
ditto, with non-restricted flow				
 	28 368 00E	Chrome	4005176867385	330.72
Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system				
	28 368 000	Chrome	4005176267253	220.11
ditto, with non-restricted flow				
	28 373 000	Chrome	4005176267277	341.78
ditto, with 9.5 l/min flow limiter				






GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 368 LS0	moon white	4005176997242	419.21
	Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect flow GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000			
	27 135 000	Chrome	4005176836077	119.34
	27 135 EN0	brushed nickel	4005176836084	221.02
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $15^\circ \pm 15^\circ$ GROHE EcoJoy 9.5 l/min flow limiter SpeedClean anti-limescale system suitable for instantaneous heater Min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms			
 	27 134 000	Chrome	4005176836060	120.56
	Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 474 000	Chrome	4005176424939	350.00
	26 474 BE0	polished nickel	4005176424953	455.00
	26 474 EN0	brushed nickel	4005176424946	455.00
	26 474 ZB0	antique bronze	4005176424960	455.00
	Rainshower Rustic 210 Head shower 1 spray Rain spray pattern normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 369 000	Chrome	4005176267260	352.85
	Rainshower Rustic 210 Head shower 1 spray material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			









GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 974 000	Chrome	4005176932793	430.28
	27 974 IG0	chrome/gold	4005176933486	563.00
	<p>Grandera 210 Head shower 1 spray 221 x 221 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 308 000	Chrome	4005176254949	124.88
	<p>Sena 75 Head shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 448 000	Chrome	4005176265167	169.21
	<p>Movario 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 528 000	Chrome	4005176271199	135.08
	<p>Movario 70 NPT Side shower 2 sprays Wide spray/Massage extreme low profile ball-joint 1/2" NPT female thread GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 530 000	Chrome	4005176889219	463.45
	<p>Relaxa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint $\pm 15^\circ$ rotatable GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life</p>			
	27 068 000	Chrome	4005176832130	142.70
	<p>Relaxa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 062 000	Chrome	4005176831669	197.98
Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.				
 	27 065 000	Chrome	4005176832109	164.80
Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 067 000	Chrome	4005176832123	131.61
Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	26 457 000	Chrome	4005176416934	132.75
Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar				
26 455 000 Chrome 4005176416903 132.75 ditto, with non-restricted flow				
 	27 492 000	Chrome	4005176885556	131.62
Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar				





GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 233 000	Chrome	4005176868016	87.40
Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater				
 	27 237 000	Chrome	4005176854286	76.32
Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar				
	28 737 000	Chrome	4005176872983	54.19
Euphoria Rustic 130 Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
	26 468 000	Chrome	4005176423963	147.63
Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	27 705 000	Chrome	4005176907166	142.68
Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar				

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 409 000	Chrome	4005176390128	90.72
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 410 000	Chrome	4005176390142	90.72
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	90.72
	ditto, with non-restricted flow			
	27 606 001	Chrome	4005176444180	58.62
	Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 050 001	Chrome	4005176444166	46.47
	Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 591 001	Chrome	4005176443985	65.27
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 051 001	Chrome	4005176443954	51.98
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			

GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 541 001	Chrome	4005176451676	82.94
	Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1 bar			
 	27 610 001	Chrome	4005176444050	59.72
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	20.04
	Relexa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"			
	28 342 000	Chrome	4005176260070	62.28
	Relexa Plus 65 Head shower 1 spray non-adjustable 1/2" NPT female thread GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 094 000	Chrome	4005176601132	51.42
	Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm			
 	28 002 000	Chrome	4005176858796	186.91
	Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	135.37
	Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 286 000	Chrome	4005176198526	98.43
	Relexa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system			










GROHE HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 198 000	Chrome	4005176038686	124.88















Relaxa 50
Side shower 1 spray
 Normal spray
 ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system
 pre-adjustment for the flow rate
 pre-adjustable flow rate from 5-11 l/min.
 minimum flow rate 4.5 l/min

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 146 000	Chrome	4005176986017	109.52
<p>Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, chrome can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
 	26 146 LS0	moon white	4005176997266	109.50
<p>Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, white can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
 	28 982 000	Chrome	4005176829987	131.64
<p>Rainshower Shower arm 378 mm material: metal connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 361 000	Chrome	4005176295157	98.43
<p>Rainshower Shower arm, 380 mm material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish</p>				
	28 576 000	Chrome	4005176274022	76.32
<p>Ditto, projection 286 mm</p>				
 	28 384 000	Chrome	4005176267451	175.86
<p>Rainshower Rustic Shower arm 272 mm material: metal connection thread 1/2" GROHE StarLight chrome finish</p>				
 	26 145 000	Chrome	4005176986000	131.64
<p>Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 488 000	Chrome	4005176885525	76.32
<p>Rainshower Shower arm 275 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm GROHE StarLight chrome finish</p>				
 	27 709 000	Chrome	4005176909092	109.50
<p>Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish</p>				
 	28 497 000	Chrome	4005176270338	65.27
<p>Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	28 724 000	Chrome	4005176812644	54.20
<p>ditto, length 142 mm</p>				
 	27 484 000	Chrome	4005176885488	65.26
<p>Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	27 485 000	Chrome	4005176885495	54.21
<p>ditto, 142 mm length</p>				
 	27 711 000	Chrome	4005176909115	87.38
<p>Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 986 000	Chrome	4005176933011	98.43
<p>Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
	27 986 IGO	chrome/gold	4005176933547	131.61

GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 978 000 27 978 IG0	Chrome chrome/gold	4005176932830 4005176933509	76.31 98.43
<p>Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
 	27 406 000	Chrome	4005176600166	51.42
<p>Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE StarLight chrome finish</p>				
 	28 541 000	Chrome	4005176040528	40.93
<p>Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	28 429 000	Chrome	4005176601910	51.42
<p>Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
	48 348 000	Chrome	4005176408502	29.09
<p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key</p>				


GROHE SENA



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 341 000	Chrome	4005176259463	142.68
	Sena Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	28 034 000	Chrome	4005176231810	142.68
	ditto, with non-restricted flow			
	26 465 000	Chrome	4005176423918	145.55
	26 465 DC0	supersteel	4005176459092	203.59
	26 465 BE0	polished nickel	4005176459160	232.66
	26 465 EN0	brushed nickel	4005176423925	247.19
	26 465 GL0	cool sunrise	4005176459108	232.66
	26 465 GN0	brushed cool sunrise	4005176459115	247.19
	26 465 DA0	warm sunset	4005176459122	232.66
	26 465 DL0	brushed warm sunset	4005176459139	247.19
	26 465 A00	hard graphite	4005176459146	232.66
	26 465 AL0	Brushed Hard Graphite	4005176459153	247.19
 	Sena Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 	28 348 000	Chrome	4005176263262	135.37
	Sena Wall holder set 1 spray material: metal hand shower Sena Stick (28 034 000) wall shower holder (28 690) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	28 308 000	Chrome	4005176254949	124.88
	Sena 75 Head shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 690 000	Chrome	4005176256196	93.40
	Sena Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish			

GROHE SENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 389 000	Chrome	4005176269837	12.49








Sena
Adapter 1/2" x 1/2"
material: metal
for use with hand shower holder
or shower rail
GROHE StarLight chrome finish

SHOWERS









GROHE RAINSHOWER SMARTACTIVE











GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 544 000	Chrome	4005176478888	72.00
<p>Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 574 000	Chrome	4005176485916	72.00
<p>Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 545 000	Chrome	4005176485930	72.00
<p>Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 546 000	Chrome	4005176479816	154.00
<p>Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 575 000	Chrome	4005176485947	154.00
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 547 000	Chrome	4005176485978	154.00
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 545) shower rail 600 mm with wall holders made of metal Rotaflex Longlife metal shower hose 1750 mm (28 025) GROHE EasyReach tray GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 578 000	Chrome	4005176485985	158.00
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 578 LS0	moon white	4005176486197	158.00
	Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			


GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 579 LS0	moon white	4005176486203	159.00
	<p>Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 581 000	Chrome	4005176486234	101.00
	<p>Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 581 LS0	moon white	4005176486241	101.00
	<p>Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 580 000	Chrome	4005176486210	119.00
	<p>Rainshower SmartActive 130 Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			

GROHE RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

26 580 LS0	moon white	4005176486227	119.00
------------	------------	---------------	--------



Rainshower SmartActive 130
Wall holder set 3 sprays

Consisting of:

hand shower Rainshower SmartActive 130 (26 574)

wall shower holder, adjustable (27 055)

Silverflex shower hose 1.500 mm (28 364)

GROHE EcoJoy 9.5 l/min flow limiter

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

SpeedClean anti-limescale system









Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting









suitable for instantaneous heater

min. recommended pressure 1 bar









GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 550 000	Chrome	4005176479854	72.00
<p>Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 582 000	Chrome	4005176486258	72.00
<p>Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 552 000	Chrome	4005176486272	72.00
<p>Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 583 000	Chrome	4005176486289	154.00
<p>Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 584 000	Chrome	4005176486296	154.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 584 LS0	moon white	4005176486302	154.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 585 000	Chrome	4005176486319	154.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 552) shower rail 600 mm with wall holders made of metal Rotaflex Longlife metal shower hose 1750 mm (28 025) GROHE EasyReach tray GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 586 000	Chrome	4005176486333	158.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			









GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 587 000	Chrome	4005176486340	159.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 586 L50	moon white	4005176486357	158.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 587 L50	moon white	4005176486364	159.00
	Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 588 000	Chrome	4005176486371	119.00
	Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			









GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 588 LS0	moon white	4005176486388	119.00
	<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 589 000	Chrome	4005176486395	101.00
	<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 589 LS0	moon white	4005176486401	101.00
	<p>Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			



GROHE RAINSHOWER SMARTACTIVE



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 553 000	Chrome	4005176479885	90.00
	<p>Rainshower SmartActive 150 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 590 000	Chrome	4005176486418	90.00
	<p>Rainshower SmartActive 150 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 591 000	Chrome	4005176486425	182.00
	<p>Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 553) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 592 LS0	moon white	4005176486432	183.00
	<p>Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 592 000	Chrome	4005176486449	182.00
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 593 000	Chrome	4005176486456	187.00
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 553) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 594 LS0	moon white	4005176486463	188.00
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 594 000	Chrome	4005176486470	188.00
	Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			

GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 602 000	Chrome	4005176486531	93.00
	<p>Rainshower SmartActive Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish</p>			
	26 603 000	Chrome	4005176486548	98.00
	26 603 BE0	polished nickel	4005176558719	196.00
	26 603 EN0	brushed nickel	4005176558740	215.00
	26 603 GL0	cool sunrise	4005176558757	196.00
	26 603 GN0	brushed cool sunrise	4005176558764	215.00
	26 603 DA0	warm sunset	4005176558726	196.00
	26 603 DL0	brushed warm sunset	4005176558733	215.00
	26 603 A00	hard graphite	4005176558696	196.00
	26 603 AL0	Brushed Hard Graphite	4005176558702	215.00
	<p>Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish</p>			




GROHE RAINSHOWER



GROHE RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 134 000	Chrome	4005176836060	120.56



Rainshower Cosmopolitan 160
Head shower 4 sprays

Rain / Jet / Pure / Champagne spray

Ø 160 mm

ball joint with turning angle $\pm 15^\circ$

connection thread 1/2"

GROHE DreamSpray perfect spray pattern









GROHE StarLight chrome finish

SpeedClean anti-limescale system

GROHE RAINSHOWER


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 369 000	Chrome	4005176267260	352.85
	Rainshower Rustic 210 Head shower 1 spray material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 276 000 27 276 LS0	Chrome moon white	4005176861437 4005176861451	87.39 87.39
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) GROHE EcoJoy technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 443 000	red	4005176880025	87.40
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 444 000	orange	4005176880049	87.40
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			
 	27 446 000	yellow	4005176880063	87.40
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater			

GROHE RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 447 000	pink	4005176880087	88.73
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p>				
 	27 448 000	purple	4005176880100	87.40
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p>				
 	27 449 000	blue	4005176879982	87.40
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p>				
 	27 277 001	Chrome	4005176875489	209.06
<p>Rainshower Icon 150 Shower rail set 2 sprays hand shower Icon 150 (27 276 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				


GROHE RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



27 272 000	Chrome	4005176860836	109.51
------------	--------	---------------	--------





Rainshower Solo 150
Hand shower 2 sprays
 Rain, SmartRain
 Eco function (reduction of flow rate)
 Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 Universal Mounting System. Fits all standard shower hoses



27 273 001	Chrome	4005176875502	242.23
------------	--------	---------------	--------

Rainshower Solo 150
Shower rail set 2 sprays
 hand shower Solo 150 (27 272 000)
 shower rail 900 mm (28 819 001)
 with wall holders made of metal
 Silverflex shower hose 1750 mm (28 388 000)
 Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 274 000	Chrome	4005176861383	109.51
	<p>Rainshower Eco 120 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
 	45 914 XE0	gray night time	4005176842054	24.40
	<p>Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136</p>			










GROHE RELEXA














GROHE RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 530 000	Chrome	4005176889219	463.45
<p>Relexa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life</p>				
	28 897 000	Chrome	4005176827044	128.97
<p>Relexa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p>				
 	28 796 000	Chrome	4005176824296	131.61
<p>Relexa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 793 000	Chrome	4005176823961	76.32
<p>Relexa 100 Trio Hand shower 3 sprays Wide Spray/ Needle Jet / Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	28 917 000	Chrome	4005176827112	220.19
<p>Relexa 100 Five Shower rail set 5 sprays Consisting of: hand shower Relexa Five (28 897) shower rail, 600 mm (28 797) shower hose 1.750 mm (28 025 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				





GROHE RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 964 001	Chrome	4005176877254	220.12
<p>Relexa 100 Five Shower rail set 5 sprays Consisting of: Hand shower Relexa Five (28 796 000) shower rail, 600 mm (28 797) with wall holders made of metal Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	28 942 001	Chrome	4005176877223	186.92
<p>Relexa 100 Trio Shower rail set 3 sprays Consisting of: Hand shower Relexa Trio (28 793 000) shower rail, 600 mm (28 797) with wall holders made of metal Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus installation system GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 068 000	Chrome	4005176832130	142.70
<p>Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint 1/2" NPT female thread GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 062 000	Chrome	4005176831669	197.98
<p>Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 065 000	Chrome	4005176832109	164.80
<p>Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				

GROHE RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 067 000	Chrome	4005176832123	131.61
<p>Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 537 000	Chrome	4005176040443	103.89
<p>Relexa Low Aerosol 46 Hand shower 1 spray metal spray plate GROHE StarLight chrome finish flow limiter Universal Mounting System. Fits all standard shower hoses 9.5 l/min. maximum flow rate at 1 - 6 bar</p>				
 	28 404 000	Chrome	4005176601736	20.04
<p>Relexa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2"</p>				
	28 342 000	Chrome	4005176260070	62.28
<p>Relexa Plus 65 Head shower 1 spray non-adjustable 1/2" NPT female thread GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 094 000	Chrome	4005176601132	51.42
<p>Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 002 000	Chrome	4005176858796	186.91
<p>Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				









GROHE RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 948 000	Chrome	4005176209871	135.37
	Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 286 000	Chrome	4005176198526	98.43
	Relexa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system			









GROHE EUPHORIA











GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 222 000	Chrome	4005176854132	65.25
	<p>Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	26 513 000	Chrome	4005176457722	67.48
	<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	27 239 001	Chrome	4005176457715	67.48
	<p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 221 001	Chrome	4005176457708	61.95
	ditto, with non-restricted flow			
 	27 239 000	Chrome	4005176854323	59.71
	<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	27 221 000	Chrome	4005176854125	54.20
	ditto, with non-restricted flow			









GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 238 000	Chrome	4005176854293	42.19
<p>Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 220 000	Chrome	4005176854118	43.12
<p>ditto, with non-restricted flow</p>				
 	27 265 00E	Chrome	4005176885693	32.06
<p>Euphoria 110 Mono Hand shower 1 spray Rain GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 265 000	Chrome	4005176856983	32.06
<p>ditto, with non-restricted flow</p>				
 	27 224 000	Chrome	4005176854156	32.06
<p>Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>				
 	27 232 001	Chrome	4005176899560	109.51
<p>Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				









GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 243 001	Chrome	4005176899799	98.44
	<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>			
	27 231 001	Chrome	4005176899553	98.44
	ditto, with non-restricted flow			
	27 242 001	Chrome	4005176899782	98.42
	<p>Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 230 001	Chrome	4005176899546	92.89
	ditto, with non-restricted flow			
	27 266 00E	Chrome	4005176890710	78.97
	<p>Euphoria 110 Mono Shower rail set 1 spray Consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 266 001	Chrome	4005176899812	87.38
	ditto, with non-restricted flow			
	27 256 001	Chrome	4005176899805	81.84
	<p>Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499) shower hose 1500 mm (28 161) soap dish GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			






Ref. No. Colour EAN code Retail Guide Price (£)

		<p>27 227 001 Chrome 4005176899522 109.50</p> <p>Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>
		<p>27 226 001 Chrome 4005176899515 109.50</p> <p>Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>
		<p>27 225 001 Chrome 4005176899508 98.44</p> <p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>
		<p>27 267 001 Chrome 4005176899829 95.11</p> <p>Euphoria 110 Mono Shower rail set 1 spray Consisting of: Handshower mono (27 265 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>











GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 355 000	Chrome	4005176874451	98.43
<p>Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 354 000	Chrome	4005176874444	54.20
<p>Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 459 000	Chrome	4005176416965	221.23
<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 458 000	Chrome	4005176416958	221.23
<p>ditto, with non-restricted flow</p>				
 	26 461 000	Chrome	4005176416989	175.88
<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 460 000	Chrome	4005176416972	175.88
<p>ditto, with non-restricted flow</p>				








GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 457 000	Chrome	4005176416934	132.75
	Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 455 000	Chrome	4005176416903	132.75
	ditto, with non-restricted flow			
 	27 237 000	Chrome	4005176854286	76.32
	Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar			
 	27 499 000	Chrome	4005176886041	43.14
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
	27 500 000	Chrome	4005176886058	54.19
	ditto, 900 mm			
 	48 051 000		4005176890024	6.30
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 596 000		4005176895944	9.95
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

GROHE EUPHORIA











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 400 000	Chrome	4005176877292	43.15
Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar				
	27 367 000	Chrome	4005176875939	43.15
ditto, with non-restricted flow				
 	27 368 000	Chrome	4005176875946	164.81
Euphoria Cosmopolitan Stick Shower rail set 1 spray Consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar				
 	27 369 000	Chrome	4005176875953	76.31
Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar				
 	27 492 000	Chrome	4005176885556	131.62
Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar				
 	28 233 000	Chrome	4005176868016	87.40
Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater				

GROHE EUPHORIA






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 467 000	Chrome	4005176423956	88.01
	Euphoria Cube+ Stick Hand shower 1 spray Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 888 000	Chrome	4005176921179	87.39
	ditto, with 9.5 l/min flow limiter			
	27 884 001	Chrome	4005176919695	87.39
	ditto, with non-restricted flow			
	27 891 000	Chrome	4005176921209	242.25
	Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 890 000	Chrome	4005176921193	253.31
	Euphoria Cube+ Stick Shower rail set 1 spray Consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 889 000	Chrome	4005176921186	131.62
	Euphoria Cube+ Stick Wall holder set 1 spray hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			

SHOWERS

GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 699 000	Chrome	4005176907104	43.13
	Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 698 000	Chrome	4005176907098	43.13
	ditto, with non-restricted flow			
 	27 936 000	Chrome	4005176927058	189.86
	Euphoria Cube Shower set Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
 	27 700 000	Chrome	4005176907111	209.04
	Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar			
 	26 405 000	Chrome	4005176385162	78.00
	Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar			
 	27 703 000	Chrome	4005176907142	76.30
	Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar			
	27 702 000	Chrome	4005176907135	76.30
	ditto, with non-restricted flow			











GROHE EUPHORIA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 073 000	Chrome	4005176937279	231.19
<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 705 000	Chrome	4005176907166	142.68
<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>				
	28 737 000	Chrome	4005176872983	54.19
<p>Euphoria Rustic 130 Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				



GROHE TEMPESTA



GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 608 001	Chrome	4005176444029	51.99
	Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 085 001	Chrome	4005176444036	45.36
	ditto, with non-restricted flow			
 	27 609 001	Chrome	4005176451898	97.35
	Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 086 001	Chrome	4005176451904	91.83
	ditto, with non-restricted flow			
 	27 805 001	Chrome	4005176451911	67.48
	Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 089 001	Chrome	4005176444067	68.56
	Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
 	27 610 001	Chrome	4005176444050	59.72
	Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

GROHE TEMPESTA









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 519 000	Chrome	4005176886485	54.20
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight chrome finish			
	27 520 000	Chrome	4005176886492	54.21
	ditto, 900 mm			

SHOWERS









GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 575 002	Chrome	4005176443930	46.44
	Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 573 002	Chrome	4005176443947	46.44
	ditto, with non-restricted flow			
 	27 574 002	Chrome	4005176443916	35.38
	Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 572 002	Chrome	4005176443923	35.38
	ditto, with non-restricted flow			
 	27 571 20E	Chrome	4005176443275	27.65
	Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar			
	27 571 002	Chrome	4005176443893	27.65
	ditto, with non-restricted flow			
	26 130 001	Chrome	4005176443909	27.65
	ditto, with non-restricted flow, for low pressure			
 	26 082 002	Chrome	4005176443268	22.13
	Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 577 002	Chrome	4005176451584	84.06
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			






GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 576 002	Chrome	4005176451560	81.84
	Tempesta Cosmopolitan 100 Shower set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 929 002	Chrome	4005176451577	81.84
	ditto, with non-restricted flow			
 	26 083 002	Chrome	4005176451546	64.15
	Tempesta Cosmopolitan 100 Shower rail set 1 spray Consisting of: hand shower (26 082) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 580 002	Chrome	4005176451515	79.65
	Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 787 002	Chrome	4005176451522	79.65
	ditto, with non-restricted flow			
 	27 579 002	Chrome	4005176451492	71.91
	Tempesta Cosmopolitan 100 Shower rail set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 786 002	Chrome	4005176451508	71.91
	ditto, with non-restricted flow			

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 578 20E	Chrome	4005176451362	61.32
	<p>Tempesta Cosmopolitan 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	27 578 002	Chrome	4005176451386	61.32
	ditto, with non-restricted flow			
	27 790 002	Chrome	4005176451614	77.00
	<p>Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 584 002	Chrome	4005176451621	53.11
	<p>Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	27 588 002	Chrome	4005176451669	49.78
	<p>Tempesta Cosmopolitan 100 Wall holder set 3 sprays Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 084 002	Chrome	4005176451645	35.37
	Tempesta Cosmopolitan 100 Wall holder set 1 spray Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 869 001	Chrome	4005176444005	77.45
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 090 001	Chrome	4005176443992	71.88
	Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	27 591 001	Chrome	4005176443985	65.27
	Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 051 001	Chrome	4005176443954	51.98
	Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			









GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 541 001	Chrome	4005176451676	82.94
Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1 bar				
 	27 521 000	Chrome	4005176886508	43.13
Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish				
	27 522 000	Chrome	4005176886515	54.20
ditto, 900 mm				
 	48 051 000		4005176890024	6.30
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500				
 	27 596 000		4005176895944	9.95
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm				











GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 421 002	Chrome	4005176444142	43.14
	Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 578 002	Chrome	4005176444159	43.14
	ditto, with non-restricted flow			
 	28 419 002	Chrome	4005176444128	32.07
	Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 261 002	Chrome	4005176444135	32.07
	ditto, with non-restricted flow			
 	27 597 10E	Chrome	4005176985409	24.33
	Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	26 161 001	Chrome	4005176444104	24.33
	ditto, with 9.5 l/min flow limiter			
	27 597 001	Chrome	4005176985508	24.33
	ditto, with non-restricted flow			
	28 422 002	Chrome	4005176444111	24.33
	ditto, with non-restricted flow, for low pressure			
 	27 923 001	Chrome	4005176444074	19.02
	Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses			
	27 852 001	Chrome	4005176444081	19.02
	ditto, with non-restricted flow			
	28 214 003	Chrome	4005176444098	23.26
	ditto, with non-restricted flow, for low pressure			







GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 436 002	Chrome	4005176451799	80.75
<p>Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 600 001	Chrome	4005176451775	74.11
<p>Tempesta 100 Shower rail set 3 sprays hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
 	26 638 000	Chrome	4005176528347	58.00
<p>Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 (26 161) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 926 001	Chrome	4005176451768	64.51
<p>ditto, with non-restricted flow</p>				
 	27 645 001	Chrome	4005176451744	71.88
<p>Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
	27 795 001	Chrome	4005176451751	71.88
<p>ditto, with non-restricted flow</p>				









GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 644 001	Chrome	4005176451720	65.24
	<p>Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 794 001	Chrome	4005176451737	65.24
	<p>ditto, with non-restricted flow</p>			
	27 598 10E	Chrome	4005176985416	56.05
	<p>Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	26 162 001	Chrome	4005176451713	56.04
	<p>ditto, with 9.5 l/min flow limiter</p>			
	27 598 001	Chrome	4005176985515	56.05
	<p>ditto, with non-restricted flow</p>			
	28 438 001	Chrome	4005176985553	57.12
<p>ditto, with non-restricted flow, for low pressure</p>				
	27 924 001	Chrome	4005176451690	46.53
	<p>Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 853 001	Chrome	4005176451706	46.53
	<p>ditto, with non-restricted flow</p>			
	28 280 004	Chrome	4005176306624	54.19
	<p>ditto, with non-restricted flow, for low pressure</p>			
	28 789 002	Chrome	4005176451843	71.88
	<p>Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	27 796 001	Chrome	4005176451850	71.88
	<p>ditto, with non-restricted flow</p>			

GROHE TEMPESTA










	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 646 10E	Chrome	4005176985423	62.39
<p>Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 646 001	Chrome	4005176985522	62.39
<p>ditto, with non-restricted flow</p>				
 	27 925 001	Chrome	4005176451812	52.89
<p>Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 854 001	Chrome	4005176451829	52.89
<p>ditto, with non-restricted flow</p>				
 	27 601 10E	Chrome	4005176985430	40.19
<p>Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1 bar</p>				
	26 639 000	Chrome	4005176528354	43.00
<p>Tempesta 100 Wall holder set 3 sprays Consisting of: hand shower Tempesta 100 (28 419) wall shower holder (28 605) non-adjustable Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 803 10E	Chrome	4005176985454	37.00
	Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder (28 605), non-adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1 bar			
 	27 798 10E	Chrome	4005176985447	34.88
	Tempesta 100 Wall holder set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar			
	26 164 001	Chrome	4005176451867	34.88
	ditto, with 9.5 l/min flow limiter			
	27 799 001	Chrome	4005176985539	34.88
	ditto, with non-restricted flow			
 	26 406 001	Chrome	4005176451881	51.83
	Tempesta 100 Wall holder set 2 sprays with integrated wall union 1/2" Consisting of: hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar			
 	26 412 000	Chrome	4005176390173	160.40
	Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			

SHOWERS

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 267 001	Chrome	4005176444197	57.50
<p>Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure min. recommended pressure 1 bar</p>				
 	26 414 000	Chrome	4005176408090	134.96
<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 413 000	Chrome	4005176390180	160.41
<p>ditto, with non-restricted flow</p>				
	26 409 000	Chrome	4005176390128	90.72
<p>Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 410 000	Chrome	4005176390142	90.72
<p>ditto, with 9.5 l/min flow limiter</p>				
	26 408 000	Chrome	4005176390111	90.72
<p>ditto, with non-restricted flow</p>				
 	27 606 001	Chrome	4005176444180	58.62
<p>Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	26 050 001	Chrome	4005176444166	46.47
<p>Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				







GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 523 000	Chrome	4005176886522	43.12
	Tempesta Shower rail, 600 mm with wall brackets, glider and swival holder GROHE StarLight chrome finish			
	27 524 000	Chrome	4005176886539	65.25
	ditto, 900 mm			
 	48 051 000		4005176890024	6.30
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 596 000		4005176895944	9.95
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			
 	27 406 000	Chrome	4005176600166	51.42
	Relexa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE StarLight chrome finish			
 	28 541 000	Chrome	4005176040528	40.93
	Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish			
 	28 429 000	Chrome	4005176601910	51.42
	Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish			

GROHE SENA TRIGGER SPRAYS













GROHE SENA TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 328 000	Chrome	4005176332111	66.37
	<p>Sena Trigger Spray 35 Hand shower 1 spray with trigger control material: metal GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p>			
 	26 332 000	Chrome	4005176332135	175.87
	<p>Sena Trigger Spray 35 Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p>			
 	26 329 000	Chrome	4005176332128	164.82
	<p>26 329 000 Chrome ditto, hose 1.000 mm</p>			
	26 333 000	Chrome	4005176332142	70.80
	<p>Valve with wall shower holder escutcheon connection thread 1/2" GROHE StarLight chrome finish Please refer to local norms regarding installation.</p>			







GROHE TEMPESTA-F TRIGGER SPRAYS



GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 512 001	Chrome	4005176333804	21.01
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	28 020 L01	white	4005176333828	14.27
<p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	26 353 000	Chrome	4005176333866	32.07
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
	27 513 001	Chrome	4005176333842	32.07
ditto, with 1250 mm hose				
	26 352 000	Chrome	4005176333835	33.52
ditto, with 1000 mm hose				
 	26 354 000	Chrome	4005176333873	43.14
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	27 812 IL1	chrome/white	4005176333897	33.17
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
	26 355 IL0	chrome/white	4005176333880	32.08
ditto, with 1000 mm hose				




GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 356 ILO	chrome/white	4005176333903	32.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	26 357 000	Chrome	4005176333927	87.36
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
	27 514 001	Chrome	4005176333910	65.26
<p>ditto, with 1250 mm hose</p>				
 	26 358 000	Chrome	4005176333941	115.04
<p>Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1000 mm (26 334) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				

GROHE TRIGGER SPRAYS











GROHE TRIGGER SPRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 343 000	Chrome	4005176260285	20.99
<p>Trigger Spray Hand shower 1 spray GROHE StarLight chrome finish Universal Mounting System. Fits all standard shower hoses</p>				
	27 102 000	Chrome	4005176600074	54.93
<p>Trigger Spray Wall holder set 1 spray GROHE StarLight chrome finish</p>				
	14 165 00M	Chrome	4005176006043	19.94
<p>Non-return valve male thread 1/2" female thread 1/2" GROHE StarLight chrome finish multi-packaging: 2 pieces</p>				







GROHE SHOWER HOSES











GROHE SHOWER HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 025 000	Chrome	4005176284830	25.30
	Rotaflex Metal Longlife Metal shower hose Twistfree 1750 1750 mm material: metal Longlife strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function Cone with silicone tape to prevent turning of hand shower during usage GROHE StarLight chrome finish blister packaging			
	28 417 000	Chrome	4005176264702	23.54
<hr/>				
 	28 145 000	Chrome	4005176601354	25.72
	Relexaflex Metal Longlife Metal shower hose 2000 2000 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 143 000	Chrome	4005176601347	21.81
	28 143 LS0	moon white	4005176842269	28.63
	28 143 KS0	velvet black	4005176842252	28.63
	ditto, 1500mm hose			
	28 142 000	Chrome	4005176601330	19.62
	ditto, 1250 mm			
<hr/>				
 	28 140 000	Chrome	4005176601323	22.04
	Relexaflex Metal Metal shower hose 2000 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 139 000	Chrome	4005176601316	19.82
	ditto, 1750mm hose			
	28 105 000	Chrome	4005176601217	18.07
	ditto, 1500mm hose			
<hr/>				
 	26 346 000	Chrome	4005176332173	20.26
	Silverflex Longlife Shower hose Twistfree 1500 1500 mm smooth surface for easy cleaning Longlife strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging			
	26 335 000	Chrome	4005176332166	18.07
	ditto, 1.250 mm			
	26 334 000	Chrome	4005176332159	16.28
	ditto, 1.000 mm			

GROHE SHOWER HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
 	27 137 000	Chrome	4005176836237	19.62	
	Silverflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
	28 388 000	Chrome	4005176295362	17.87	
	28 388 DC0	supersteel	4005176386428	23.98	
	28 388 BE0	polished nickel	4005176295386	27.01	
	28 388 GL0	cool sunrise	4005176427657	27.01	
	28 388 DA0	warm sunset	4005176427671	27.01	
	28 388 A00	hard graphite	4005176427701	27.01	
	ditto, 1750mm hose				
	28 364 000	Chrome	4005176295294	15.69	
ditto, 1500mm hose					
28 362 000	Chrome	4005176295225	13.96		
28 362 DC0	supersteel	4005176386435	18.75		
28 362 BE0	polished nickel	4005176295249	21.36		
28 362 GL0	cool sunrise	4005176427589	21.36		
28 362 DA0	warm sunset	4005176427602	21.36		
28 362 A00	hard graphite	4005176427633	21.36		
ditto, 1250 mm					
 	28 413 001	Chrome	4005176933257	15.42	
	Rotaflex Shower hose Twistfree 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
	28 410 001	Chrome	4005176933240	18.78	
	ditto, 1750 mm				
28 409 001	Chrome	4005176933233	12.34		
ditto, 1500 mm					
 	28 155 001	Chrome	4005176933226	13.52	
	Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging				
	28 154 001	Chrome	4005176933219	12.21	
	ditto, 1750 mm				
	28 151 001	Chrome	4005176933202	10.45	
	28 151 L01	white	4005176935091	19.90	
ditto, 1500 mm					
28 150 001	Chrome	4005176933196	8.64		
ditto, 1250 mm					













GROHE SHOWER HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 161 001	Chrome	4005176935107	16.73
<p>Silverflex Shower hose Twistfree 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				
 	28 158 000	Chrome	4005176601606	30.84
<p>Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish</p>				
 	28 146 000	Chrome	4005176121753	51.42
<p>Metal hose 2000 mm M 15 x M 15 GROHE StarLight chrome finish</p>				
 	45 973 001	Chrome	4005176442919	9.68
<p>Relaxflex Shower hose 1500 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish in units of 10</p>				











GROHE SHOWER ACCESSORIES









GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 055 000	Chrome	4005176830433	43.15
<p>Rainshower Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 401 000	Chrome	4005176264474	46.07
<p>Movario Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	Chrome	4005176031595	30.43
<p>Relaxa Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	Chrome	4005176895937	17.71
<p>Tempesta Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 690 000	Chrome	4005176256196	93.40
<p>Sena Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish</p>				
 	27 056 000	Chrome	4005176830440	32.06
<p>Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish</p>				











GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
 	27 074 000	Chrome	4005176833083	32.07	
	27 074 DC0	supersteel	4005176374487	54.19	
	27 074 LS0	moon white	4005176873591	43.12	
	27 074 BE0	polished nickel	4005176834325	59.71	
	27 074 EN0	brushed nickel	4005176834301	59.70	
	27 074 GL0	cool sunrise	4005176338984	59.71	
	27 074 GN0	brushed cool sunrise	4005176427084	59.70	
	27 074 DA0	warm sunset	4005176338977	59.71	
	27 074 DL0	brushed warm sunset	4005176427091	59.70	
	27 074 A00	hard graphite	4005176338991	59.71	
	27 074 AL0	Brushed Hard Graphite	4005176339004	59.70	
	Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish				
	 	27 075 000	Chrome	4005176833090	32.07
Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE StarLight chrome finish					
 	27 706 000	Chrome	4005176908439	32.08	
	27 706 DC0	supersteel	4005176490989	41.00	
	27 706 A00	hard graphite	4005176491030	47.00	
	27 706 AL0	Brushed Hard Graphite	4005176490972	50.00	
Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish					
 	27 693 000	Chrome	4005176907043	21.02	
	Euphoria Cube Wall hand Shower holder non-adjustable GROHE StarLight chrome finish				
 	28 403 000	Chrome	4005176264511	40.93	
	Movario Wall hand Shower holder non-adjustable GROHE StarLight chrome finish				













GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 622 000	Chrome	4005176041297	30.69
<p>Relexa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	27 594 000	Chrome	4005176895920	12.05
<p>Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	28 605 000	Chrome	4005176041105	19.94
<p>Relexa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				




GROHE SHOWER ACCESSORIES




	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 151 000	Chrome	4005176837012	98.44
	<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish</p>			
 	27 531 000	Chrome	4005176889486	261.30
	<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish</p>			
 	27 621 000	Chrome	4005176898310	308.60
	<p>Grotherm F Wall shower union with integrated shower holder vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation</p>			
 	35 034 000		4005176915697	209.06
	<p>Grotherm F Rough-in for wall shower union 27 621 for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p>			
 	27 057 000	Chrome	4005176830457	54.18
	27 057 DC0	supersteel	4005176371196	72.51
	27 057 BE0	polished nickel	4005176426957	82.91
	27 057 EN0	brushed nickel	4005176426964	88.04
	27 057 GL0	cool sunrise	4005176338946	82.91
	27 057 GN0	brushed cool sunrise	4005176426933	88.04
	27 057 DA0	warm sunset	4005176338939	82.91
	27 057 DL0	brushed warm sunset	4005176426940	88.04
	27 057 A00	hard graphite	4005176338953	82.91
	27 057 AL0	Brushed Hard Graphite	4005176338960	88.04
	<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>			

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
 	27 076 000	Chrome	4005176833106	54.18	
	27 706 DC0	supersteel	4005176490989	41.00	
	27 706 A00	hard graphite	4005176491030	47.00	
	27 706 AL0	Brushed Hard Graphite	4005176490972	50.00	
	Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish				
 	27 707 000	Chrome	4005176908446	43.15	
	27 707 DC0	supersteel	4005176490897	65.00	
	27 707 A00	hard graphite	4005176490941	75.00	
	27 707 AL0	Brushed Hard Graphite	4005176490880	79.00	
	Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE StarLight chrome finish				
 	27 704 000	Chrome	4005176907159	32.06	
	Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish				
	 	26 370 000	Chrome	4005176341380	32.07
		Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight chrome finish			
		 	28 405 000	Chrome	4005176264559
Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish					
 			28 671 000	Chrome	4005176103070
	Relaxa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish				
	28 680 000		Chrome	4005176116780	40.93
	ditto, protected against backflow				













GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 626 000	Chrome	4005176041358	51.42
	Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap			
	28 678 000	Chrome	4005176116711	51.42
	28 636 000	Chrome	4005176078606	54.20
	ditto, for IG-combination			
	28 406 000	Chrome	4005176264566	51.42
	Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish			
	28 628 000	Chrome	4005176041396	51.82
	Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish			
	28 679 000	Chrome	4005176116759	51.42
	ditto, protected against backflow			



SHOWERS

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 602 000	Chrome	4005176486531	93.00
	Rainshower SmartActive Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish			
	26 603 000	Chrome	4005176486548	98.00
	26 603 BE0	polished nickel	4005176558719	196.00
	26 603 EN0	brushed nickel	4005176558740	215.00
	26 603 GL0	cool sunrise	4005176558757	196.00
	26 603 GN0	brushed cool sunrise	4005176558764	215.00
	26 603 DA0	warm sunset	4005176558726	196.00
	26 603 DL0	brushed warm sunset	4005176558733	215.00
	26 603 A00	hard graphite	4005176558696	196.00
26 603 AL0	Brushed Hard Graphite	4005176558702	215.00	
ditto, 900 mm				
 	28 620 000	Chrome	4005176041259	135.37
	Relexa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
 	28 621 000	Chrome	4005176041273	166.85
	Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
 	28 587 000	Chrome	4005176282966	187.84
	Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
 	27 892 000	Chrome	4005176921216	186.95
	Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish			
 	27 841 000	Chrome	4005176916670	198.00
	ditto, 900 mm			













GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 499 000	Chrome	4005176886041	43.14
	Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
	27 500 000	Chrome	4005176886058	54.19
ditto, 900 mm				
 	27 519 000	Chrome	4005176886485	54.20
	Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 520 000	Chrome	4005176886492	54.21
ditto, 900 mm				
 	27 521 000	Chrome	4005176886508	43.13
	Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 522 000	Chrome	4005176886515	54.20
ditto, 900 mm				
 	27 523 000	Chrome	4005176886522	43.12
	Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
	27 524 000	Chrome	4005176886539	65.25
ditto, 900 mm				
 	45 914 XE0	gray night time	4005176842054	24.40
	Spacer for Relaxa / Rainshower shower bars 28 819 / 28 797 / 27 136			
 	45 459 000		4005176056444	13.09
	spacer for shower rail 28 620 / 28 621			









GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	48 051 000		4005176890024	6.30
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500				
 	26 385 000	Chrome	4005176375057	19.94
Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable				
 	28 856 000		4005176603495	30.43
Soap dish acrylic, clear for Relexa shower rails (28 820 and 28 666) GROHE StarLight chrome finish				
 	28 631 000		4005176019142	51.42
Relexa Soap dish for shower rail 28 620 / 28 621 GROHE StarLight chrome finish				
 	27 206 000		4005176845444	21.02
Soap dish transparent surface textured in parts				
 	27 596 000		4005176895944	9.95
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm				

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 320 000	Chrome	4005176600159	78.18
<p>Riser pipe 1300 mm with compression coupling 3/4" wall support with compensation piece GROHE StarLight chrome finish</p>				
 	28 708 000	Chrome	4005176602375	82.90
<p>Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin with wood screws GROHE StarLight chrome finish</p>				
 	28 389 000	Chrome	4005176269837	12.49
<p>Sena Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>				
 	28 812 000	black	4005176602887	9.50
<p>Adapter 1/2" x 1/2" black (to combine handshowers of other manufacturers with Relaxa shower rails)</p>				
 	28 813 000	white	4005176602894	9.50
<p>Adapter 1/2" x 1/2" white (to combine handshowers of other manufacturers with Relaxa shower rails)</p>				
 	28 635 XX0	dark grey	4005176041457	9.44
<p>Relaxa Coupling piece as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece</p>				

GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 634 XX0	dark grey	4005176041440	30.17
<p>Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)</p>				
 	28 874 000	Chrome	4005176042348	73.61
<p>Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish</p>				
 	28 988 000	Chrome	4005176042805	102.91
<p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE StarLight chrome finish</p>				
 	28 799 000	Chrome	4005176602511	102.21
<p>Diverter GROHE StarLight chrome finish</p>				

GROHE KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	539
	GROHE Blue Home	547
	GROHE Blue Pure	557
	GROHE Blue Accessories	561
	GROHE Red	567
	Waste separation systems	573
Premium Lines	K7	577
	Foot Control	579
	Minta / Minta SmartControl / Minta Touch	581
	Zedra / Zedra SmartControl / Zedra Touch	587
	Atrio	591
	Essence	593
Competence Lines	Eurocube	597
	Ambi	599
	Parkfield	601
	Eurodisc Cosmopolitan	603
	Eurodisc	605
	Concetto	607
	Eurostyle Cosmopolitan	611
	Eurosmart Cosmopolitan	615
	Eurosmart	619
	Euroeco / Euroeco Special	623
	Costa	625
	Bau Lines	629
	Soap dispensers and Accessories	633
	Kitchen sinks	Stainless steel sinks
Composite sinks		645

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



Professional Spray

Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE QuickFix Plus
65% faster installation.



SpeedClean
Remove limescale
with a single wipe.



OpenWaterHeater
The perfect flow in combination
with open water heaters.



StopValve
Includes a dishwasher shut-off
valve on the tap body.



PreWindow
To open the window, just lift
up the tap and lay it flat on the
surface.



ComfortHeight
Height of the spout allows
easy filling of large pots.



SwivelStop
Limited turn angle
prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents
the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly
from the kitchen tap – saving
time, money and the environment.



ChildLock
Integrated safety mechanism
prevents unintentional opening
by young children.



Titanium Inside
All boilers in our GROHE Red
collection are made from
titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE** **WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN
FITTINGS



THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

GROHE BLUE HOME

NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

THE GROHE BLUE HOME PRODUCT PORTFOLIO



31 454 001 / 31 454 DC1
GROHE Blue Home
L-spout



31 455 001 / 31 455 DC1
GROHE Blue Home
C-spout



31 456 001 / 31 456 DC1
GROHE Blue Home
U-spout



31 498 001 / 31 498 DC1
GROHE Blue Home
Mono



31 539 000 / 31 539 DC0
GROHE Blue Home
L-spout with pull-out



31 541 000 / 31 541 DC0
GROHE Blue Home
C-spout with pull-out



31 543 000 / 31 543 DC0
GROHE Blue Home
U-spout with pull-out

GROHE BLUE HOME CONTAINS:



GROHE BLUE PROFESSIONAL

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



31 323 002 / 31 323 DC2
 GROHE Blue Professional
 C-spout



31 347 003 / 31 347 DC3
 GROHE Blue Professional
 L-spout



31 325 002 / 31 325 DC2
 GROHE Blue Professional
 C-spout, pull out mousseur



31 326 002 / 31 326 DC2
 GROHE Blue Professional
 L-spout, pull out mousseur



31 302 002 / 31 302 DC2
 GROHE Blue Professional
 Mono

GROHE RED

99° C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE

you only take the exact amount of hot water you need, so you save on water and energy consumption

CLEAN, FRESH TASTE

filtered water heated to 100 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP

no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet



GROHE RED PRODUCT PORTFOLIO



● ●
30 340 001 / 30 340 DC1
GROHE RED Duo
L-spout, L Size



●
30 329 001
GROHE RED Mono
L-spout, M Size



● ●
30 058 001 / 30 058 DC1
GROHE RED Duo
C-spout, M Size



●
30 060 001
GROHE RED Mono
C-spout, M Size

30 327 001 / 30 327 DC1
GROHE RED Duo
L-spout, M Size

KITCHEN
FITTINGS

**EACH GROHE RED CONTAINS
BOILER (M OR L SIZE) & FILTERSET.**



BOILER L SIZE **BOILER M SIZE**



40 841 001
GROHE RED mixing valve

Colour options:

● 001 | StarLight Chrome | ● DC1 | SuperSteel

GROHE EASYTOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



GROHE FOOTCONTROL



For kitchens where time is of the essence and convenience is a must, why not go hands-free? GROHE's new FootControl taps can be turned on and off with a gentle tap of your foot on the base unit, leaving your hands free and your tap spotless at all times. Three of our most popular taps now come with this innovative FootControl technology, or you can retro-fit the feature to any GROHE pull-out kitchen tap. To say goodbye to germs, mess and hassle, simply tap your feet!



GROHE PROFESSIONAL SPRAYS

THE COLORFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + color code

- | | | | | |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0 Sheer Marble | ● XC0 Dark Grey | ● YF0 Yellow | ● YR0 Orange | ● DG0 Red |
| ● DP0 Pink | ● DU0 Purple | ● GE0 Green | ● TY0 Blue | ● HG0 Dark Brown |

Exchange the hose via 4 simple steps:



Step 1

Loose the 2 screws with the screwdriver from the body and the spray.



Step 2

Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3

Take the new hose and insert it with the connection into the tap body and the spray.



Step 4

Insert the 2 screws with the screw driver.










A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES				
K1000 			●		●			R10	●	●		●			●		●	
K800 			●		●		●	R10		●		●			●		●	
K700 U 			●	●		●		R10		●		●	●				●	***
K700 			●		●			R15		●		●					●	***
K500 	●				●	●	●	R65	●	●		●			●	●	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	●	
K400 	●				●	●	●	R20	●	●		●			●	●	●	●
K300 	●				●	●		R95	●	●		●			●	●	●	●
K200 	●				●	●		R100/ R60	●	●			●	●	●	●	●	●

* R0 (bottom, front & back top) / R30 (right & left top)

** R0 (vertical) / R9 (bottom)

*** optional accessory 40 953 000

COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			●
K700 	●	○	●	●	●	R0		●	●	○	●
K500 	●	○	●	●		R0 / R9**	●	●	●	○	●
K400 	●		●	●		R15	●	●	●	●	●
K200 	●		●			R60		●	●		●





















- selected products
- all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS
















	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO ₂ -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLORS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed












GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0 (available colors p. 264)	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

GROHE FUNCTIONALITY AT A GLANCE

















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

GROHE LOW PRESSURE FITTINGS

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLORS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS

ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO ₂ BOTTLES				CLEANING AND ACCESSORIES		
	 40 404 001 S-Size	 40 430 001 M-Size	 40 412 001 L-Size	 40 547 001 ACTIVATED CARBON	 40 691 001 MAGNESIUM	 40 422 000 CO ₂ STARTER KIT 425 G	 40 687 000 CO ₂ REFILL 425 G	 40 423 000 CO ₂ STARTER KIT 2 KG	 40 424 000 CO ₂ REFILL 2 KG	 40 962 000 CO ₂ ADAPTER TO 425 G	 40 434 001 CLEANING CARTRIDGE	 40 694 000 CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•			•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	2,067.83
31 323 DC2	supersteel	4005176989940	2,324.34

GROHE Blue Professional C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	2,067.83
31 347 DC3	supersteel	4005176446559	2,324.34

GROHE Blue Professional L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	2,172.53
31 325 DC2	supersteel	4005176507250	3,261.43

GROHE Blue Professional C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	2,172.53
31 326 DC2	supersteel	4005176507212	3,261.43

GROHE Blue Professional

L-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	1,968.36
31 302 DC2	supersteel	4005176443350	2,197.66

GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue Mono mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices


Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium+ filter, capacity 400 l at 17° dGH (40 691 001)



System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 554 002		4005176458521	2,444.00
------------	--	---------------	----------

**GROHE Blue Professional
Cooler and carbonizer**

delivers 12 liters of chilled water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 compatible only with GROHE Blue faucets with push button operation

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
 This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



KITCHEN
FITTINGS

GROHE BLUE HOME



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 001	Chrome	4005176454134	1,989.90
31 455 DC1	supersteel	4005176454141	2,281.68
31 455 DA1	warm sunset	4005176488955	2,249.00
31 455 DL1	brushed warm sunset	4005176488962	2,249.00
31 455 A01	hard graphite	4005176488931	2,249.00
31 455 AL1	Brushed Hard Graphite	4005176488948	2,249.00

GROHE Blue Home

C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 000	Chrome	4005176323027	1,989.90
31 455 DC0	supersteel	4005176323034	2,281.68

GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter


GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 541 000	Chrome	4005176437038	2,100.51
31 541 DC0	supersteel	4005176437045	2,646.32

GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

System requirements

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 454 001	Chrome	4005176454110	1,989.90
31 454 DC1	supersteel	4005176454127	2,281.68
31 454 DA1	warm sunset	4005176488917	2,249.00
31 454 DL1	brushed warm sunset	4005176488924	2,249.00
31 454 A01	hard graphite	4005176488894	2,249.00
31 454 AL1	Brushed Hard Graphite	4005176488900	2,249.00

GROHE Blue Home

L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

System requirements Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 539 000	Chrome	4005176437014	2,100.51
31 539 DC0	supersteel	4005176437021	2,646.32

GROHE Blue Home

L-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 456 001	Chrome	4005176454158	1,989.90
31 456 DC1	supersteel	4005176454165	2,281.68

GROHE Blue Home

U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

swivel tubular spout, swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 543 000	Chrome	4005176437052	2,100.51
31 543 DC0	supersteel	4005176437069	2,646.32

GROHE Blue Home U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 360°
separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 498 001	Chrome	4005176454172	1,989.89
31 498 DC1	supersteel	4005176454189	2,211.11
31 498 DA1	warm sunset	4005176488993	2,249.00
31 498 DL1	brushed warm sunset	4005176489006	2,249.00
31 498 A01	hard graphite	4005176488979	2,249.00
31 498 AL1	Brushed Hard Graphite	4005176488986	2,249.00

GROHE Blue Home

Mono Starter kit

Consisting of:

GROHE Blue Home Mono faucet with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout, swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua




Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 711 001		4005176454301	1,144.18
------------	--	---------------	----------

**GROHE Blue Home
Cooler**

180 Watt cooling unit, 230 V, 50 Hz
 delivers 3 liters of chilled sparkling water per hour
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter



System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.
 to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PURE



GROHE BLUE PURE


Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 382 000	Chrome	4005176565496	501.51
30 382 DC0	supersteel	4005176565502	574.80



GROHE Blue Pure Minta Starter kit

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
pull out mousseur spout
 separate handle for filtered water
 headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
 swivel tubular spout
 swivel area 90°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
 GROHE Blue activated carbon filter for premium taste
 Upto 3000 Liters
 filter exchange timer including 2 x AA batteries


30 383 000	Chrome	4005176565519	344.46
------------	--------	---------------	--------



GROHE Blue Pure Eurosmart Starter kit

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for filtered water
 headpart 1/2"
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
 GROHE Blue activated carbon filter for premium taste
 Upto 3000 Liters
 filter exchange timer including 2 x AA batteries

30 385 000	Chrome	4005176565533	313.05
------------	--------	---------------	--------




GROHE Blue Pure BauCurve Starter kit

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 C-spout
 separate handle for filtered water
 headpart 1/2"
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
 GROHE Blue activated carbon filter for premium taste
 Upto 3000 Liters
 filter exchange timer including 2 x AA batteries

GROHE BLUE PURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

30 387 000	Chrome	4005176565557	260.70
------------	--------	---------------	--------



**GROHE Blue Pure Mono
Starter kit**

Consisting of:

GROHE Blue Mono mixer with filter function
monobloc installation

C-spout

handle for filtered table water

headpart 1/2"

GROHE StarLight chrome finish

swivel tubular spout

swivel area 150°

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Upto 3000 Liters

filter exchange timer including 2 x AA batteries













GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 848 000		4005176351082	7.41
GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml				
 	40 848 SD0	stainless steel	4005176386008	11.24
GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml				
 	40 405 000		4005176860812	25.83
GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l				
 	40 437 000		4005176885471	25.83
GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml				
	46 717 000		4005176890925	208.83
Pressure indicator for GROHE Blue including adapters for 425 g and 2 kg CO ₂ bottles				
	40 962 000		4005176529412	29.58
GROHE Blue CO₂ adapter adapter for GROHE Blue Professional CO ₂ pressure reducer for use with 425 g CO ₂ bottles for GROHE Blue Professional systems as of January 2019				

GROHE BLUE ACCESSORIES



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 621 000	Chrome	4005176923333	19.94
	40 621 DC0	supersteel	4005176923340	19.94
<p>GROHE Blue Shorter mixed water lever for GROHE Blue and GROHE Red kitchen mixers to avoid the lever hitting the backwall of the kitchen in warm water position fits to: - 31 323 001 / DC1 - 31 324 001 / DC1 - all GROHE Red Duo faucets</p>				
 	40 404 001		4005176984068	51.66
	<p>GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue Capacity 600 L at 20° dKH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
	40 430 001		4005176984075	95.83
 	40 412 001		4005176984082	124.99
	<p>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</p>			
 	40 547 001		4005176984099	51.66
	<p>GROHE Blue Activated carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Upto 3000 Liters 3-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
 	40 691 001		4005176984129	66.24
	<p>GROHE Blue Magnesium+ Filter BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 17° dGH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p>			
 	40 575 001		4005176385766	221.00
	<p>GROHE Blue UltraSafe Filter exchange filter for GROHE Blue UltraSafe Up to 3000 Liters 2-phase-filter</p>			
	64 508 001		4005176984112	34.16
	<p>GROHE Blue Filter Head for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately</p>			

KITCHEN FITTINGS

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 434 001		4005176985294	29.58
<p>GROHE Blue Cleaning cartridge for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
	40 694 000		4005176985300	22.08
<p>GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately</p>				
 	40 422 000		4005176890246	66.66
<p>GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
 	40 687 000		4005176981838	29.16
<p>GROHE Blue Refill 425 g CO₂ bottles (4 pieces) carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
 	40 920 000	Chrome	4005176470646	18.33
<p>GROHE Blue 425 g CO₂ bottle carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water sales unit 18 pieces This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				

GROHE BLUE ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 423 000		4005176890253	87.49
	40 843 000		4005176337109	47.91
<p>GROHE Blue Starter kit 2 kg CO₂ bottle carbondioxid from natural sources for food and beverage (E290) Purity: CO₂ 99.9 % v/v min. volume 1 bottle: 2 kg, up to 350 l sparkling water integrated shut-off valve and safety carrier handle for refilling please order 40 424 000 not suitable for the GROHE Blue Home cooler</p> <p>GROHE Blue Extension set Consisting of: extension cable 5 m hose for drinking water, 5 m tube cutter adapters and clips suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)</p>				

KITCHEN FITTINGS

GROHE RED




Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 328 001	Chrome	4005176414107	2,100.49
30 328 DC1	supersteel	4005176414114	2,211.11



GROHE Red Duo Tap and L Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 C-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler L size
 reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembly instead
 5.5 liter total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 20° dKH
 5 phase filter
 flow rate measuring unit

30 340 001	Chrome	4005176414893	2,100.50
30 340 DC1	supersteel	4005176414909	2,211.12



GROHE Red Duo Tap and L Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 L-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler L size
 reservoir for kettle hot and hot water
 5.5 liter total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 20° dKH
 5 phase filter
 flow rate measuring unit

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 058 001	Chrome	4005176989162	1,989.89
30 058 DC1	supersteel	4005176989179	2,100.48
30 058 DA1	warm sunset	4005176489273	2,249.00
30 058 DL1	brushed warm sunset	4005176489280	2,249.00
30 058 A01	hard graphite	4005176489259	2,249.00
30 058 AL1	Brushed Hard Graphite	4005176489266	2,249.00

GROHE Red Duo

Tap and M Size Boiler

Consisting of:

GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

C-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



30 341 001	Chrome	4005176414916	1,989.89
30 341 DC1	supersteel	4005176414923	2,100.48
30 341 DA1	warm sunset	4005176489310	2,249.00
30 341 DL1	brushed warm sunset	4005176489327	2,249.00
30 341 A01	hard graphite	4005176489297	2,249.00
30 341 AL1	Brushed Hard Graphite	4005176489303	2,249.00

GROHE Red Duo

Tap and M Size Boiler

Consisting of:

GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

L-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set




for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 060 001	Chrome	4005176989186	1,768.69
	<p>GROHE Red Mono Pillar tap and M size boiler</p> <p>Consisting of:</p> <p>GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water</p> <p>GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler</p> <p>GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	30 329 001	Chrome	4005176414121	1,768.69
	<p>GROHE Red Mono Pillar tap and M size boiler</p> <p>Consisting of:</p> <p>GROHE Red Mono pillar tap monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water</p> <p>GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler</p> <p>GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 20° dKH 5 phase filter flow rate measuring unit</p>			
	40 841 001	Chrome	4005176335358	94.02
	<p>GROHE Red Mixing valve</p> <p>for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation</p>			











GROHE RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 842 001	Chrome	4005176335365	1,039.75
	GROHE Red Boiler Size M reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	40 834 001	Chrome	4005176335280	738.12
	GROHE Red Boiler Size L reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
 	40 438 001		4005176984105	141.66
	GROHE Red Filter with filter head for regions with water hardness higher 12° KH turn before GROHE Red boiler flexible connection hoses filter 600 l			
 	40 919 SD0	stainless steel	4005176450136	13.33
	GROHE Red Thermo drinking bottle stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml			
 	40 432 000		4005176883255	22.08
	GROHE Red Tea glasses (4 pieces) heat proof glass with GROHE Red decor dish washer safe volume 250 ml			

GROHE WASTE SEPARATION SYSTEMS




GROHE WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 855 000		4005176356452	57.00
<p>GROHE Blue Waste separation system 30 cm - 15 l / 15 l installation type: floor mounted, behind swinging door technique: full extension operation: manual telescopic separation: double, 2 x 15 l cabinet width: 30 cm and wider compatible with GROHE Blue Home and GROHE Red M and L size</p>				
 	40 980 000		4005176586446	292.00
<p>GROHE Blue Waste separation system 60 cm - 29 l installation type: side wall and front panel technique: full extension with pull-in damping separation: single, 1 x 29 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 981 000		4005176586453	292.00
<p>GROHE Blue Waste separation system 60 cm - 8 l / 8 l installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 2 x 8 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 982 000		4005176586460	311.00
<p>GROHE Blue Waste separation system 90 cm - 11 l / 29 l installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 1 x 11 l, 1 x 29 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 983 000		4005176586477	311.00
<p>GROHE Blue Waste separation system 90 cm - 8 l / 8 l / 11 l installation type: side wall and front panel technique: full extension with pull-in damping separation: triple, 2 x 8 l, 1 x 11 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				

GROHE WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



40 984 000		4005176586484	47.00
------------	--	---------------	-------

GROHE Blue
Retrofit kit for extricable metal cover
 contents: pull-out rails and anti-slip mat
 for use with GROHE Blue waste separation system
 40 980, 40 981, 40 982 or 40 983, sold separately


KITCHEN
FITTINGS

GROHE K7




GROHE K7

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



32 950 000	Chrome	4005176879838	622.25
32 950 DC0	supersteel	4005176879845	812.41
32 950 A00	hard graphite	4005176488870	849.00
32 950 AL0	Brushed Hard Graphite	4005176488887	849.00

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system






31 379 000	Chrome	4005176938085	601.12
31 379 DC0	supersteel	4005176938092	780.72
31 379 A00	hard graphite	4005176488856	819.00
31 379 AL0	Brushed Hard Graphite	4005176488863	819.00

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout, swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE FOOT CONTROL



GROHE FOOT CONTROL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	30 309 000		4005176351235	352.86
	30 310 000	Chrome	4005176351242	313.00
<p>Foot Control Dual flush valve set Foot control: activation of water via contact with sensor battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 upgrade set for GROHE pull-out kitchen faucets not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001)</p>				

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH




GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)




31 613 000	Chrome	4005176521973	304.00
31 613 DC0	supersteel	4005176521980	394.00
31 613 DA0	warm sunset	4005176523595	425.00
31 613 A00	hard graphite	4005176523601	425.00

Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free




31 360 001	Chrome	4005176343025	551.95
31 360 DC1	supersteel	4005176343032	717.86

Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



31 358 002	Chrome	4005176465000	568.38
31 358 DC2	supersteel	4005176465017	710.76

Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system




31 375 000	Chrome	4005176934155	210.23
31 375 DC0	supersteel	4005176934162	273.62
31 375 DA0	warm sunset	4005176488634	299.00
31 375 DL0	brushed warm sunset	4005176488641	299.00
31 375 A00	hard graphite	4005176488610	299.00
31 375 AL0	Brushed Hard Graphite	4005176488627	299.00

Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system


GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)




32 168 000	Chrome	4005176824425	210.23
32 168 DC0	supersteel	4005176824432	273.62

Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system




30 274 000	Chrome	4005176314988	263.05
30 274 DC0	supersteel	4005176314995	329.91
30 274 DA0	warm sunset	4005176488672	356.00
30 274 DL0	brushed warm sunset	4005176488689	356.00
30 274 A00	hard graphite	4005176488658	356.00
30 274 AL0	Brushed Hard Graphite	4005176488665	356.00

Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system



32 917 000	Chrome	4005176230950	167.97
32 917 DC0	supersteel	4005176804946	210.23
32 917 KS0	velvet black	4005176980640	227.14
32 917 DA0	warm sunset	4005176488719	239.00
32 917 DL0	brushed warm sunset	4005176488726	239.00
32 917 A00	hard graphite	4005176488696	239.00
32 917 AL0	Brushed Hard Graphite	4005176488702	239.00

Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
with compression nut
rapid installation system
optional temperature limiter (46 308 000)



32 918 000	Chrome	4005176230967	210.23
32 918 DC0	supersteel	4005176804953	273.62

Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)


32 918 00E	Chrome	4005176866616	210.23
Ditto, with GROHE Ecojoy 5.7 l/min flow limiter			

KITCHEN FITTINGS

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


Ref. No. Colour EAN code Retail Guide Price (£)

32 511 000 Chrome 4005176295621 252.49



Minta
Single-lever sink mixer 1/2"
for use with displacement water heater
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 321 002 Chrome 4005176465109 208.15
32 321 DC2 supersteel 4005176465116 270.91
32 321 GN2 brushed cool sunrise 4005176618529 298.12
32 321 DA2 warm sunset 4005176488757 298.00
32 321 DL2 brushed warm sunset 4005176488764 298.00
32 321 A02 hard graphite 4005176488733 298.00
32 321 AL2 Brushed Hard Graphite 4005176488740 298.00







Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

30 348 001 Chrome 4005176464973 203.00



Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 349 001	Chrome	4005176464980	203.00
	<p>Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: mousseur/shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			
	32 488 000	Chrome	4005176289552	167.97
	32 488 DC0	supersteel	4005176804939	221.36
	32 488 DA0	warm sunset	4005176488795	239.00
	32 488 DL0	brushed warm sunset	4005176488801	239.00
	32 488 A00	hard graphite	4005176488771	239.00
	32 488 AL0	Brushed Hard Graphite	4005176488788	239.00
	<p>Minta Single-lever sink mixer 1/2" U spout, monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			
	32 067 000	Chrome	4005176811142	210.23
	<p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 322 002	Chrome	4005176465123	208.15
	32 322 DC2	supersteel	4005176465130	270.91
	32 322 DA2	warm sunset	4005176488832	298.00
	32 322 DL2	brushed warm sunset	4005176488849	298.00
	32 322 A02	hard graphite	4005176488818	298.00
	32 322 AL2	Brushed Hard Graphite	4005176488825	298.00
	<p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system min. recommended pressure 1 bar</p>			

KITCHEN FITTINGS

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

40 684 000	Chrome	4005176940088	61.91
40 684 DC0	supersteel	4005176940095	65.06

**Minta
Lever**
for Minta single lever sink mixer




GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH




GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No. Colour EAN code Retail Guide Price (£)




31 593 002 **Chrome** **4005176521942** **399.00**
31 593 DC2 **supersteel** **4005176521959** **599.00**

Zedra SmartControl
Sink mixer with SmartControl
 monobloc installation
GROHE StarLight chrome finish
 pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 temperature adjustment by turning of mixing valve on body
 swivel tubular spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
 GROHE Zero separated inner water ways - lead and nickel free



30 219 002 **Chrome** **4005176466540** **664.51**
30 219 DC2 **supersteel** **4005176466557** **896.93**

Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out spray with 3 spray types
 diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
 stop function - pause button to stop the water flow
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses




32 294 002 **Chrome** **4005176466496** **344.46**
32 294 DC2 **supersteel** **4005176466502** **447.08**

Zedra
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out spray with 3 spray types
 diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
 stop function - pause button to stop the water flow
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
 GROHE Zero separated inner water ways - lead and nickel free

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

32 553 002	Chrome	4005176466649	322.48
32 553 DC2	supersteel	4005176466656	506.04



Zedra
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
 GROHE Zero separated inner water ways - lead and nickel free


KITCHEN
FITTINGS

GROHE ATRIO



GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 362 000	Chrome	4005176496479	449.17
30 362 DC0	supersteel	4005176496486	585.27
30 362 AL0	Brushed Hard Graphite	4005176497292	672.66




Atrio
Two handle sink mixer 1/2"
 C-spout
 monobloc installation
GROHE StarLight chrome finish
 ceramic headparts 1/2", 90°
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 mousseur

GROHE ESSENCE




GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	362.00
31 615 DC0	supersteel	4005176523656	471.00
31 615 BE0	polished nickel	4005176523731	507.00
31 615 EN0	brushed nickel	4005176523748	543.00
31 615 GL0	cool sunrise	4005176523670	507.00
31 615 GN0	brushed cool sunrise	4005176523687	543.00
31 615 DA0	warm sunset	4005176523694	507.00
31 615 DL0	brushed warm sunset	4005176523700	543.00
31 615 A00	hard graphite	4005176523717	507.00
31 615 AL0	Brushed Hard Graphite	4005176523724	543.00

Essence SmartControl
Sink mixer with SmartControl monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
GROHE Zero separated inner water ways - lead and nickel free



30 294 000	Chrome	4005176341472	419.21
30 294 DC0	supersteel	4005176341489	540.89
30 294 BE0	polished nickel	4005176488511	546.00
30 294 EN0	brushed nickel	4005176488528	546.00
30 294 GL0	cool sunrise	4005176488078	546.00
30 294 GN0	brushed cool sunrise	4005176488085	546.00
30 294 DA0	warm sunset	4005176488498	546.00
30 294 DL0	brushed warm sunset	4005176488504	546.00
30 294 A00	hard graphite	4005176488054	546.00
30 294 AL0	Brushed Hard Graphite	4005176488061	546.00


Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 321 GE0	green	4005176438271	98.45
30 321 XC0	Dark Grey	4005176385735	60.85
30 321 MW0	Sheer Marble	4005176385728	60.85
30 321 HG0	Dark Brown	4005176385742	60.85
30 321 DG0	red	4005176438219	98.45
30 321 DP0	pink	4005176438264	98.45
30 321 DU0	purple	4005176438257	98.45
30 321 TY0	blue	4005176438240	98.45
30 321 YF0	yellow	4005176438233	60.85
30 321 YR0	orange	4005176438226	98.45


Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

GROHE ESSENCE



Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	264.36
30 269 DC0	supersteel	4005176314919	330.74
30 269 GL0	cool sunrise	4005176428616	341.79
30 269 GN0	brushed cool sunrise	4005176428623	341.80
30 269 DA0	warm sunset	4005176428630	341.79
30 269 DL0	brushed warm sunset	4005176428647	341.80
30 269 A00	hard graphite	4005176428661	341.79
30 269 AL0	Brushed Hard Graphite	4005176428654	341.80

Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel tubular spout
 adjustable swivel area 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 integrated temperature limiter



30 270 000	Chrome	4005176314926	330.71
30 270 DC0	supersteel	4005176314933	386.03
30 270 GL0	cool sunrise	4005176427428	441.33
30 270 GN0	brushed cool sunrise	4005176427435	441.30
30 270 DA0	warm sunset	4005176427442	441.33
30 270 DL0	brushed warm sunset	4005176427459	441.30
30 270 A00	hard graphite	4005176427473	441.33
30 270 AL0	Brushed Hard Graphite	4005176427466	441.30


Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 integrated temperature limiter

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



31 395 000	Chrome	4005176304774	574.06
31 395 DC0	supersteel	4005176304767	740.00

Eurocube
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 diverter: mousseur/shower jet
 swivel spout
 swivel area 140°
 360° maneuverable spring arm
 protected against backflow
 flexible connection hoses
 applicable for under cupboard installation
 rapid installation system







31 255 000	Chrome	4005176901416	198.00
31 255 DC0	supersteel	4005176994319	408.19

Eurocube
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel cast spout
 swivel area 360°
 flexible connection hoses
 rapid installation system

GROHE AMBI



GROHE AMBI


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 189 000	Chrome	4005176914102	164.80
	<p>Ambi Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system min. recommended pressure 0.4 bar</p>			
	30 190 000	Chrome	4005176914119	175.87
	<p>Ambi Cosmopolitan Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system min. recommended pressure 0.4 bar</p>			

GROHE PARKFIELD



GROHE PARKFIELD

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 215 001	Chrome	4005176409066	351.75
30 215 DC1	supersteel	4005176409073	358.48













Parkfield
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EURODISC COSMOPOLITAN



GROHE EURODISC COSMOPOLITAN


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		32 259 003	Chrome	4005176466908	217.93
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 122 004	Chrome	4005176466892	261.75
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system min. recommended pressure 1 bar</p>					
		33 770 002	Chrome	4005176888137	220.11
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		32 257 002	Chrome	4005176886591	264.34
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					
		33 772 002	Chrome	4005176890796	231.18
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 211 mm S-unions</p>					

GROHE EURODISC




GROHE EURODISC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



33 770 001	Chrome	4005176828959	197.99
-------------------	---------------	----------------------	---------------

Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system



32 257 001	Chrome	4005176834165	209.06
-------------------	---------------	----------------------	---------------


Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system

GROHE CONCETTO




GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 491 000	Chrome	4005176343308	337.01
31 491 DC0	supersteel	4005176343315	442.65




Concetto
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system




32 661 003	Chrome	4005176466823	187.23
32 661 DC3	supersteel	4005176466830	229.07

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 selectable swivel area : 0° / 150°
 flexible connection hoses
GROHE QuickFix rapid installation system



32 663 003	Chrome	4005176466854	208.15
32 663 DC3	supersteel	4005176466861	291.83

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 GROHE Zero separated inner water ways - lead and nickel free
 pull-out laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
GROHE QuickFix rapid installation system
min. recommended pressure 1 bar




31 212 003	Chrome	4005176466762	236.00
------------	--------	---------------	--------

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
 high spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 pull-out laminar spray
 automatic return
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system


GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 483 002	Chrome	4005176466809	239.53
31 483 DC2	supersteel	4005176466816	312.75




Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE QuickFix rapid installation system

32 666 001	Chrome	4005176887406	315.88
------------	--------	---------------	--------




Concetto
Single-lever sink mixer 1/2"
integrated stop valve
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system

31 128 001	Chrome	4005176886737	189.10
31 128 DC1	supersteel	4005176891007	241.93









Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

31 129 001	Chrome	4005176886744	231.36
31 129 DC1	supersteel	4005176891021	294.75













Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 273 001	Chrome	4005176314964	263.05
	30 273 DC1	supersteel	4005176314971	337.01
	<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow integrated non-return valve flexible connection hoses rapid installation system</p>			
	31 214 001	Chrome	4005176891090	232.00
		<p>Concetto Single-lever sink mixer 1/2" for use with displacement water heater medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>		
	32 659 001	Chrome	4005176886713	167.97
		<p>Concetto Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>		











GROHE EUROSTYLE COSMOPOLITAN



GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		33 975 004	Chrome	4005176467004	185.08
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 127 002	Chrome	4005176886669	175.88
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 126 004	Chrome	4005176466977	206.97
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>					
		31 482 003	Chrome	4005176466984	239.83
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>					
		30 221 002	Chrome	4005176984235	131.63
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p>					









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 124 002	Chrome	4005176886614	164.82
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 159 002	Chrome	4005176888106	297.53
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses</p>			
	33 977 002	Chrome	4005176886560	142.70
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	32 230 002	Chrome	4005176886577	119.48
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>			
	33 982 002	Chrome	4005176890833	131.63
	<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 273 mm S-unions</p>			











GROHE EUROSMART COSMOPOLITAN



GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 843 002	Chrome	4005176466939	127.26
	32 843 DC2	supersteel	4005176466953	191.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>			
	32 843 20E	Chrome	4005176466946	130.00
ditto, with GROHE Ecojoy				
	32 845 002	Chrome	4005176466960	120.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE EcoJoy technology for less water and perfect flow mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses GROHE QuickFix rapid installation system</p>			
				
	31 180 000	Chrome	4005176889288	189.10
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
				
	31 481 001	Chrome	4005176466922	188.00
	<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>			
				

GROHE EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 193 000 30 193 DC0	Chrome supersteel	4005176919459 4005176938559	125.71 146.84
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					
		30 199 000	Chrome	4005176922022	98.25
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>					
		30 195 000	Chrome	4005176919473	172.21
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p>					
		32 842 000	Chrome	4005176874833	104.59
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					
		31 179 000	Chrome	4005176889172	146.84
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater low spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					


GROHE EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



31 161 000	Chrome	4005176889158	199.67
------------	--------	---------------	--------

Eurosmart Cosmopolitan Single-lever sink mixer 1/2"
 integrated stop valve
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 flexible connection hoses
 rapid installation system



















31 170 000	Chrome	4005176889165	220.80
------------	--------	---------------	--------

Eurosmart Cosmopolitan Single-lever sink mixer 1/2"
 for installation in front of window
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 mousseur
 swivel tubular spout
 swivel area 140°
 non-removable socket height: 30 mm
 flexible connection hoses

GROHE EUROSMART













	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	33 202 002	Chrome	4005176861956	125.71
<p>Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system</p>				
 	32 223 002	Chrome	4005176861970	125.71
<p>Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click mousseur swivel tubular spout adjustable flow rate limiter adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system Qualitel approval</p>				
 	30 305 000	Chrome	4005176343285	157.41
30 305 DC0	supersteel	4005176359811	199.67	
<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout 88° swivel radius separate inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow</p>				
 	33 281 002	Chrome	4005176861932	104.59
33 281 DC2	supersteel	4005176359798	118.32	
<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>				
33 281 20E	Chrome	4005176868498	104.59	
<p>Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</p>				

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	30 260 002	Chrome	4005176310386	104.59
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system</p>			
	32 221 002	Chrome	4005176861949	94.02
	<p>Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system Qualitel E1C2A2U3 applied for</p>			
	32 224 002	Chrome	4005176862007	134.17
	<p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 277 mm integrated temperature limiter S-unions</p>			
	31 391 002	Chrome	4005176992476	110.09
	<p>Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 217 mm integrated temperature limiter S-unions</p>			

GROHE EUROECO / EUROECO SPECIAL













GROHE EUROECO / EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 752 000	Chrome	4005176868252	98.44
	<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° metal lever flexible connection hoses rapid installation system</p>			
 	32 750 000	Chrome	4005176868238	87.38
	<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			
 	32 786 000	Chrome	4005176871863	131.63
	<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses</p>			
 	33 912 000	Chrome	4005176111969	404.43
	<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product</p>			
 	32 787 000	Chrome	4005176871870	129.87
	<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses</p>			







GROHE COSTA



GROHE COSTA

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 831 001	Chrome	4005176843280	76.32
<p>Costa L Sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>					
		31 930 001	Chrome	4005176843303	164.79
<p>Costa L Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated GROHE StarLight finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes</p>					
		31 829 001	Chrome	4005176845697	77.42
<p>Costa L Sink mixer 1/2" metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>					
		31 187 001	Chrome	4005176843327	87.38
<p>Costa L Wall sink mixer 1/2" metal handles heat-insulated GROHE StarLight finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions</p>					
		30 098 001	Chrome	4005176843266	32.07
<p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE StarLight finish mousseur Longlife-headparts</p>					











GROHE COSTA

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 819 001	Chrome	4005176843471	98.42
		<p>Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish Carborundum headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>			
		31 067 001	Chrome	4005176845710	94.00
		<p>Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE StarLight finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>			
		30 064 001	Chrome	4005176843259	43.14
		<p>Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue (cold) GROHE StarLight chrome finish Longlife-headpart Laminar flow straightener projection 150 mm</p>			

GROHE BAU LINES




GROHE BAU LINES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 368 001	Chrome	4005176478529	81.00
	BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system GROHE QuickFix Plus ultra fast and simple installation - no tools needed min. recommended pressure 1 bar			
	31 367 001	Chrome	4005176478512	103.55
	BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system GROHE QuickFix Plus ultra fast and simple installation - no tools needed min. recommended pressure 1 bar			
	31 536 001	Chrome	4005176478567	75.00
	BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar			
	31 538 001	Chrome	4005176478574	77.00
	GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses GROHE QuickFix Plus ultra fast and simple installation - no tools needed			
	31 535 001	Chrome	4005176478550	75.00
	BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system min. recommended pressure 1 bar			


GROHE BAU LINES

Ref. No. Colour EAN code Retail Guide Price (£)




31 706 000 Chrome 4005176530449 71.00

BauLoop
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 swivel tubular spout
 swivel area 140°
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar




31 693 000 Chrome 4005176530371 71.00

BauEdge
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 swivel tubular spout
 swivel area 140°
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar




31 688 000 Chrome 4005176530333 71.00

GROHE BauFlow
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 swivel tubular spout
 swivel area 140°
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 715 000 Chrome 4005176564123 71.00

BauCurve
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 swivel tubular spout
 swivel area 140°
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar



31 680 000 Chrome 4005176530487 63.00






BauEco
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 35 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 swivel tubular spout
 swivel area 140°
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed
min. recommended pressure 1 bar

KITCHEN FITTINGS







GROHE SOAP DISPENSERS AND ACCESSORIES



GROHE SOAP DISPENSERS AND ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	40 535 000	Chrome	4005176905490	38.33
	40 535 DC0	supersteel	4005176905520	53.74
	40 535 BE0	polished nickel	4005176489457	86.00
	40 535 GL0	cool sunrise	4005176489419	86.00
	40 535 GN0	brushed cool sunrise	4005176489426	86.00
	40 535 DA0	warm sunset	4005176489433	86.00
	40 535 DL0	brushed warm sunset	4005176489440	86.00
	40 535 A00	hard graphite	4005176489396	86.00
	40 535 AL0	Brushed Hard Graphite	4005176489402	86.00
	Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish			
	40 536 000	Chrome	4005176905506	34.58
	40 536 DC0	supersteel	4005176905537	48.74
Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 553 000	Chrome	4005176911422	48.33
	40 553 DC0	supersteel	4005176911439	67.49
Zedra Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	40 537 000	Chrome	4005176905513	42.49
	40 537 DC0	supersteel	4005176905544	74.51
Authentic Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish				
	36 194 000	Chrome	4005176140921	136.41
	Soap dispenser pillar tap with push-button, for liquid soaps, projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE StarLight finish			
	45 704 000	Chrome	4005176081231	40.93
	Flexible connection hose 300 mm 3/8" x 3/8"			

GROHE SOAP DISPENSERS AND ACCESSORIES









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 071 000	Chrome	4005176023132	35.10
<p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish</p>				
 	13 028 000	Chrome	4005176022821	38.04
<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish</p>				
 	13 034 000	Chrome	4005176022869	52.11
<p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE StarLight finish</p>				

KITCHEN FITTINGS

GROHE STAINLESS STEEL SINKS




GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 582 SD1	stainless steel	4005176607158	1,511.13
	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 rh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm GROHE QuickFix installation system sink mountable right cut-out (top mount): 1145 x 505 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 581 SD1	stainless steel	4005176607141	1,511.13
	<p>K1000 Stainless Steel Sink with Drainer model: K1000 80-S 116/52 1.0 lh mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 520 mm 1 bowl: 710 x 400 mm GROHE QuickFix installation system sink mountable left cut-out (top mount): 1145 x 505 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 583 SD1	stainless steel	4005176607165	971.82
	<p>K800 Stainless steel sink model: K800 60-S 51.8/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 518 x 510 mm 1 bowl: 462 x 400 x 200 mm GROHE QuickFix installation system cut-out (top mount): 503 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 584 SD1	stainless steel	4005176607172	1,066.99
	<p>K800 Stainless steel sink model: K800 90-S 84.6/51 1.0 mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 846 x 510 mm 1 bowl: 790 x 400 x 200 mm GROHE QuickFix installation system cut-out (top mount): 831 x 495 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 585 SD1 stainless steel 4005176607189 1,934.12




K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 586 SD1 stainless steel 4005176607196 1,267.91




K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
GROHE QuickFix installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 574 SD1 stainless steel 4005176607080 347.91
31 574 GN0 brushed cool sunrise 4005176563645 1,017.00
31 574 DL0 brushed warm sunset 4005176563621 1,017.00
31 574 AL0 Brushed Hard Graphite 4005176563638 1,017.00



K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set









31 575 SD1 stainless steel 4005176607097 548.83



K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
GROHE QuickFix installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

KITCHEN FITTINGS


GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 576 SD1	stainless steel	4005176607103	517.10
	K700 Undermount Stainless steel sink model: K700U 60-S 59.5/45 1.5 rh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable right cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 577 SD1	stainless steel	4005176607110	517.10
	K700 Undermount Stainless steel sink model: K700U 60-S 59.5/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm GROHE QuickFix installation system sink mountable left cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 578 SD1	stainless steel	4005176607127	538.26
	K700 Stainless steel sink model: K700 45-S 46.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm GROHE QuickFix installation system cut-out (undermount): 402 x 402 mm (R11) cut-out (top mount): 449 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			
	31 580 SD1	stainless steel	4005176607134	644.00
	K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm GROHE QuickFix installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set			

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 571 SD1 stainless steel 4005176626029 221.00




K500
Stainless Steel Sink with Drainer
 model: K500 45-S 86/50 1.0 rev
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.7 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 450 mm
 dimensions: 860 x 500 mm
 1 bowl: 340 x 420 x 170 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out (top mount): 842 x 482 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 563 SD1 stainless steel 4005176623738 195.29



K500
Stainless Steel Sink with Drainer
 model: K500 60-S 100/50 1.0 rev
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.7 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 1000 x 500 mm
 1 bowl: 450 x 400 x 180 mm
GROHE QuickFix rapid installation system
 sink mountable left or right
 cut-out (top mount): 982 x 482 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set









31 572 SD1 stainless steel 4005176626036 316.19



K500
Stainless Steel Sink with Drainer
 model: K500 60-S 100/50 1.5 rev
 mounting type: top mount or flush mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.7 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 1000 x 500 mm
 1 bowl: 340 x 420 x 185 mm
 0.5 bowl: 170 x 320 x 125 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out (top mount): 982 x 482 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: waste kit, basket strainer waste, mounting set

KITCHEN FITTINGS


GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 588 SD1	stainless steel	4005176626043	326.76
	<p>K500 Stainless Steel Sink with Drainer model: K500 80-S 116/50 2.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 340 x 420 x 190 mm 2 bowl: 340 x 420 x 190 mm GROHE QuickFix installation system sink mountable left or right cut-out (top mount): 1140 x 480 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 573 SD1	stainless steel	4005176626050	411.36
	<p>Minta Kitchen sink and tap bundle Consisting of: K500 stainless steel sink with drainer (31 571 SD1) Minta single lever sink mixer (32 168 000) high spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses GROHE QuickFix rapid installation system</p>			
	31 568 SD0	stainless steel	4005176473258	210.43
	<p>K400+ Stainless Steel Sink with Drainer model: K400+ 45-S 87.3/51.3 1.0 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 873 x 513 mm 1 bowl: 363 x 400 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 569 SD0	stainless steel	4005176473265	305.61
	<p>K400+ Stainless Steel Sink with Drainer model: K400+ 60-S 98.3/51.3 1.5 rev mounting type: flat edge material: stainless steel AISI 316 (V4A) material thickness: 0.7 mm GROHE StarLight finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 983 x 513 mm 1 bowl: 363 x 400 x 188 mm 0.5 bowl: 150 x 300 x 188 mm GROHE QuickFix installation system sink mountable left or right cut-out: 950 x 480 mm drilling holes: 2 x 35 mm drainer: automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 566 SD0 stainless steel 4005176473234 168.13




K400
Stainless Steel Sink with Drainer
model: K400 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 567 SD0 stainless steel 4005176473241 242.16




K400
Stainless Steel Sink with Drainer
model: K400 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 587 SD0 stainless steel 4005176473449 242.16



K400
Stainless Steel Sink with Drainer
model: K400 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 570 SD0 stainless steel 4005176473272 347.91




Concetto
Kitchen sink and tap bundle
Consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
Concetto single lever sink mixer (32 663 003)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

KITCHEN
FITTINGS

GROHE STAINLESS STEEL SINKS


Ref. No. Colour EAN code Retail Guide Price (£)

31 564 SD1 stainless steel 4005176623745 156.20




K200
Stainless Steel Sink with Drainer
 model: K200 60-S 96.5/50 1.5 rev
 mounting type: top mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.6 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 965 x 500 mm
 1 bowl: 346 x 396 x 165 mm
 0.5 bowl: 180 x 340 x 130 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out (top mount): 941 x 476 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 565 SD1 stainless steel 4005176623752 175.74




Eurosmart
Kitchen sink and tap bundle
 Consisting of:
 K200 stainless steel sink with drainer (31 552 SD1)
 Eurosmart single-lever sink mixer (33 281 002)
 low spout
 monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur with coin slot for tool free replacement
 flexible connection hoses
GROHE QuickFix rapid installation system

31 562 SD1 stainless steel 4005176623721 189.29



Bau
Kitchen sink and tap bundle
 Consisting of:
 K200 stainless steel sink with drainer (31 552 SD1)
 Bau Edge single lever sink mixer (31 367 001)
 high spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 28 mm ceramic cartridge
 GROHE Zero separated inner water ways - lead and nickel free
 mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
GROHE QuickFix Plus ultra fast and simple installation - no tools needed

31 552 SD1 stainless steel 4005176623714 104.68









K200
Stainless Steel Sink with Drainer
 model: K200 45-S 86/50 1.0 rev
 mounting type: top mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.6 mm
GROHE StarLight finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 450 mm
 dimensions: 860 x 500 mm
 1 bowl: 350 x 400 x 160 mm
GROHE QuickFix installation system
 sink mountable left or right
 cut-out (top mount): 842 x 482 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set









GROHE COMPOSITE SINKS



GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 650 AT0	granite gray	4005176521294	233.48
	31 650 AP0	granite black	4005176521287	233.48
	<p>K700 Composite sink model: K700 50-C 40/50 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 400 x 500 mm 1 bowl: 340 x 370 x 200 mm GROHE QuickFix installation system cut-out: 380 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 651 AT0	granite gray	4005176521317	275.35
	31 651 AP0	granite black	4005176521300	275.35
	<p>K700 Composite sink model: K700 60-C 56/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 560 x 510 mm 1 bowl: 500 x 360 x 200 mm GROHE QuickFix installation system cut-out: 545 x 495 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 652 AT0	granite gray	4005176521331	307.81
	31 652 AP0	granite black	4005176521324	307.81
	<p>K700 Composite sink model: K700 80-C 78/51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 780 x 510 mm 1 bowl: 720 x 370 x 220 mm GROHE QuickFix installation system cut-out: 764 x 494 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 653 AT0	granite gray	4005176521355	204.17
	31 653 AP0	granite black	4005176521348	204.17
	<p>K700 Undermount Composite sink model: K700U 50-C 45.7/40.6 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 457 x 406 mm 1 bowl: 417 x 366 x 203 mm GROHE QuickFix installation system cut-out: 417 x 366 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 654 AT0	granite gray	4005176521379	234.53
	31 654 AP0	granite black	4005176521362	234.53
	<p>K700 Undermount Composite sink model: K700U 60-C 53.3/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 533 x 457 mm 1 bowl: 469 x 393 x 205 mm GROHE QuickFix installation system cut-out: 468 x 390 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 655 AT0	granite gray	4005176521393	277.46
	31 655 AP0	granite black	4005176521386	277.46
	<p>K700 Undermount Composite sink model: K700U 70-C 61/45.7 1.0 mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 700 mm dimensions: 610 x 460 mm 1 bowl: 544 x 394 x 205 mm GROHE QuickFix installation system cut-out: 543 x 393 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			
	31 644 AT0	granite gray	4005176521171	309.91
	31 644 AP0	granite black	4005176521164	309.91
	<p>K500 Composite sink with drainer model: K500 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 347 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

KITCHEN FITTINGS


GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 645 AT0	granite gray	4005176521195	323.53
	31 645 AP0	granite black	4005176521188	323.53
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 646 AT0	granite gray	4005176521218	344.46
	31 646 AP0	granite black	4005176521201	344.46
	<p>K500 Composite sink with drainer model: K500 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 345 x 440 x 200 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 647 AT0	granite gray	4005176521232	387.39
	31 647 AP0	granite black	4005176521225	387.39
	<p>K500 Composite sink with drainer model: K500 80-C 116/50 2.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 648 AT0	granite gray	4005176521256	296.31
	31 648 AP0	granite black	4005176521249	296.31
	<p>K500 Composite sink model: K500 60-C 55,5/46 1.5 rev mounting type: standard built-in and undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm GROHE QuickFix installation system sink mountable left or right cut-out: 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste optional automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set</p>			

GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

31 649 ATO	granite gray	4005176521270	361.21
31 649 AP0	granite black	4005176521263	361.21



K500

Composite sink

model: K500 90-C 86/50 2.0 rev
 mounting type: standard built-in
 material: quartz composite

GROHE Whisper

min. cabinet size: 900 mm
 dimensions: 860 x 500 mm
 1 bowl: 390 x 430 x 200 mm
 2 bowl: 380 x 365 x 200 mm





GROHE QuickFix installation system

sink mountable left or right
 cut-out: 840 x 480 mm
 drainer: automatic waste fitting
 accessories included: automatic waste fitting,
 waste kit, basket strainer waste, mounting set

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 639 AT0	granite gray	4005176520464	230.33
	31 639 AP0	granite black	4005176520457	230.33
	K400 Composite sink with drainer model: K400 50-C 78/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 780 x 500 mm 1 bowl: 347 x 440 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 765 x 485 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 640 AT0	granite gray	4005176520488	290.02
	31 640 AP0	granite black	4005176520471	290.02
	K400 Composite sink with drainer model: K400 50-C 86/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: 860 x 500 mm 1 bowl: 337 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 641 AT0	granite gray	4005176521119	312.01
	31 641 AP0	granite black	4005176521102	312.01
	K400 Composite sink with drainer model: K400 60-C 100/50 1.0 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 480 x 420 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			
	31 642 AT0	granite gray	4005176521133	333.99
	31 642 AP0	granite black	4005176521126	333.99
	K400 Composite sink with drainer model: K400 60-C 100/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 335 x 420 x 205 mm 0.5 bowl: 155 x 295 x 146 mm GROHE QuickFix installation system sink mountable left or right cut-out: 980 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set			

GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 643 AT0	granite gray	4005176521157	354.93
	31 643 AP0	granite black	4005176521140	354.93
	<p>K400 Composite sink with drainer model: K400 80-C 116/50 1.5 rev mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 400 x 420 x 205 mm 2 bowl: 295 x 295 x 205 mm GROHE QuickFix installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			
	31 656 AT0	granite gray	4005176521416	191.61
	31 656 AP0	granite black	4005176521409	191.61
	<p>K200 Composite sink model: K200 50-C 51 1.0 mounting type: standard built-in material: quartz composite GROHE Whisper min. cabinet size: 500 mm dimensions: Ø 510 mm 1 bowl: Ø 380 x 200 mm GROHE QuickFix installation system cut-out: Ø 490 mm drainer: automatic waste fitting accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set</p>			

GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Eurocube E	661
	Essence E	665
	Bluetooth monitoring	669
	Europlus E	679
	Eurosmart Cosmopolitan E	683
	Euroeco Cosmopolitan E	693
	Bau Cosmopolitan E	699
Special Thermostats	Grohtherm Micro	703
	Grohtherm Special	705
	Grohtherm XL	711
Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	715
	Commercial Showers	717
	Euroeco Special	721
	Hospita	729
	Euroeco Single Sequential	731
Self-closing Fittings	Eurodisc SE	735
	Eurosmart Cosmopolitan T	737
	Euroeco Cosmopolitan T	741

SYSTEM REQUIREMENTS FOR ELECTRONIC TAPS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





ROUND AND SQUARE



**BAUEDGE
SINGLE-LEVER MIXER**



BAU CERAMIC



**BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND AND SQUARE



**EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER**



EURO CERAMIC



**EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND FEMININE



**ESSENCE
SINGLE-LEVER MIXER**



ESSENCE



**ESSENCE E
TOUCHLESS BASIN MIXER**



EDGE MASCULINE



**EUROCUBE
SINGLE-LEVER MIXER**



CUBE CERAMIC



**EUROCUBE E
TOUCHLESS BASIN MIXER**

EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –
WITHOUT COMPROMISING ON HYGIENE



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom - completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



WC / URINAL



COMMERCIAL
FITTINGS

BASIN



BAU COSMOPOLITAN E

DISCOVER TOUCHLESS COMFORT

HYGIENE



TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY



GROHE ECOJOY

Save precious resources and enjoy 100% water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



QUALITY

German perfectionism inspires ultimate customer confidence

DESIGN



GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

TECHNOLOGY



GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



36 407 001
Remote control for
GROHE Touchless fittings

Basic functionalities can be adjusted without remote control - simply by hand.



GROHE REMOTE CONTROL

- Detailed configuration for all functions by remote control
- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



LOGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)



MAINS OPERATED



36 453 000
Touchless basin mixer
(with plug transformer 100-230 V AC)


GROHE EUROCUBE E



GROHE EUROCUBE E


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 440 000	Chrome	4005176415623	770.88
------------	--------	---------------	--------




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 441 000	Chrome	4005176415630	739.17
------------	--------	---------------	--------



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K


36 442 000	Chrome	4005176415647	834.34
------------	--------	---------------	--------



Eurocube E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 laminar spray regulator 5.7 l/min
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
 CE approved
 noise classification 1 in accordance with DIN4109

GROHE EUROCUBE E


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



36 264 001		4005176416279	210.45
-------------------	--	----------------------	---------------

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

38 748 002	Chrome	4005176416323	495.97
-------------------	---------------	----------------------	---------------




Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studed walls

Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001		4005176368974	261.30
-------------------	--	----------------------	---------------



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

36 340 000		4005176911385	54.21
-------------------	--	----------------------	--------------





Power extension cable
length 3.00 m



36 341 000		4005176911392	97.46
-------------------	--	----------------------	--------------

ditto, length 10 m

GROHE EUROCUBE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 388 000		4005176905827	50.37
<p data-bbox="803 302 1144 369">Mains adaptor without power supply 36 338 000 (required) to replace battery</p>				
	42 393 000		4005176905827	68.26
<p data-bbox="803 604 1144 672">Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>				
 	36 338 000		4005176896743	87.38
<p data-bbox="803 907 1144 1086">Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>				


GROHE ESSENCE E



GROHE ESSENCE E


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 444 000	Chrome	4005176415661	622.84
------------	--------	---------------	--------




Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 445 000	Chrome	4005176415678	601.70
------------	--------	---------------	--------



Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 446 000	Chrome	4005176415685	559.41
------------	--------	---------------	--------




Essence E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

GROHE ESSENCE E


Ref. No. Colour EAN code Retail Guide Price (£)

36 447 000 Chrome 4005176416293 792.04




Essence E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 laminar spray regulator 5.0 l/min
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
 CE approved
 noise classification 1 in accordance with DIN4109

36 264 001 4005176416279 210.45




Concealed mounting box
 wall installation
 for installation with pre-mixed or cold water
 suitable for IR-sets for final installation
 connection housing for power supply
 suitable for 36 447 000, 36 442 000

38 748 002 Chrome 4005176416323 495.97



Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
 for wall mounted fittings
 suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
 for on-the-wall installations or studded walls
Includes
 wash basin fixing bolts with fixing device for ceramic
 variable distance of fixing bolts
 HT-outlet bend Ø 50 mm
 seal Ø 32 mm
 pre-mounted roughing-in set with protecting block
 fire-proof pipe for laying electronic cables
 installation box with water group, stop valve and flush elbow
 connection with noise protected fitting holder 1/2"
 connecting box for mains supply 230 V
 CE approved
 for installation with pre-mixed or cold water
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001 4005176368974 261.30








Remote control
 for all GROHE one eye infra-red products
 as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared mixers)
 auto flush cycles (infrared mixers)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode activation
 thermal disinfection (infrared mixers)
 detection range (infrared mixers)
 shut off delay (infrared mixers)
 auto flush (infrared mixers)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 service details
 demo mode
 error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

COMMERCIAL FITTINGS

GROHE ESSENCE E


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 388 000		4005176905827	50.37
	Mains adaptor without power supply 36 338 000 (required) to replace battery			
	36 340 000		4005176911385	54.21
	Power extension cable length 3,00 m			
	36 341 000		4005176911392	97.46
	ditto, length 10 m			
	42 393 000		4005176905872	68.26
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	36 338 000		4005176896743	87.38
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

GROHE BLUETOOTH MONITORING



GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 413 000	Chrome	4005176320576	570.75



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves
 and dirt strainers
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection

configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name

service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 409 000	Chrome	4005176320538	470.11



Euroeco Cosmopolitan E Bluetooth Infra-red electronic basin tap 1/2"

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)

rapid installation system

GROHE StarLight finish

GROHE EcoJoy mousseur 5.7 l/min

solenoid valve

dirt strainer

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

thermal disinfection

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 414 000	Chrome	4005176320583	774.28

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
 swivel cast spout 219 mm
 with swivel stop at 130° or fixed
 projection 287 mm
 laminar mousseur 9 l/min
 S-unions
 escutcheon covers for S-unions
 non-return valve
 dirt strainers
 power connection cable 3.0 m
 for use with connection set
 39 383 000
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

39 383 000		4005176356926	54.19
------------	--	---------------	-------


Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
 fitting support
 2 fitting connections DN 15
 power supply connector
 wall installation
 for use with Eurosmart Cosmopolitan E thermostat 230 V



GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 410 000	Chrome	4005176320545	539.78
------------	--------	---------------	--------



Euroeco Cosmopolitan E Bluetooth Infra-red electronic basin tap

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC set for final installation for concealed fitting box 36 336 001/36 337 001

GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min chrome escutcheon and spout projection 172 mm

with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush thermal disinfection cleaning mode

2 on/off timers identification by name

service

send and save 3 profiles reset to factory or user settings hard and software version CE approved noise classification 1 in accordance with DIN4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL FITTINGS




36 337 001		4005176595417	115.00
------------	--	---------------	--------

Euroeco Cosmopolitan E Concealed mounting box

wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve

connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



36 336 001		4005176991769	304.00
------------	--	---------------	--------

Eurosmart Cosmopolitan E Concealed mounting box


with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves

non-return valve suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 412 000	Chrome	4005176320569	608.36



Eurosmart Cosmopolitan E Bluetooth Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001

GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001		4005176595424	210.00
------------	--	---------------	--------




Eurosmart Cosmopolitan E Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 415 000	Chrome	4005176320590	511.66
------------	--------	---------------	--------



Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose for concealed installation box 36 416 001

GROHE StarLight chrome finish

chrome escutcheon

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



36 416 001

4005176595394

594.00

Eurosmart Cosmopolitan E

Concealed control unit

for shower

with integrated pre-adjustable

thermostatic mixer

suitable for infra-red set 36 415 000 and 36 463 000

2 stop valves

non-return valves with filters

connection housing for power supply


with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

37 503 000	Chrome	4005176320507	662.57
------------	--------	---------------	--------



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000**

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days

configuration

detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000		4005176837920	131.61
------------	--	---------------	--------




**GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V**

water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid

functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 504 000	Chrome	4005176320521	828.48



Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with additional manual actuation
GROHE StarLight finish
 front plate 156 x 197 mm
 servo motor

with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days

configuration
 detection range and shut off delay
 auto flush
 cleaning mode

2 on/off timers
 identification by name

service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.




36 340 000	4005176911385	54.21
------------	---------------	-------

Power extension cable
 length 3.00 m

36 341 000	4005176911392	97.46
------------	---------------	-------

ditto, length 10 m




36 338 000	4005176896743	87.38
------------	---------------	-------

Switch mode power supply
 for one eye infra-red wash basin mixer
 switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
 for concealed socket with cover and strain relief
 suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 407 001		4005176368974	261.30
------------	--	---------------	--------



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply










GROHE EUROPLUS E



GROHE EUROPLUS E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 207 001	Chrome	4005176929373	585.13
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 208 001	Chrome	4005176929380	496.65
	ditto, without mixing device			
 	36 015 001	Chrome	4005176929359	507.69
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 016 001	Chrome	4005176929366	437.88
	ditto, without mixing device			
 	36 407 001		4005176368974	261.30
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home) configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			







GROHE EUROPLUS E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 340 000		4005176911385	54.21
	36 341 000		4005176911392	97.46
	<p>Power extension cable length 3.00 m</p> <p>ditto, length 10 m</p>			
	42 393 000		4005176905872	68.26
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			
	42 388 000		4005176905827	50.37
	<p>Mains adaptor without power supply 36 338 000 (required) to replace battery</p>			
	36 338 000		4005176896743	87.38
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			
				
	36 209 000	Chrome	4005176207105	72.04
	<p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish</p>			
	36 133 000	Chrome	4005176140310	22.93
	<p>Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof GROHE StarLight finish</p>			
				

GROHE EUROSMART COSMOPOLITAN E




GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 327 001	Chrome	4005176305771	330.73
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 331 001	Chrome	4005176305795	289.81
	ditto, with pop-up waste set 1 1/4"			
	36 422 000	Chrome	4005176368530	351.27
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 325 001	Chrome	4005176305764	374.97
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN code Retail Guide
Price (£)

36 421 000 Chrome 4005176368523 349.10




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 439 000 Chrome 4005176389740 260.74



Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 330 001 Chrome 4005176305788 352.86




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 324 001	Chrome	4005176305757	532.04
------------	--------	---------------	--------



Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)

for use with displacement water heater

fixed built-in static flow limiter 5 l/min on the hose connection

non-return valve
dirt strainers
flexible connection hoses
with integrated solenoid valve

rapid installation system
7 pre-set programs

auto flush
thermal disinfection
cleaning mode

additional functions and precise settings
by remote control 36 407

CE approved

type of protection faucet IP 59K

min. recommended pressure 1 bar

36 386 001	Chrome	4005176311673	643.19
------------	--------	---------------	--------

Eurosmart Cosmopolitan E

Powerbox

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
including Powerbox self-generating power system

GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses

non-return valve
dirt strainer
rapid installation system


Powerbox

power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power

7 pre-set programs
auto flush

thermal disinfection
cleaning mode

additional functions and precise settings
by remote control 36 407




GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN code Retail Guide Price (£)

36 454 000 Chrome 4005176487774 882.00


Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer with thermostatic temperature control
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
 two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
 laminar mousseur 9 l/min
 non-return valve
 dirt strainers
GROHE SafetyPlus fixed temperature stop
 temperature scale handle with pre-adjustable
 safety stop between 35°C and 41°C (calibration required)
 metal temperature safety stop
 full unmixed hot or cold water in extreme handle position for legionella sampling
 swivel cast spout 219 mm
 projection 287 mm
 swivel range stop at 130°, lockable
 with S-unions, chrome nuts and covers
 self-sealing escutcheons
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109



36 455 000 Chrome 4005176487781 858.00
 ditto, projection 255 mm

36 332 000 Chrome 4005176896682 779.54







Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer with thermostatic temperature control
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)
 two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
 laminar mousseur 9 l/min
 non-return valve
 dirt strainers
 temperature scale handle with
GROHE SafeStop safety stop at 38°C
 (calibration required)
 swivel cast spout 219 mm
 projection 287 mm
 swivel range stop at 130°, lockable
 self-sealing escutcheons
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109



36 333 000 Chrome 4005176896699 765.65
 ditto, projection 255 mm


COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	36 334 SD0	stainless steel	4005176896705	430.29
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 335 SD0	stainless steel	4005176896712	408.15
	<p>ditto, projection 172 mm</p>			
	36 337 001		4005176595417	115.00
	<p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	36 336 001		4005176991769	304.00
	<p>Eurosmart Cosmopolitan E Concealed mounting box with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	36 376 000	Chrome	4005176932243	551.94
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar flow straightener 9 l/min chrome escutcheon chrome spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 339 001 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 315 000	Chrome	4005176896590	463.46
	<p>ditto, projection 172 mm</p>			


GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN code Retail Guide Price (£)



36 339 001 **4005176595424** **210.00**


Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 457 000 **Chrome** **4005176494765** **805.00**


Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with
integrated non return-valve
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

COMMERCIAL
FITTINGS



36 456 000 **Chrome** **4005176494758** **216.00**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109




36 458 000 **4005176494772** **647.00**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve


GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN code Retail Guide Price (£)




36 459 000 **4005176576188** **695.00**

**Eurosmart Cosmopolitan E
Concealed control unit**
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve




47 780 000 **4005176836541** **142.66**

**Rapido T
Extension set 27.5 mm**
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostats with shut-off valve




36 463 000 **Chrome** **4005176576690** **192.00**

**Eurosmart Cosmopolitan E
Infra-red electronic for concealed thermostatic shower**
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



36 464 000 **4005176576706** **582.00**

**Eurosmart Cosmopolitan E
Concealed control unit**
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 416 001 **4005176595394** **594.00**

**Eurosmart Cosmopolitan E
Concealed control unit**
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 407 001		4005176368974	261.30
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000		4005176911385	54.21
	<p>Power extension cable length 3.00 m</p>			
	36 341 000		4005176911392	97.46
	<p>ditto, length 10 m</p>			
	42 393 000		4005176905872	68.26
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			
	42 388 000		4005176905827	50.37
	<p>Mains adaptor without power supply 36 338 000 (required) to replace battery</p>			
 	36 338 000		4005176896743	87.38
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			

GROHE EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 133 000	Chrome	4005176140310	22.93
------------	--------	---------------	-------



Flow restrictor
external thread
M 24 x 1
flow class Z
7.5 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish


GROHE EUROECO COSMOPOLITAN E



GROHE EUROECO COSMOPOLITAN E


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 271 000	Chrome	4005176893193	275.43
-------------------	---------------	----------------------	---------------




Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 269 000	Chrome	4005176893179	297.55
-------------------	---------------	----------------------	---------------



Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 272 000	Chrome	4005176893209	275.43
-------------------	---------------	----------------------	---------------




Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour EAN code Retail Guide
Price (£)

36 384 000 Chrome 4005176982774 607.24




**Euroeco Cosmopolitan E
Powerbox**

infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system

Powerbox

power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407


36 274 000 Chrome 4005176893223 352.85



Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal body
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved


36 273 000 Chrome 4005176893216 361.60



Euroeco Cosmopolitan E

Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109

36 337 001 4005176595417 115.00




**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

COMMERCIAL
FITTINGS


GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour EAN code Retail Guide Price (£)



36 336 001 4005176991769 304.00

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 407 001 4005176368974 261.30

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply



36 340 000 4005176911385 54.21

Power extension cable
length 3.00 m

36 341 000 4005176911392 97.46

ditto, length 10 m



42 393 000 4005176905872 68.26







Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer



42 388 000 4005176905827 50.37

Mains adaptor
without power supply 36 338 000 (required)
to replace battery

GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 338 000		4005176896743	87.38
Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000				
 	36 133 000	Chrome	4005176140310	22.93
Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof GROHE StarLight finish				
 	45 704 000	Chrome	4005176081231	40.93
Flexible connection hose 300 mm 3/8" x 3/8"				

COMMERCIAL
FITTINGS


GROHE BAU COSMOPOLITAN E



GROHE BAU COSMOPOLITAN E


Ref. No. Colour EAN code Retail Guide
Price (£)

36 451 000 Chrome 4005176473678 229.47




Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109

36 452 000 Chrome 4005176473685 213.61










Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109

36 453 000 Chrome 4005176473791 242.16



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109

GROHE BAU COSMOPOLITAN E









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 407 001		4005176368974	261.30
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000		4005176911385	54.21
	<p>Power extension cable length 3.00 m</p>			
	36 341 000		4005176911392	97.46
	<p>ditto, length 10 m</p>			
	42 393 000		4005176905872	68.26
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			
 	36 338 000		4005176896743	87.38
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			

COMMERCIAL
FITTINGS

GROHE GROHTHERM MICRO



GROHE GROHTHERM MICRO







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 487 000	Chrome	4005176936234	131.63
<p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set</p>				
 	47 533 000	Chrome	4005176207181	30.43
<p>Grotherm Micro Connection set for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE StarLight chrome finish</p>				
 	45 704 000	Chrome	4005176081231	40.93
<p>Flexible connection hose 300 mm 3/8" x 3/8"</p>				
 	45 120 000	Chrome	4005176007279	36.52
<p>Flexible pressure hose with compression nut for copper pipe Ø 10 mm coupling nut 3/8" 300 mm</p>				

GROHE GROHTHERM SPECIAL











COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL









Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 667 000	Chrome	4005176351570	277.09
 	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>		
34 725 000	Chrome	4005176457081	344.20
 	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max. temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafetyPlus fixed temperature stop</p>		
34 665 000	Chrome	4005176351556	346.92
 	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>		

GROHE GROHTHERM SPECIAL









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 681 000	Chrome	4005176354090	330.72
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>			
	34 671 000	Chrome	4005176351587	353.43
	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>			
	13 080 000	Chrome	4005176234934	173.94
	<p>Biflo spout length 77 mm GROHE StarLight chrome finish</p>			
	13 137 000	Chrome	4005176234941	173.94
	<p>Cast swivel spout length 115 mm GROHE StarLight chrome finish</p>			

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 666 000	Chrome	4005176351563	307.63
<p>Grotherm Special Thermostat basin mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermostatic element temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>				
 	13 378 000	Chrome	4005176351532	82.90
<p>Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE StarLight finish</p>				
	13 380 000	Chrome	4005176351549	91.63
<p>ditto, length 175 mm</p>				
 	29 094 000	Chrome	4005176354106	211.62
<p>Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
	35 500 000		4005176831522	253.29
<p>GROHE Rapido T thermostatic mixer for concealed installation</p>				
 	29 095 000	Chrome	4005176354113	216.00
<p>Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
	35 500 000		4005176831522	253.29
<p>GROHE Rapido T thermostatic mixer for concealed installation</p>				

GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 096 000	Chrome	4005176354120	174.54
<p>Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
<p>35 500 000 4005176831522 253.29 GROHE Rapido T thermostatic mixer for concealed installation</p>				
 	35 500 000		4005176831522	253.29
<p>GROHE Rapido T Thermostatic mixer for concealed installation for use with Grotherm Special without finishing trim set flat installation depth 70 mm - 95 mm GROHE TurboStat compact cartridge with wax thermoelement two top outlets 1/2", lockable bottom outlet 1/2" - can only be used with separate stopvalve built-in non return valve and dirt strainers min. recommended pressure 1 bar</p>				
	47 979 000		4005176316708	17.00
<p>Non-return valves including screws and O-rings for GROHE QuickFix packaging unit: 2 pieces</p>				
	47 994 000		4005176364723	2.18
<p>Grotherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection</p>				
 	12 051 000	Chrome	4005176213588	40.93
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				

COMMERCIAL FITTINGS











GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 780 000		4005176836541	142.66
	Rapido T Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve			
	47 781 000		4005176836558	164.81
	ditto, for use with bath-thermostats with aquadimmer			
	29 007 000		4005176837678	156.25
	Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000			
	28 874 000	Chrome	4005176042348	73.61
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish			
	28 988 000	Chrome	4005176042805	102.91
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE StarLight chrome finish			
	12 030 000	Chrome	4005176021558	78.86
	Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish			












GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	35 085 000	Chrome	4005176207068	1,927.36
<p>Grotherm XL Thermostat mixer 1" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions for wall mounting GROHE StarLight chrome finish</p>				
 	35 087 000	Chrome	4005176207082	2,244.65
<p>Grotherm XL Thermostat mixer 1 1/4" wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions for wall mounting GROHE StarLight chrome finish</p>				
 	12 411 000	Chrome	4005176004667	114.18
<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 1</p>				
 	12 417 000	Chrome	4005176004681	70.36
<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
	12 420 000	Chrome	4005176004704	103.89
<p>ditto, nut, 1 1/2" x 1 1/4", male thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>				
 	12 424 000	Chrome	4005176004735	90.20
<p>Straight union, male 1 1/4", nut 1 1/2" nut 1 1/2" x 1 1/4" male thread (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
	12 426 000	Chrome	4005176004742	198.23
<p>ditto, nut, 2" x 1 1/2", external thread (for Grotherm XL 1 1/4", 35 087/35 088)</p>				

GROHE GROHTHERM XL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	12 428 000	Chrome	4005176004759	136.16
	Elbow union nut 1 1/4" x 1" male thread (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish			
	12 430 000	Chrome	4005176004766	149.60
	Elbow union nut, 1 1/2" x 1 1/4", male thread (for Grohtherm XL 1 1/4", 35 087/35 088)			
	12 432 000	Chrome	4005176004773	157.82
	Wall union, male 1 1/4" nut 1 1/2" x 1 1/4" male thread projection 125 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish			
	12 444 000	Chrome	4005176004834	196.97
	Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish			
	12 448 000	Chrome	4005176004841	449.14
	Wall union, male 1 1/2" with thermometer nut 2" x 1 1/2" male thread projection 90 mm screw escutcheon GROHE StarLight chrome finish			
	12 436 000	Chrome	4005176004797	161.92
	Wall union, male 1 1/4" without thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish			
	47 569 000	Chrome	4005176214189	383.77
	Loose key and shield			

GROHE GROHTHERM XL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
12 124 000	Chrome	4005176262579	103.89

Mixed water circulation connection
Consisting of:
flexible connection hose
3/4" x 3/4"
90° angle
connecting nipple M45 x 1.5 x 3/4"
for connection to existing circulation pipe
double nipple 1" male thread x 3/4"
for connection to Grohtherm XL
GROHE StarLight chrome finish


GROHE VERTICA EUROSTYLE COSMOPOLITAN



GROHE VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

23 302 000	Chrome	4005176923876	327.43
------------	--------	---------------	--------













Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 adjustable flow rate limiter
 lockable automatic diverter: bath/shower
 lockable spout
 integrated non-return valve
 in the shower outlet 1/2"
 elbow union 45°
 metal wall escutcheons
 optional temperature limiter (46 375 000)
 protected against backflow
 noise classification 1 in accordance
 with DIN4109

GROHE COMMERCIAL SHOWERS













COMMERCIAL
FITTINGS

GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 587 000	Chrome	4005176282966	187.84
	Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
 	28 671 000	Chrome	4005176103070	32.07
	Relexa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish			
 	28 405 000	Chrome	4005176264559	51.42
	Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish			
 	28 406 000	Chrome	4005176264566	51.42
	Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish			
 	28 161 001	Chrome	4005176935107	16.73
	Silverflex Shower hose Twistfree 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging			

GROHE COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 142 000	Chrome	4005176601330	19.62
	Relexaflex Metal Longlife Metal shower hose 1250 1250 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 143 000	Chrome	4005176601347	21.81
	28 143 KS0	velvet black	4005176842252	28.63
	28 143 LS0	moon white	4005176842269	28.63
	ditto, 1500mm hose			
 	28 145 000	Chrome	4005176601354	25.72
	Relexaflex Metal Longlife Metal shower hose 2000 2000 mm material: metal Longlife strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
 	28 002 000	Chrome	4005176858796	186.91
	Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	135.37
	Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	28 094 000	Chrome	4005176601132	51.42
	Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm			

COMMERCIAL FITTINGS









GROHE COMMERCIAL SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 988 000	Chrome	4005176042805	102.91
		<p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE StarLight chrome finish</p>	
28 874 000	Chrome	4005176042348	73.61
		<p>Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish</p>	
28 429 000	Chrome	4005176601910	51.42
		<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>	
28 541 000	Chrome	4005176040528	40.93
		<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>	









GROHE EUROECO SPECIAL



GROHE EUROECO SPECIAL









	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 762 000	Chrome	4005176871023	109.50
	Euroeco Special Basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system, flexible connection hoses			
	32 763 000	Chrome	4005176871030	109.50
	Ditto, with pop up waste set			
	32 765 000	Chrome	4005176871054	231.19
	32 765 000	Chrome	4005176871054	231.19
	Euroeco Special Single-lever basin mixer 1/2" monobloc installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses			
	32 766 000	Chrome	4005176871061	242.23
	Ditto, with pop up waste set			
	23 293 000	Chrome	4005176921148	196.37
	23 293 000	Chrome	4005176921148	196.37
	Euroeco Special Basin mixer 1/2" monobloc installation smooth body high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system			
	30 208 000	Chrome	4005176927836	253.30
	30 208 000	Chrome	4005176927836	253.30
	Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses			

GROHE EUROECO SPECIAL






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 776 000	Chrome	4005176871764	228.31
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions</p>				
 	32 778 000	Chrome	4005176871788	253.30
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 205 mm metal lever lever length 170 mm S-unions</p>				
<p>32 779 000 Chrome 4005176871795 286.49 ditto, with lockable S unions, projection 221 mm</p>				
 	32 770 000	Chrome	4005176871702	225.21
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions</p>				
<p>32 768 000 Chrome 4005176871689 256.06 ditto, with lockable S unions, projection 174 mm</p>				
 	32 767 000	Chrome	4005176871078	275.40
<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions</p>				
<p>32 771 000 Chrome 4005176871719 297.54 ditto, with lockable S unions, projection 214 mm</p>				

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
	32 773 000	Chrome	4005176871733	268.41	
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min projection 257 mm metal lever lever length 170 mm S-unions</p>	32 775 000	Chrome	4005176871757	311.60
	ditto, with lockable S unions, projection 342 mm				
	32 774 000	Chrome	4005176871740	299.27	
	<p>Euroeco Special Basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 274 mm metal lever lever length 170 mm with lockable S-unions</p>	32 772 000	Chrome	4005176871726	259.17
	32 772 000	Chrome	4005176871726	259.17	
	<p>Euroeco Special Single-lever basin mixer wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving</p>	32 780 000	Chrome	4005176871801	106.00
	32 780 000	Chrome	4005176871801	106.00	
	<p>Euroeco Special Single-lever shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve metal lever lever length 120 mm S-unions protected against backflow without shower set</p>				

GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		32 783 000	Chrome	4005176871832	124.55
		<p>Euroeco Special Single-lever bath/shower mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve metal lever lever length 120 mm temperature limiter S-unions protected against backflow without shower set</p>			
		32 784 000	Chrome	4005176871849	131.62
		<p>Euroeco Special Single-lever shower mixer trim set for final installation for without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter</p>			
		33 963 000		4005176128387	92.35
		<p>Single-lever bath/shower mixer 1/2" concealed body</p>			
		33 961 000		4005176119972	303.27
<p>Single-lever mixer 1/2", concealed body</p>					
		33 964 000		4005176128394	93.40
<p>Single-lever shower mixer 1/2" concealed body</p>					
		33 962 000		4005176119989	208.83
<p>Single-lever mixer 1/2", concealed body</p>					
		32 786 000	Chrome	4005176871863	131.63
		<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses</p>			
		33 912 000	Chrome	4005176111969	404.43
		<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout metal lever lever length 120 mm temperature limiter Attention: old product</p>			


COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 787 000	Chrome	4005176871870	129.87
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses			
	32 870 000	Chrome	4005176876523	94.45
	Euroeco Special Lever 115 mm for Euroeco special single-lever mixer GROHE StarLight chrome finish			
	32 871 000	Chrome	4005176876530	110.72
	ditto, length 160 mm			
	46 259 000	Chrome	4005176146046	76.19
	Lever 120 mm GROHE StarLight chrome finish			
	46 257 000	Chrome	4005176146022	86.41
	Lever 170 mm GROHE StarLight chrome finish			
	12 051 000	Chrome	4005176213588	40.93
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12,5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish			
	34 487 000	Chrome	4005176936234	131.63
	Grontherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set			

GROHE EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
47 533 000	Chrome	4005176207181	30.43











**Grotherm Micro
Connection set**
for Grotherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

GROHE HOSPITA



COMMERCIAL
FITTINGS









GROHE HOSPITA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	30 978 000	Chrome	4005176098918	209.04
<p>Hospita Sink pillar tap, 1/2" marking: blue (cold) GROHE StarLight chrome finish</p>				
 	20 025 000	Chrome	4005176099403	124.88
<p>Hospita Pillar tap 1/2" red/blue markers GROHE StarLight chrome finish</p>				
 	45 316 000	Chrome	4005176099267	72.41
<p>Lever marking: blue/red projection 100 mm for use with ceramic headparts GROHE StarLight chrome finish</p>				
 	45 314 000	Chrome	4005176099250	82.90
<p>Lever projection 150 mm marking: blue/red for use with ceramic headparts GROHE StarLight chrome finish</p>				

GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	32 789 000	Chrome	4005176871894	209.06
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses,</p>			
	32 788 000	Chrome	4005176871887	231.17
	Ditto, with pop up waste set			
	32 790 000	Chrome	4005176871900	277.72
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" monobloc installation smooth body high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 823 000	Chrome	4005176877995	342.39
	<p>Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting</p>			
	32 795 000	Chrome	4005176871955	363.91
	<p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions</p>			

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 792 000	Chrome	4005176871924	367.13
	Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions			
	32 793 000	Chrome	4005176871931	382.55
	ditto, projection 256 mm			
	46 277 000		4005176131851	40.93
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	46 278 000		4005176131868	103.89
	Ceramic cartridge for Euroeco special mixer			
	46 686 000	Chrome	4005176883088	27.08
	Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish			
	46 687 000	Chrome	4005176883095	37.09
	Lever 170 mm for Euroeco Special single sequential basin mixer metal, 170 mm GROHE StarLight chrome finish			

COMMERCIAL
FITTINGS





GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 874 000	Chrome	4005176042348	73.61
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE StarLight chrome finish			
 	28 988 000	Chrome	4005176042805	102.91
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE StarLight chrome finish			

GROHE EURODISC SE













GROHE EURODISC SE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 233 000	Chrome	4005176283338	523.65
<p>Eurodisc SE Self-closing basin mixer with mixing device and adjustable temperature limiter 6V lithium battery, type CR-P2 GROHE StarLight chrome finish flexible connection hoses start-stop function self-closing electronic safety stop after 180 sec. Flow time infinitely adjustable from 2-180 sec. Automatic flushing: 5 min after 3 days without use thermal desinfection for 3,5 or 11 min CE approved type of protection faucet IP 59K</p>				
 	36 249 000	Chrome	4005176283345	597.10
<p>Eurodisc SE Self-closing basin tap 1/2" 6V lithium battery, type CR-P2 for cold or premixed water marking: blue (cold) GROHE StarLight chrome finish flexible connection hose dirt strainer rapid installation system start-stop function self-closing electronic safety stop after 180 sec. external access to flow time adjustment Flow time infinitely adjustable from 2-180 sec. Automatic flushing: 5 min after 3 days without use CE approved type of protection faucet IP 59K</p>				
	36 209 000	Chrome	4005176207105	72.04
<p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish</p>				
	42 886 000		4005176200670	40.93
<p>Battery 6V lithium battery, type CR-P2</p>				
 	45 704 000	Chrome	4005176081231	40.93
<p>Flexible connection hose 300 mm 3/8" x 3/8"</p>				

GROHE EUROSMART COSMOPOLITAN T



GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 317 000	Chrome	4005176896514	275.43
<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses, non-return valve dirt strainers</p>				
	36 318 000	Chrome	4005176896521	297.55
<p>36 318 000 Chrome 4005176896521 297.55 Ditto, with pop up waste set</p>				
 	36 319 000	Chrome	4005176896538	462.85
<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min swivel cast spout 200 mm swivel range stop at 130°, lockable 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions, non-return valve dirt strainers</p>				
	36 320 000	Chrome	4005176896545	430.29
 	36 320 000	Chrome	4005176896545	430.29
<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE StarLight chrome finish mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers</p>				
	36 321 000	Chrome	4005176896552	308.59
 	36 321 000	Chrome	4005176896552	308.59
<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body</p>				
	36 322 001		4005176595400	128.00
 	36 322 001		4005176595400	128.00
<p>Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				

GROHE EUROSMART COSMOPOLITAN T

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

36 133 000	Chrome	4005176140310	22.93
------------	--------	---------------	-------



Flow restrictor
external thread
M 24 x 1
flow class Z
7.5 l/min at 3 bar
including disassembly key
theft proof
GROHE StarLight finish

GROHE EUROECO COSMOPOLITAN T



GROHE EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 265 000	Chrome	4005176893131	120.57
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	Chrome	4005176893148	98.43
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow 5.7 l/min flow rate 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				
 	36 316 000	Chrome	4005176896279	32.06
<p>Euroeco Cosmopolitan T Extension, 42 mm for self-closing pillar tap 1/2" (36 266 000) GROHE StarLight chrome finish</p>				
 	36 268 000	Chrome	4005176893162	98.43
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	Chrome	4005176893155	98.45
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				

GROHE SENSIA SHOWER TOILETS





CONTENTS

GROHE Sensia IGS	751
GROHE Sensia Arena	755
Manual bidet seat	761



GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

Comfortable cleaning with pure water – no electricity needed

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES

The two retractable spray arms are protected for extra hygiene.




SPRAY ARM CLEANING FUNCTION

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE SENSIA IGS



39 111 SH0	alpine white	4005176304668	4,843.66
------------	--------------	---------------	----------



GROHE Sensia IGS

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use

GROHE DreamSpray technology:

separate water way for lady spray

aerated shower spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

warm water with adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

Duroplast WC seat and lid with soft close function

push and turn seat control operation

4 programmable user profiles for remote controller

power switch

inside night lighting

hidden water supply and power supply connection

includes:

touchscreen remote control with wall-mounted holder

batteries for remote control

active carbon filter

fixing and connecting material

flush pipe

installation guide, manual

cable with system plug on device

pressure 0.1 - 1 MPa (1 - 10 bar)

nominal voltage 220-240 V AC 1400 W

main frequency 50-60 Hz

type of protection IPX4

complies with EN 1717/13077

CE approved

SH0:

alpine white ceramic, housing, front, seat and lid

39 596 000

4005176527494

333.00

Rapid SLX

Element for WC, 1.13 m installation height with integrated socket and

shower toilet connection

with flushing cistern GD 2, 6 l - 2.6 l

with integrated power socket

ready for shower toilets (water)

small revision shaft for small flush plates

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic



distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set



flushing cistern GD 2, 3 - 6 l, containing following features:

factory set 6 l and 3 l

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from right, back or top

low noise (group I acc. to

German Noise Specification)

fully insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

for vertical use

including flow manager

reduces flow of the flush

prevents overspill in rimless toilets

easy flow regulation via inspection shaft without removing the valves

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of flush plates 156 x 197 mm please order

revision shaft 66 791 000 (sold separately)

GROHE SENSIA IGS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 899 000		4005176413896	38.72
			
Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm			

SHOWER TOILET


GROHE SENSIA ARENA



GROHE SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

39 354 SH1	alpine white	4005176470448	2,764.18
------------	--------------	---------------	----------



GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

soft close

infra-red user detection

seat control operation

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

smart phone app for iOS and Android

includes:

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)

nominal voltage 220-240 V AC

main frequency 50-60 Hz

type of protection IPX4


complies with EN 1717

CE approved

GROHE SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

39 596 000		4005176527494	333.00
------------	--	---------------	--------



**Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection**

with flushing cistern GD 2 , 6 l - 2.6 l


with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

46 944 001		4005176479977	199.00
------------	--	---------------	--------



GROHE Sensia Arena

Installation kit for automatic flush and pre-flush

Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame

Consisting of:

servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved

40 899 000		4005176413896	38.72
------------	--	---------------	-------



Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL installations to

shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

GROHE SENSIA ARENA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 928 000		4005176375484	30.66
	GROHE Sensia Arena Spray for Sensia Arena shower toilet system, wall hung and floor standing standard shower			
	14 929 000		4005176375491	30.66
	GROHE Sensia Arena Spray for Sensia Arena shower toilet system, wall hung and floor standing lady shower			
	14 936 000		4005176375569	41.25
	GROHE Sensia Arena splash protection for Sensia Arena shower toilet system, wall hung and floor standing			
	46 977 00M		4005176423727	49.68
	GROHE Sensia Arena Descaler packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
	46 978 000		4005176423734	49.68
	GROHE Sensia Arena Descaling kit for 39 354 SH0 80 g bag descaler splash protection bottle adapter			
	46 978 001		4005176479984	96.77
	GROHE Sensia Arena Descaling kit for 39 354 SH1 80 g bag descaler bottle adapter hose with clip sticker holder for bottle 1 x spray standard shower (14 928 000) 1 x spray lady shower (14 929 000)			

GROHE SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
46 979 000		4005176423741	20.09
			
GROHE Sensia Arena Descaler bottle for 39 354 SH0 bottle adapter			


SHOWER TOILET

GROHE MANUAL BIDET SEAT



GROHE MANUAL BIDET SEAT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



39 648 SH0	alpine white	4005176575310	247.00
-------------------	---------------------	----------------------	---------------

Bau Ceramic Manual bidet seat
 WC seat with lid
 2 dedicated spray arms (1 for anal area, 1 for lady spray)
 pre- and post-rinsing of spray nozzle with fresh water
 manually operated side handle requires no electricity
 adjustable spray intensity
 Duroplast WC seat and lid with soft close function
 flexible water connection 3/8"
 includes:
 mounting plate
 filter
 pressure 0.1 - 1 MPa (1 - 10 bar)
 complies with EN 1717



39 651 SH0	alpine white	4005176575327	346.00
-------------------	---------------------	----------------------	---------------

Bau Ceramic Manual bidet seat 2-in-1 set wall hung
 Consisting of:
 Bau manual bidet seat soft close (39 648 SH0)
 WC seat with lid
 2 dedicated spray arms (1 for anal area, 1 for lady spray)
 pre- and post-rinsing of spray nozzle with fresh water
 manually operated side handle requires no electricity
 adjustable spray intensity
 Duroplast WC seat and lid with soft close function
 flexible water connection 3/8"

Bau Ceramic wall hung WC (39 427 000)
 for concealed cistern
 wash down
 rimless
 horizontal outlet
 flush volume 6/3 l
 sanitary ware





39 652 SH0	alpine white	4005176575334	470.00
-------------------	---------------------	----------------------	---------------

Bau Ceramic Manual bidet seat 3-in-1 set, wall hung
 Consisting of:
 Bau manual bidet seat soft close (39 648 SH0)
 WC seat with lid
 2 dedicated spray arms (1 for anal area, 1 for lady spray)
 pre- and post-rinsing of spray nozzle with fresh water
 manually operated side handle requires no electricity
 adjustable spray intensity
 Duroplast WC seat and lid with soft close function
 flexible water connection 3/8"

Bau Ceramic wall hung WC (39 427 000)
 for concealed cistern
 wash down
 rimless
 horizontal outlet
 flush volume 6/3 l
 sanitary ware

Grohtherm Micro 34 487 000
 small under-basin thermostat
 thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)



14 074 000		4005176575365	37.00
-------------------	--	----------------------	--------------

Accessory set shower hose and T piece
 for manual bidet seat
 Consisting of:
 T unit 3/8"
 flexible connection hose
 795 mm
 3/8" x 3/8"

GROHE CERAMICS





CONTENTS

Essence	773
Cube Ceramic	783
Euro Ceramic	789
Bau Ceramic	797
Acrylic shower trays	807

FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE
BEAUTY IN ITS PUREST FORM



CUBE CERAMIC
A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE



BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD

STAYS SPARKLING WHITE - NO CHANCE FOR BACTERIA AND DIRT



QUICK RELEASE SEAT

EASY REMOVAL FOR EASY CLEANING



SEAT & COVER SOFT CLOSE

GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMArt
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCUBE



LINEARE















ALLURE













ALLURE
BRILLIANT

GROHE ESSENCE















	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 564 00H	alpine white	4005176485602	275.84
	Essence Wash basin 70 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 12 pieces per pallet			
	39 565 00H	alpine white	4005176485619	254.54
	Essence Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			
	39 566 00H	alpine white	4005176485626	605.99
	Essence Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet			
	39 567 00H	alpine white	4005176485633	435.59
	Essence Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 12 pieces per pallet			
	39 568 00H	alpine white	4005176485640	297.14
	Essence Vanity basin 60 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet			
	39 608 00H	alpine white	4005176566493	579.36
	Essence Vessel basin 60 without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing)			













GROHE ESSENCE











	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
		39 609 00H	alpine white	4005176566509	386.60
<p>Essence Vessel basin 45 without overflow 450 x 450 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		39 570 000	alpine white	4005176484865	158.69
<p>Essence Half pedestal including fixation set sanitary ware 33 pieces per pallet</p>					
		39 571 00H	alpine white	4005176485671	382.34
<p>Essence Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close) 12 pieces per pallet</p>					
		39 572 00H	alpine white	4005176485688	424.94
<p>Essence Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet wash down rimless flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close) 6 pieces per pallet</p>					
		39 573 00H	alpine white	4005176485794	399.38
<p>Essence Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall for concealed cistern rimless flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close) 8 pieces per pallet</p>					

GROHE ESSENCE











	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 578 000	alpine white	4005176485145	243.89
<p>Essence Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 579 000	alpine white	4005176485152	243.89
<p>Essence Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 577 000	alpine white	4005176485138	158.69
<p>Essence WC seat soft close with lid quick release function detachable material: Duroplast including fixation set compatible with all Essence bowls 7 pieces per master carton</p>				
 	39 576 000	alpine white	4005176485121	105.44
<p>Essence WC seat with lid quick release function detachable material: Duroplast including fixation set compatible with all Essence bowls 7 pieces per master carton</p>				
 	39 574 00H	alpine white	4005176485800	382.34
<p>Essence Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet</p>				
 	39 575 00H	alpine white	4005176485817	399.38
<p>Essence Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>				

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 611 000	alpine white	4005176571275	6,501.11
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats</p>			
	39 612 000	alpine white	4005176571282	6,295.30
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with AntiSlip without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats</p>			
	39 613 00H	alpine white	4005176571299	6,634.61
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats</p>			
	39 614 00H	alpine white	4005176571305	6,768.12
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean with AntiSlip without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats</p>			
	39 729 000	alpine white	4005176594991	5,922.30
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set ViEGA Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 728 000	alpine white	4005176594885	6,295.30
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with AntiSlip with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set ViEGA Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 727 00H	alpine white	4005176594878	6,634.61
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 726 00H	alpine white	4005176594861	6,768.12
	<p>Essence Bathtub free standing 180 x 80 cm height 57.5 cm with EasyClean with AntiSlip with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 617 000	alpine white	4005176571312	1,248.10
	<p>Essence Bathtub built-in 180 x 80 cm height 45 cm with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats</p>			
	39 619 000	alpine white	4005176571329	1,376.43
	<p>Essence Bathtub built-in 180 x 80 cm height 45 cm with AntiSlip with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats</p>			
	39 620 00H	alpine white	4005176571336	1,376.43
	<p>Essence Bathtub built-in 180 x 80 cm height 45 cm with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats</p>			

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 621 00H	alpine white	4005176571343	1,503.65
	<p>Essence Bathtub built-in 180 x 80 cm height 45 cm with EasyClean with AntiSlip with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats</p>			
	39 622 000	alpine white	4005176571350	6,220.49
	<p>Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 623 000	alpine white	4005176571367	6,645.31
	<p>Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm with drilled tap hole with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 649 00H	alpine white	4005176571374	6,645.16
	<p>Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm with EasyClean with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	39 650 00H	alpine white	4005176571381	6,780.58
	<p>Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm with EasyClean with drilled tap hole with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	49 113 000 49 113 SH0	Chrome alpine white	4005176571398 4005176571404	2,001.81 2,006.05
Essence Waste set for free standing bathtubs dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation				
 	19 025 000	Chrome	4005176209154	54.19
Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish				
 	19 952 000	Chrome	4005176174230	48.67
Talentofill Inlet, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000				
 	28 943 000		4005176209178	93.40
Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow				
 	28 991 000		4005176174032	187.84
Talentofill Inlet, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set				
	49 115 000	Chrome	4005176571411	100.51
Essence Feet for built-in bathtubs individual height adjustment of each foot GROHE QuickFix system				

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------















49 114 000		4005176571428	166.14
------------	--	---------------	--------

Essence
Sealing system
GROHE QuickFix system
waterproof ETAG 022 DIN 18534













GROHE CUBE CERAMIC











GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 386 00H	alpine white	4005176438356	538.94
<p>Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm wall fixings not included sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet</p>				
 	39 469 00H	alpine white	4005176438363	465.79
<p>Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet</p>				
 	39 473 00H	alpine white	4005176438370	252.03
<p>Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet</p>				
 	39 474 00H	alpine white	4005176438387	235.15
<p>Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet</p>				
 	39 475 00H	alpine white	4005176442599	538.94
<p>Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet</p>				
 	39 476 00H	alpine white	4005176442605	466.92
<p>Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 10 pieces per pallet</p>				

GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 477 00H	alpine white	4005176442612	253.15
<p>Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet</p>				
 	39 478 00H	alpine white	4005176442629	237.40
<p>Cube Ceramic Counter top basin 50 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet</p>				
 	39 481 00H	alpine white	4005176442650	227.27
<p>Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 20 pieces per pallet</p>				
 	39 482 00H	alpine white	4005176442667	201.39
<p>Cube Ceramic Vessel basin 40 without overflow 400 x 400 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 24 pieces per pallet</p>				
 	39 480 00H	alpine white	4005176442643	227.27
<p>Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 18 pieces per pallet</p>				
 	39 479 00H	alpine white	4005176442636	243.02
<p>Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 605 x 490 mm walls fixings not included including fixation set sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 16 pieces per pallet</p>				













GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 490 000	alpine white	4005176442759	237.42
<p>Cube Ceramic Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 including fixation set sanitary ware 24 pieces per pallet</p>				
 	39 488 000	alpine white	4005176442735	174.40
<p>Cube Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set compatible with all Cube Ceramic bowls</p>				
 	39 486 00H	alpine white	4005176442711	369.05
<p>Cube Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 6 pieces per pallet</p>				
 	39 487 00H	alpine white	4005176442728	381.41
<p>Cube Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>				













GROHE EURO CERAMIC













GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 585 00H	alpine white	4005176519178	463.28
<p>Euro Ceramic Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 8 pieces per pallet</p>				
 	39 584 00H	alpine white	4005176519161	358.91
<p>Euro Ceramic Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) 12 pieces per pallet</p>				
 	39 323 000 39 323 00H	alpine white alpine white	4005176407116 4005176417344	102.03 153.63
<p>Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 515 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				
 	39 335 000 39 335 00H	alpine white alpine white	4005176407239 4005176417351	96.32 142.19
<p>Euro Ceramic Wash basin 60 wall hung 1 hole punched with overflow 600 x 480 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				
 	39 641 000	alpine white	4005176570155	228.99
<p>Euro Ceramic Bundle wash basin 60 + Eurosmart basin mixer Consisting of: Euro Ceramic wash basin 60 (39 335 000) Eurosmart basin mixer M-size (23 322 001) TOX mounting set Angle valve 1/2" (22 039 000) P-trap 1 1/4" (28 947 000)</p>				
 	39 642 000 39 642 KW0	alpine white supermatt black	4005176570162 4005176573521	239.64 273.00
<p>Euro Ceramic Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer Consisting of: Euro Ceramic wash basin 60 (39 335 000) Eurosmart Cosmopolitan basin mixer M-Size (23 325 000) TOX mounting set Angle valve 1/2" (22 039 000) P-trap 1 1/4" (28 947 000)</p>				











GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 337 000	alpine white	4005176407253	102.04
	39 337 00H	alpine white	4005176418334	153.65
	<p>Euro Ceramic Counter top basin 60 1 hole punched with overflow 600 x 480 mm wall fixings not included including fixation set sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>			
	39 336 000	alpine white	4005176407246	94.83
	39 336 00H	alpine white	4005176417368	140.46
	<p>Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>			
	39 423 000	alpine white	4005176406201	111.41
	<p>Universal Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware including fixation set</p>			
	39 324 000	alpine white	4005176407123	67.66
	39 324 00H	alpine white	4005176417375	119.26
	<p>Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 400 mm wall fixings not included sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>			
	39 327 000	alpine white	4005176390104	84.84
	39 327 00H	alpine white	4005176418341	136.45
	<p>Euro Ceramic Compact handrinse basin wall hung 1 hole punched 370 x 180 mm wall fixings not included sanitary ware no pedestals recommended optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>			
	39 201 000	alpine white	4005176344947	73.39
	<p>Euro Ceramic Semi pedestal for wash basin 39230, 39335 and 39336 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H</p>			











GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 325 000	alpine white	4005176407130	73.39
<p>Euro Ceramic Semi pedestal for hand rinse basin 39 324 000 invisible fixation set included sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H</p>				
 	39 202 000	alpine white	4005176344954	84.84
<p>Euro Ceramic Full pedestal for wash basin 39230,39335,39336 and 39324 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H</p>				
 	39 328 000 39 328 00H	alpine white alpine white	4005176407161 4005176417382	285.51 337.12
<p>Euro Ceramic Wall hung WC for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>				
 	39 554 000	alpine white	4005176484452	382.35
<p>Euro Ceramic Wall hung WC set horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat soft close quick release function detachable material: Duroplast 4 pieces per pallet</p>				
 	39 206 000 39 206 00H	alpine white alpine white	4005176344992 4005176418495	262.59 314.17
<p>Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>				







GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 693 000	alpine white	4005176581281	354.40
	Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung compact WC (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast 6 pieces per pallet			
	39 538 000	alpine white	4005176468292	223.66
	Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) 12 pieces per pallet			
	39 338 000	alpine white	4005176407260	222.46
	39 338 00H alpine white 4005176418501 274.04 Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)			
	39 332 000	alpine white	4005176407208	205.25
	Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware			
	39 333 000	alpine white	4005176407215	205.25
	Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware			

GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 462 000	alpine white	4005176454608	480.81
	39 462 00H	alpine white	4005176454615	530.29
	<p>Euro Ceramic Floor standing 2 piece WC close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 6/3 l including cistern with bottom inlet, seat and cover soft close and fixation set sanitary ware optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>			
	39 329 000	alpine white	4005176407178	210.91
	39 329 00H	alpine white	4005176418518	262.58
	<p>Euro Ceramic Floor standing WC universal trap for horizontal and vertical outlet wash down rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			
	39 555 000	alpine white	4005176484469	318.41
	<p>Euro Ceramic Floor standing WC set universal trap for horizontal and vertical outlet rimless flush volume 3/5 l including fixation set sanitary ware Euro Ceramic WC seat soft close quick release function detachable material: Duroplast 4 pieces per pallet</p>			
	39 339 000	alpine white	4005176407277	218.24
	39 339 00H	alpine white	4005176418525	269.84
	<p>Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			
	39 330 001	alpine white	4005176468834	102.07
	<p>Euro Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set suitable for all GROHE Euro Ceramic WCs</p>			

GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 331 001	alpine white	4005176468827	72.73
<p>Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set suitable for all GROHE Euro Ceramic WCs</p>				
 	39 208 000 39 208 00H	alpine white alpine white	4005176345029 4005176418532	256.86 308.45
<p>Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				
 	39 340 000 39 340 00H	alpine white alpine white	4005176423697 4005176423703	222.43 274.04
<p>Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: PureGuard anti scale coating and anti bacterial glazing (00H)</p>				








GROHE EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 453 000		4005176421099	21.38
<p>WC connection outlet horizontal 320 mm from wall</p>				
 	39 454 000		4005176421105	21.38
<p>WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall</p>				
 	39 457 000		4005176421112	21.38
<p>WC connection outlet vertical length adjustable 93.5 to 137 mm from wall</p>				
 	49 532 000		4005176474224	10.11
<p>Escutcheon for 39 457 000</p>				
 	39 551 000		4005176469640	65.63
<p>WC connection outlet vertical length adjustable 200 to 250 mm from wall</p>				
	49 522 000		4005176421501	25.88
<p>Mounting set for Euro Ceramic cistern 39 333 000 for back inlet installation</p>				









GROHE BAU CERAMIC















GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 420 000	alpine white	4005176405983	72.01
	Bau Ceramic Wash basin 65 wall hung 1 hole punched with overflow 646 x 468 mm wall fixings not included sanitary ware			
	39 421 000	alpine white	4005176428906	66.39
	Bau Ceramic Wash basin 60 wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware			
	39 644 000	alpine white	4005176570186	174.67
	Bau Ceramic Bundle wash basin 60 + BauFlow basin mixer Consisting of: Bau Ceramic wash basin 60 (39 421 000) wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware BauFlow single-lever basin mixer S-size (23 751 000) monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses Mounting set brand: TOX hanger bolts M10 x 140 Angle valve 1/2" (22 039 000) self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight chrome finish P-trap 1 1/4" (28 947 000) for basins wall connection escutcheon			
	39 440 000	alpine white	4005176405976	60.75
	Bau Ceramic Wash basin 55 wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware			













GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 643 000	alpine white	4005176570179	190.64
	<p>Bau Ceramic Bundle wash basin 55 + BauEdge basin mixer Consisting of: Bau Ceramic wash basin 55 (39 440 000)) wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware</p> <p>BauEdge single-lever basin mixer M-size (23 759 000) monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p> <p>Mounting set brand: TOX hanger bolts M10 x 140</p> <p>Angle valve 1/2" (22 039 000) self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight chrome finish</p> <p>P-trap 1 1/4" (28 947 000) for basins wall connection escutcheon</p>			
	39 422 000	alpine white	4005176406195	111.41
	<p>Bau Ceramic Counter Drop-in basin 55 built-in 1 hole punched with overflow 560 x 400 mm fixings included sanitary ware</p>			
	39 423 000	alpine white	4005176406201	111.41
	<p>Universal Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware including fixation set</p>			
	39 424 000	alpine white	4005176406218	60.75
	<p>Bau Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 453 x 354 mm wall fixings not included sanitary ware</p>			












GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 426 000	alpine white	4005176406232	66.40
<p>Bau Ceramic Half pedestal including fixation set sanitary ware suitable to all Bau Ceramic wash basins except 39 424 000</p>				
 	39 425 000	alpine white	4005176406225	60.75
<p>Bau Ceramic Full pedestal including fixation set sanitary ware</p>				
 	39 427 000	alpine white	4005176406249	111.39
<p>Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
 	39 491 000	alpine white	4005176449994	78.00
<p>Bau Ceramic Wall hung WC for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close) 16 pieces per pallet</p>				
 	39 428 000	alpine white	4005176406256	128.26
<p>Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
 	39 349 000	alpine white	4005176449659	139.51
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				









GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 429 000	alpine white	4005176406263	139.51
<p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
 	39 436 000	alpine white	4005176406331	111.38
<p>Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware</p>				
 	39 437 000	alpine white	4005176406348	111.38
<p>Bau Ceramic Exposed flushing cistern connection from the left/right hand side including flushing set & button sanitary ware</p>				
 	39 430 000	alpine white	4005176406270	94.52
<p>Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware</p>				
 	39 431 000	alpine white	4005176406287	94.52
<p>Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware</p>				
 	39 492 000	alpine white	4005176450013	43.89
<p>Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls</p>				





GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 493 000	alpine white	4005176450020	88.91
<p>Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls</p>				
 	39 433 000	alpine white	4005176406300	190.15
<p>Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware</p>				
 	39 432 000	alpine white	4005176406294	190.13
<p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware</p>				
 	39 438 000	alpine white	4005176406355	212.65
<p>Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000</p>				
 	39 439 000	alpine white	4005176406362	212.65
<p>Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately</p>				
	39 732 000		4005176595431	44.96
<p>Urinal trap horizontal trap Ø 50 mm flush volume 2 - 4 l middle inlet and outlet 80 mm for Bau Ceramic urinals 39 438 000 and 39 439 000 material: plastic</p>				

GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 351 000	alpine white	4005176450006	190.14
	Bau Ceramic Wall hung WC set WC seat and lid with soft close feature for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware			
 	39 497 000	alpine white	4005176450068	143.78
	Bau Ceramic Wall hung WC set WC seat and lid for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware 12 pieces per pallet			
 	39 347 000	alpine white	4005176449680	302.65
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with horizontal outlet (39 428 000) wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set			
 	39 346 000	alpine white	4005176449673	313.90
	Bau Ceramic Bundle close coupled WC Consisting of: Bau Ceramic floor standing toilet with vertical outlet (39 429 000) wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware Bau Ceramic exposed flushing cistern (39 437 000) connection from the left/right hand side including flushing set & button sanitary ware Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set			

GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 496 000	alpine white	4005176450051	314.82
	<p>Bau Ceramic Bundle close coupled WC Consisting of:</p> <p>Bau Ceramic floor standing toilet with horizontal outlet (39 349 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware</p> <p>Bau Ceramic exposed flushing cistern (39 494 000) connection from the left/right hand side including flushing set & button sanitary ware</p> <p>Bau Ceramic WC seat (39 493 000) with lid soft close quick release function detachable material: Duroplast including fixation set 4 pieces per pallet</p>			
	39 648 SH0	alpine white	4005176575310	247.00
	<p>Bau Ceramic Manual bidet seat WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity adjustable spray intensity Duroplast WC seat and lid with soft close function flexible water connection 3/8" includes: mounting plate filter pressure 0.1 - 1 MPa (1 - 10 bar) complies with EN 1717</p>			
	39 651 SH0	alpine white	4005176575327	346.00
	<p>Bau Ceramic Manual bidet seat 2-in-1 set wall hung Consisting of: Bau manual bidet seat soft close (39 648 SH0) WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity adjustable spray intensity Duroplast WC seat and lid with soft close function flexible water connection 3/8"</p> <p>Bau Ceramic wall hung WC (39 427 000) for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware</p>			

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

39 652 SH0	alpine white	4005176575334	470.00
------------	--------------	---------------	--------





Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
 Consisting of:
 Bau manual bidet seat soft close (39 648 SH0)
 WC seat with lid
 2 dedicated spray arms (1 for anal area, 1 for lady spray)
 pre- and post-rinsing of spray nozzle with fresh water
 manually operated side handle requires no electricity
 adjustable spray intensity
 Duroplast WC seat and lid with soft close function
 flexible water connection 3/8"

Bau Ceramic wall hung WC (39 427 000)
 for concealed cistern
 wash down
 rimless
 horizontal outlet
 flush volume 6/3 l
 sanitary ware

Grotherm Micro 34 487 000
 small under-basin thermostat
 thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)

14 074 000		4005176575365	37.00
------------	--	---------------	-------



Accessory set shower hose and T piece
 for manual bidet seat
 Consisting of:
 T unit 3/8"
 flexible connection hose
 795 mm
 3/8" x 3/8"









GROHE BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 453 000		4005176421099	21.38
<p>WC connection outlet horizontal 320 mm from wall</p>				
 	39 454 000		4005176421105	21.38
<p>WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall</p>				
 	39 457 000		4005176421112	21.38
<p>WC connection outlet vertical length adjustable 93.5 to 137 mm from wall</p>				
 	49 532 000		4005176474224	10.11
<p>Escutcheon for 39 457 000</p>				
 	39 551 000		4005176469640	65.63
<p>WC connection outlet vertical length adjustable 200 to 250 mm from wall</p>				











GROHE ACRYLIC SHOWER TRAYS



GROHE ACRYLIC SHOWER TRAYS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 300 000	alpine white	4005176346026	245.32
	<p>Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083 20 pieces per pallet</p>			
	39 301 000	alpine white	4005176346033	180.84
	<p>Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081 20 pieces per pallet</p>			
	39 302 000	alpine white	4005176346040	173.43
	<p>Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080 20 pieces per pallet</p>			
	39 305 000	alpine white	4005176346071	306.67
	<p>Acrylic shower tray 800 x 1200 dimensions: 800 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014413 recommended Schedel installation set SD 90084 20 pieces per pallet</p>			

GROHE ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 306 000	alpine white	4005176346088	199.86
		<p>Acrylic shower tray 800 x 1000 dimensions: 800 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014412 recommended Schedel installation set SD 90082 20 pieces per pallet</p>	
39 307 000	alpine white	4005176346095	438.85
		<p>Acrylic shower tray 900 x 1400 dimensions: 900 x 1400 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150181) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014415 recommended Schedel installation set SD 90086 20 pieces per pallet</p>	
39 308 000	alpine white	4005176346101	377.51
		<p>Acrylic shower tray 900 x 1200 dimensions: 900 x 1200 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA mounting frame SF (# 150183) extension set MR SF (# 150194) height adjustment easy lift (# 150193) wall rails for shower trays (# 190032) rim sealing (# 180040) recommended Poresta installation set # 17014414 recommended Schedel installation set SD 90085 20 pieces per pallet</p>	
49 533 000	Chrome	4005176478475	31.31
49 533 SH0	alpine white	4005176560033	48.00
		<p>Waste set for universal shower tray Ø 112 mm vertical outlet GROHE StarLight chrome finish flow rate 1.1 l/s according to DIN EN 274</p>	
49 534 000	Chrome	4005176478482	31.31
49 534 SH0	alpine white	4005176560040	48.00
		<p>Waste set for universal shower tray Ø 112 mm horizontal outlet GROHE StarLight chrome finish flow rate 0.7 l/s (42 l/min) according to DIN EN 274</p>	

GROHE INSTALLATION SYSTEMS





CONTENTS

Rapid SLX	Rapid SLX	813
Rapid SL	Rapid SL for WC	817
	Rapid SL for Urinal	831
	Rapid SL for Wash Basin and Bidet	835
	Rapid SL for the Disabled	839
	Rapid SL Fitting Supports	843
	Rapid SL Accessories	845



GROHE RAPID SLX



GROHE RAPID SLX

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

39 596 000		4005176527494	333.00
------------	--	---------------	--------



Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

with flushing cistern GD 2 , 6 l - 2.6 l



with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:

factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 603 000	Chrome	4005176527562	391.00
------------	--------	---------------	--------




Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l

Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including flow manager


GROHE RAPID SLX

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

39 598 000		4005176527517	350.00
------------	--	---------------	--------



Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
 Consisting of:
 Rapid SLX element for WC (39 596 000) with integrated power socket
 Rapid SL front wall brackets (38 558 00M)
 WC set for noise protection (37 131 000)
 including flow manager



GROHE RAPID SL FOR WC



GROHE
StarLight




GROHE
EcoJoy



GROHE
Whisper

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



39 374 KS0	velvet black	4005176344770	698.17
-------------------	---------------------	----------------------	---------------

Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover


HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

Set for noise protection

including accessory for mounting glass plate and WC ceramic



39 374 LS0	moon white	4005176344787	698.17
-------------------	-------------------	----------------------	---------------

Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish


Set for noise protection

including accessory for mounting glass plate and WC ceramic

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 528 001		4005176863943	286.47
------------	--	---------------	--------



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l

for on-the-wall installations or studed walls
powder coated steel frame, self-supporting
TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

water supply from left/right or back

Insulated against condensation

1/2" water supply connection including integrated









angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order

revision shaft 40 911 000 (sold separately)


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 500 000	Chrome	4005176453861	264.57
<p>Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M) WC set for noise protection (37 131 000)</p>				
 	38 827 000	Chrome	4005176870477	419.21
<p>Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)</p>				
 	38 750 001	Chrome	4005176863363	398.20
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) Rapid SL front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)</p>				
 	38 860 000	Chrome	4005176878084	374.99
<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan flush plate, chrome (38 765 000) GROHE Fresh retrofit set (38 796 000) Rapid SL front wall brackets (38 558 00M)</p>				

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------


38 888 000	Chrome	4005176879630	430.26
------------	--------	---------------	--------



Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l

Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)


38 885 000	Chrome	4005176879609	419.19
------------	--------	---------------	--------



Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l

Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)


39 501 000	Chrome	4005176453878	372.74
------------	--------	---------------	--------



Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l

Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates









39 503 000	Chrome	4005176454097	372.70
------------	--------	---------------	--------



Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l


Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
Rapid SL front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 504 000	Chrome	4005176454103	372.74
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height flushing cistern GD 2, 6 - 3 l Consisting of: Rapid SL element for WC (38 528 001) Arena Cosmopolitan S flush plate, chrome (37 624 000) Rapid SL front wall brackets (38 558 00M) including revision shaft 40 911 000 for mounting of small flush plates</p>			
	39 581 000	Chrome	4005176496011	372.74
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan S flush plate, chrome (37 601 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M)</p>			
	38 719 001	alpine white	4005176863448	214.00
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 840 000) Skate Air flush plate, alpine white, vertical installation (38 505 SH0) Rapid SL front wall brackets (38 558 00M) including adapter 38 338 000</p>			
	38 721 001	Chrome	4005176863431	359.00
	<p>Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) Rapid SL front wall brackets (38 558 00M)</p>			


GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




38 722 001	alpine white	4005176863424	343.00
------------	--------------	---------------	--------

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
 Rapid SL front wall brackets (38 558 00M)




38 772 001	Chrome	4005176863288	374.97
------------	--------	---------------	--------

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 Rapid SL front wall brackets (38 558 00M)



38 761 000	Chrome	4005176841620	397.09
------------	--------	---------------	--------









Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Skate Air flush plate, chrome, horizontal installation (38 506 000)
 Rapid SL front wall brackets (38 558 00M)



38 773 000	Chrome	4005176850288	397.10
------------	--------	---------------	--------

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 Rapid SL front wall brackets (38 558 00M)


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 868 000	Chrome	4005176878091	397.09
	<p>Rapid SL 3-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Nova Cosmopolitan flush plate, chrome (38 765 000) Rapid SL front wall brackets (38 558 00M)</p>			
	38 764 001	alpine white	4005176863301	238.92
	<p>Rapid SL 2-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, alpine white, vertical installation (38 505 SH0)</p>			
	38 947 000		4005176911217	379.00
	<p>Rapid SL 2-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 525 001) Rapid SL front wall brackets (38 558 00M)</p>			
	38 948 000		4005176911224	374.99
	<p>Rapid SL 2-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l Consisting of: Rapid SL element for WC (38 526 000) Rapid SL front wall brackets (38 558 00M)</p>			

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 536 001		4005176863929	308.58
------------	--	---------------	--------




Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require
 additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply from left/right or back
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

38 539 001		4005176863912	240.04
------------	--	---------------	--------



Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 with fixed connections
 quick adjustment, lockable
 fixing material
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require
 additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
 factory set 6 l and 3 l
 pneumatic discharge valve offering 2 modes of
 operation: dual flush or single flush
 water supply from left/right or back
 low noise (group I acc. to
 German Noise Specification)
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union
 no tools required for the installation
 of the inspection shaft incl. protection
 during construction phase
 inspection shaft for vertical or horizontal use
 allows for flush plate to be installed vertically or horizontally.


including wall brackets 38 558 00M for on-the-wall installation
 including WC set for noise protection (37 131 000)
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 680 001		4005176863509	397.08
------------	--	---------------	--------




Rapid SL
Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 2.6 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 with fixed connections
 quick adjustment, lockable
 fixing material
 NF approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 PVC outlet bend 100 mm
 spacer Ø 80 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l
 pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
 water supply from left/right or back
 low noise (group I acc. to German Noise Specification)
 Insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 no tools required for the installation
 of the inspection shaft incl. protection during construction phase
 inspection shaft for vertical or horizontal use
 allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 675 001		4005176863516	308.61
------------	--	---------------	--------




Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width with flush cistern 6 - 3 l

for WC bowls 70 cm projection
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set
 Insulated against condensation
 1/2" water supply connection including integrated angle valve and push fit flexible hose union
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 994 000		4005176932335	352.85
------------	--	---------------	--------




Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
 element width 0.62 m
 for small, narrow bathrooms
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 PP reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
 water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
 for mounting of small flush plates please order
 revision shaft 40 949 000 (sold separately)

38 995 000		4005176932342	363.92
------------	--	---------------	--------




Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m finished installation height
 for small, narrow bathrooms
 variable element width 0.70 – 1.20 m
 for on-the-wall installation
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 PP reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top
 water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation

38 525 001		4005176863967	352.86
------------	--	---------------	--------



Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 WC ceramics with small bearing area (< 205 mm) require
 additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
 water supply from left/right or back
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
 for mounting of small flush plates please order revision shaft 40 950 000 (sold
 separately)


GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 526 000		4005176291050	352.86
	<p>Rapid SL Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TÜV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
	40 899 000		4005176413896	38.72
	<p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p>			
 	38 558 00M		4005176291418	26.41
 	42 333 000		4005176845888	14.59
 	42 327 000		4005176838705	12.49
	<p>PP-outlet bend Ø 90 mm variable depth adjustment</p>			

GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

42 946 000		4005176153655	30.17
------------	--	---------------	-------



Elbow
made of PE
Ø 80/100 mm


GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 786 001		4005176864025	319.00
------------	--	---------------	--------




Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
 for on-the-wall installations or studded walls
 height adjustable fitting connections
 HT-outlet bend Ø 50 mm
 fixing bolts M8, with fixing device
 for the ceramic
 inlet connection and inlet connecting set
 water group with stop valve
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 flush aid
 functional unit checked ex factory
 water supply connections 1/2" outer thread
 connecting box for mains supply 230 V
 installation box with gasket
 inspection shaft incl. protection during
 construction phase
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 803 001		4005176864049	334.04
------------	--	---------------	--------



Rapid SL
Element for urinal with infra-red electronic
 with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 for dry-cladding, completely pre-assembled
 height adjustable fitting connections
 quick adjustment, lockable
 fixing material
 TÜV approved
 HT-outlet bend Ø 50 mm
 inlet connection and inlet connecting set
 fixing bolts M8, with fixing device
 for the ceramic
 water group with stop valve
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 flush aid
 functional unit checked ex factory
 water supply connections 1/2" outer thread
 connecting box for mains supply 230 V
 installation box with gasket
 inspection shaft incl. protection during
 construction phase
 including wall brackets 38 558 00M for on-the-wall installation


39 376 000		4005176342998	235.65
------------	--	---------------	--------



Rapid SL
Element for urinal with temperature sensor
 with roughing-in set for T sensor
1.13 and 1.30 m installation height
 for on-the-wall installations or studded walls
 height adjustable fitting connections
 HT-outlet bend Ø 50 mm
 fixing bolts M8, with fixing device
 for the ceramic
 inlet connection and inlet connecting set
 box for concealed installation
 including roughing-in box
 water group with stop valve and
 flush elbow
 for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold
 separately)
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 558 00M		4005176291418	26.41




Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE RAPID SL FOR WASH BASIN AND BIDET



GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN code Retail Guide Price (£)




38 554 001 **4005176863806** **131.62**

Rapid SL
Element for wash basin, single hole installation with noise protection

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
 - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001 **4005176863783** **116.13**


Rapid SL
Element for wash basin, single hole installation

1.13 m finished installation height
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable
- fixing material
- TÜV approved

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 748 002 **Chrome** **4005176416323** **495.97**


Rapid SL
Element for wash basin with roughin-in set for infra-red electronic

for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
 - pre-mounted roughing-in set with protecting block
 - fire-proof pipe for laying electronic cables
 - installation box with water group, stop valve and flush elbow
 - connection with noise protected fitting holder 1/2"
 - connecting box for mains supply 230 V
 - CE approved
 - for installation with pre-mixed or cold water
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 546 000 **4005176291289** **299.00**

Rapid SL
Element for wash basin, for wall mounted fittings

1.30 m installation height
for on-the-wall installations or studded walls


- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable
- fixing material
- TÜV approved

Includes

- wash basin fixing bolts with fixing device for ceramic
 - variable distance of fixing bolts
 - HT-outlet bend Ø 50 mm
 - seal Ø 32 mm
 - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN code Retail Guide Price (£)





38 541 000 4005176291234 209.06

Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height

for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 553 001 4005176863813 303.09

Rapid SL
Element for bidet, 1.13 m installation height


vertical support for ceramics with small bearing area (< 205 mm)

for on-the-wall installations or studded walls

height adjustable fitting connections

Includes:

bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 545 000 4005176291272 292.01



Rapid SL
Element for bidet, 1.00 m installation height

for on-the-wall installations or studded walls

height adjustable fitting connections

Includes:

bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 543 000 4005176291258 294.75


Rapid SL
Element for bidet, 0.82 m installation height

for on-the-wall installations or studded walls

height adjustable fitting connections

Includes:

bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 558 00M 4005176291418 26.41

Rapid SL
Front wall brackets

for against-the-wall installations

for fixing the elements at the brick-wall

or in front of the studded wall

adjustment from 130 - 230 mm

2 pieces

GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

Ref. No.

Colour


EAN code

Retail Guide
Price (£)

38 559 001

4005176863776

168.75



Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled

0.31 m wide

powder coated steel frame

waterproof plywood

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

37 998 000		4005176262586	109.50
------------	--	---------------	--------






Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"

GROHE RAPID SL ACCESSORIES






GROHE RAPID SL ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 558 00M		4005176291418	26.41
		Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces	
38 629 000		4005176293191	55.29
		Rapid SL Flush pipe extension for floor constructions from 200 up to 350 mm fixing material not suitable for project elements	
38 733 000		4005176837289	32.05
		Rapid SL Xtra wall brackets, flexible placing for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces	
38 562 001		4005176863752	98.44
		Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135°	
38 779 000		4005176855306	103.89
		Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)	
37 131 000		4005176144585	39.95
		Set for noise protection for WC sound insulation 2 rubber pipes	

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 397 000		4005176906855	11.54
	Connecting hose			
	42 766 000		4005176222115	12.59
	Distance pipe 3"			
 	38 338 000		4005176286179	29.24
	Water supply pipe connector			
 	40 911 000		4005176416132	11.95
	Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13 m cisterns			
 	40 950 000	Chrome	4005176478994	16.95
	Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height			
 	40 949 000	Chrome	4005176477881	22.00
	Inspection shaft for small flush plates for combination with 80 mm cistern			

GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	66 791 000		4005176866562	15.64
	43 617 000		4005176841163	72.41
	42 216 000		4005176803185	19.94

Inspection shaft
for combination with Rapid SLX cisterns

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

PVC waste bend
diameter 90/100 mm

GROHE
FLUSHING SYSTEMS





CONTENTS

WC	Flushing Cisterns	853
	Accessories for Flushing Cisterns	857
	WC Flush Valves	867
	Electronic Actuators for WC	873
Urinal	Electronic Actuators for Urinal	877
	Urinal Flush Valves	883


GROHE FLUSHING CISTERNS



GROHE FLUSHING CISTERNS


Ref. No. Colour EAN code Retail Guide Price (£)

37 762 SH0 alpine white 4005176213250 72.41




Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side

37 945 SH0 alpine white 4005176256387 72.41




Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right

37 791 SH0 alpine white 4005176217241 166.85



Flushing cistern for WC 6 l / 3 l
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of PS
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
with isolation valve 1/2"
copper pipe
mounting template
flush pipe bend
WC inlet connector


38 661 000 4005176294907 164.82



WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE FLUSHING CISTERNS


Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



38 987 000		4005176924798	110.62
-------------------	--	----------------------	---------------


WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets

flush pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)




38 863 000		4005176832345	131.62
-------------------	--	----------------------	---------------

Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with plaster base coating made of vinyl fleece
with push fit flexible hose union
with isolation valve 1/2"
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)



38 422 000		4005176275203	175.88
-------------------	--	----------------------	---------------

Flushing cistern for WC
6 l / 3 l
0.82 m finished installation height
front/top actuation
water supply from left/right or back
Insulated against condensation
415 x 140 x 360 mm
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow









38 691 000		4005176815454	175.88
-------------------	--	----------------------	---------------

Eau2
WC Flushing cistern 0.82 m
6 l / 3 l, Dual Flush
water supply from left/right or back
with angle stop valve 1/2" and flush pipe
fixing brackets
min. recommended pressure 0.2 bar

air button
front/top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360° orientation
GROHE EcoJoy technology for less water and perfect flow











GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	39 053 000		4005176935978	76.31
	Concealed flushing cistern 6 l / 3 l Dual Flush water supply from bottom min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	39 054 000		4005176936289	76.31
	Concealed flushing cistern 6 l / 3 l Dual Flush min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18 -24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	39 056 000	Chrome	4005176936302	19.94
	Round push button actuation Ø 50 mm with Eco button in combination with bath furniture for combination with flushing cistern 39 053 000 & 39 054 000 for walls 18 -24 mm thickness GROHE StarLight chrome finish			








GROHE ACCESSORIES FOR FLUSHING CISTERNS



GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 095 000		4005176145124	30.43
	Filling valve 3/8" universal application			
	37 093 000		4005176145070	40.93
	ditto, but with stand pipe for bottom inlet			
	37 092 000		4005176145049	34.84
	ditto, with adaptor			
 	43 537 000		4005176157653	40.93
	Filling valve for concealed flushing cisterns 6 l			
 	42 181 000		4005176286872	40.93
	Filling valve 1/2"			
 	42 297 P10	matt chrome/chrome	4005176832048	65.28
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid GROHE EcoJoy technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	42 253 000		4005176814532	61.91
	Dual Flush discharge valve			
	43 907 P10	matt chrome/chrome	4005176177545	82.90
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE StarLight chrome finish **) max. shortening 100 mm			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 078 P10	matt chrome/chrome	4005176160783	82.75
<p>Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE StarLight chrome finish</p> <p>***) max. shortening 100 mm</p>				
 	37 088 P10	matt chrome/chrome	4005176149672	51.42
<p>Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material GROHE StarLight chrome finish</p>				
	37 085 P10	matt chrome/chrome	4005176149641	51.42
<p>ditto, with push button for lid hole Ø 40 mm</p>				
 	37 100 SH0	alpine white	4005176142093	19.94
<p>Flush pipe 390 x 350 mm</p>				
	43 536 000		4005176157646	8.24
<p>Valve head</p> 				
	43 733 000		4005176158926	9.44
<p>Membrane filling valve</p> 				
	43 758 00M		4005176159121	40.93
<p>ditto, 10 pieces per set</p>				
	42 271 00M		4005176820588	50.79
<p>Nipple multi-packaging: 10 pieces</p> 				

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 099 K00	black	4005176142086	30.74
<p>Flush pipe for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug</p>				
 	38 735 000		4005176837500	54.19
<p>Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE EcoJoy technology for less water and perfect flow</p>				
 	38 736 000		4005176837517	43.15
<p>Dual flush valve set for flushing cistern GD 2 / Rapid SL 1.13 m only 6 l / 3 l dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation</p>				
 	42 320 000		4005176837487	61.91
<p>Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l / 3 l without valve seat without actuation</p>				
 	42 137 000		4005176259524	19.94
<p>Servo discharge valve</p>				
 	43 486 000		4005176157158	51.42
<p>Servo discharge valve 50 pieces per carton</p>				









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	42 774 000		4005176221590	61.91
	Waste pneumatic			
	42 233 000	Chrome	4005176300653	19.94
	Connecting hose			
 	43 908 000		4005176160257	19.94
	Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm			
 	37 311 K00	black	4005176160851	19.94
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts			
 	37 489 000		4005176167386	9.44
	Flush pipe extension length 200 mm			
	43 352 000		4005176832413	9.44
	Ditto, length 300 mm without connector 37 119 000			
 	37 104 K00	black	4005176160844	19.94
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long			









GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 105 K00	black	4005176141904	19.94
<p>Flush pipe extension length 300 mm</p>				
 	37 115 PI0	matt chrome/chrome	4005176172571	9.44
<p>Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish</p>				
	37 117 PI0	matt chrome/chrome	4005176172588	9.44
<p>Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish</p>				
 	37 119 000		4005176144370	4.09
<p>Connector Ø 55 mm</p>				
 	37 125 000	Chrome	4005176144059	6.40
<p>Dummy plug and escutcheon cap for ceramic flushing cisterns lid hole Ø 40 mm GROHE StarLight chrome finish</p>				
 	42 327 000		4005176838705	12.49
<p>PP-outlet bend Ø 90 mm variable depth adjustment</p>				





GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	42 333 000		4005176845888	14.59
4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2				
 	42 946 000		4005176153655	30.17
Elbow made of PE Ø 80/100 mm				
 	37 131 000		4005176144585	39.95
Set for noise protection for WC sound insulation 2 rubber pipes				
	42 773 000		4005176221583	15.84
Valve seat for concealed cisterns, DF				
	42 315 000		4005176835643	11.54
Valve seat for GD2				
	43 542 000		4005176157714	19.94
Valve seat with o-ring valve seat for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m finished installation height (from 02.97) for Variella Compact Ø 41 mm				

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 545 000		4005176157745	19.94
	Valve seat with o-ring for concealed flushing cisterns 6 - 9 l / 6 l 0.82 m finished installation height (till 20.97) for Variella Compact Ø 55 mm			
 	43 535 000		4005176157639	3.15
	Push bar 350 mm for Servo discharge valve 350 mm			
 	43 540 000		4005176157691	9.44
	Pop-up rod for Servo discharge valve 451 mm			
	43 544 000		4005176157738	9.44
	Outlet piston			
	43 722 000		4005176158810	11.54
	Set of seals			
	43 734 000		4005176158933	9.44
	Lever			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 735 000		4005176158940	2.41
	Screw cap			
	43 745 000		4005176158995	9.44
	Sealing washer			
	43 770 00M		4005176159244	9.44
	Sealing washer multi-packaging: 10 pieces			
	43 976 000		4005176164781	9.44
	Lever			
	42 242 000		4005176804977	12.59
	4" outlet adaptor for Rapid SL			
	42 075 000		4005176244919	8.34
	Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary			

GROHE ACCESSORIES FOR FLUSHING CISTERNS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------





42 300 000

4005176832079

30.43

Flow restrictor
reduces flow rate
for flushing cistern GD 2 / Rapid SL 1.13 m only
installation in valve seat
to eliminate water splashes coming out of the bowl



38 714 000

4005176828454











14.59

WC wall plate extension set 70 mm
with pneumatic discharge valve

GROHE WC FLUSH VALVES



GROHE WC FLUSH VALVES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	209.07
<p>Rondo A.S. Flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l / 3 l with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>				
 	37 141 000	Chrome	4005176143113	104.54
<p>DAL-Full-automatic flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>				
 	37 139 000	Chrome	4005176143083	87.38
<p>DAL-Automatic flush valve for WC 3/4" brass GROHE StarLight chrome finish for wash-down and wash-out bowls with flow rate adjustment</p>				
 	37 132 000	Chrome	4005176144608	18.94
<p>Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm</p>				
 	37 133 000		4005176144622	31.27
<p>Inlet adaptor for corner installation 3/4"</p>				

GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 107 000	Chrome	4005176141713	46.07
<p>Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	37 112 000		4005176141911	71.51
<p>Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p>				
 	37 108 000	Chrome	4005176141720	39.36
<p>Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	37 114 000	Chrome	4005176141935	18.94
<p>Flush pipe extension Ø 28 x 26 mm 260 mm brass</p>				
 	37 135 000		4005176144653	6.04
<p>Connector Ø 55 mm for flush valve to pedestal WC</p>				


GROHE WC FLUSH VALVES

Ref. No. Colour EAN code Retail Guide Price (£)




37 153 000 4005176142864 282.29

Flush valve for WC
concealed installation
3/4"
stop valve
6 l / 3 l
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
low noise (group I acc. to
German Noise Specification)





37 157 000 4005176142932 269.75

Flush valve for WC
concealed installation
3/4"
stop valve
6 - 14 l adjustable
for **low pressure**
for wash-down and wash-out bowls
flow pressure range from 0.6 - 3.0 bar
(min. static pressure 1.5 bar)
with flow rate adjustment
box for concealed installation with
flush elbow
flush pipe adjustable in length
without wall plate/actuation
volume needed: 1.6 l/sec




37 048 000 4005176142109 313.77

Flush valve for WC
concealed installation
3/4"
with **connection** to solenoid valve
stop valve
6 l / 3 l
flow pressure range from 1.2 - 5.0 bar
with flow rate adjustment
2 m connecting cable
box for concealed installation with
flush elbow
concealed flush pipe
without electronic actuation



43 996 000 4005176160424 171.26

Flush valve for WC
concealed installation
3/4"
retrofit for 677.00.200/677.03.200/680.00.200
without stop valve
without flush pipe






43 997 000 4005176160431 169.06

Flush valve for WC
3/4"
retrofit for 677.00.500/677.03.500/680.00.500
for **low pressure**
without stop valve
without flush pipe

reference:
Model 677. with stainless steel actuation is to be replaced by ref. 43 997 and
43 179 P00 (plastic actuation).

GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 901 000	Chrome	4005176167027	262.35
	37 102 SH0	alpine white	4005176141768	15.53
	37 131 000		4005176144585	39.95

Flush valve for WC
 3/4"
 concealed installation
6 l / 3 l
 wall plate Classic, 220 x 255 mm
GROHE StarLight chrome finish
without stop valve
without flush pipe
retrofit for
623.03.200 (G3/4)









Inlet set
 connecting pipe from flush pipe of concealed flush valve 6 to 9l and concealed flushing cistern to pedestal WC connector escutcheon

Set for noise protection
 for WC
 sound insulation
 2 rubber pipes









GROHE ELECTRONIC ACTUATIONS FOR WC




GROHE ELECTRONIC ACTUATIONS FOR WC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 698 SD1	stainless steel	4005176929571	695.74
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved</p>			
 	38 699 001	Chrome	4005176929588	585.13
	<p>Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE StarLight chrome finish with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			
 	37 419 000 37 419 SD0	Chrome stainless steel	4005176933806 4005176933813	784.24 784.24
	<p>Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13 m only servo motor concealed installation front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>			
 	38 393 SD1	stainless steel	4005176929564	460.80
	<p>Tectron Skate Infra-red electronic for WC flush valve with transformer 100-230 V AC, 50-60 Hz, 6 V DC concealed installation front plate 156 x 197 mm infra-red control solenoid valve 7 pre-set programs CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	43 617 000		4005176841163	72.41
<p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic</p>				
 	38 778 000		4005176855269	665.33
<p>Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2 / Rapid SL 1.13 m only for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p>				
 	36 340 000		4005176911385	54.21
<p>Power extension cable length 3.00 m</p>				
 	36 341 000		4005176911392	97.46
<p>Power extension cable length 10.00 m</p>				


GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 977 000	Chrome	4005176164798	208.83



Air button
GROHE StarLight chrome finish
 remote **hand**-actuation for
institutional requirements
white push button with escutcheon
 Ø 100 mm
 for walls of 80 - 240 mm thickness
 actuation stop
 pneumatic hose 1500 mm long

	36 407 001		4005176368974	261.30
---	------------	--	---------------	--------



Remote control
 for all GROHE one eye infra-red products
 as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
 consumption and usage data
 thermal disinfection cycles (infrared mixers)
 auto flush cycles (infrared mixers)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)

configuration
 cleaning mode activation
 thermal disinfection (infrared mixers)
 detection range (infrared mixers)
 shut off delay (infrared mixers)
 auto flush (infrared mixers)
 filter capacity (GROHE Blue Home)

service
 send and save profile
 reset to factory or user settings
 service details
 demo mode
 error codes (GROHE Blue Home)


3 x 1.5 V DC (AAA) battery supply

GROHE ELECTRONIC ACTUATIONS FOR URINAL









GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 421 000	Chrome	4005176935572	424.00











Tectron Rondo
Infra-red electronic for Urinal
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 metal housing
 exposed installation
 flow pressure min 0.5 bar
 operating pressure max 10 bar
 G 1/2
 with **integrated stop valve**
 flush pipe with rubber connector
 multistage battery status display
 7 pre-set programs
 auto flush
 cleaning mode
 pre-flush on/off
 additional functions and precise settings
 by remote control 36 407
 adjustable flow time by hand or remote
 CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 336 001	Chrome	4005176929540	518.76
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			
 	37 337 001	Chrome	4005176929557	488.89
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p>			
 	37 321 001	Chrome	4005176929496	518.76
	37 321 SD1	stainless steel	4005176929502	518.76
<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>				

GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 324 001	Chrome	4005176929526	518.76
	37 324 SD1	stainless steel	4005176929533	488.89
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with</p> <p>Rapido U or Rapido UMB CE approved</p>			
	37 338 000		4005176837920	131.61
		<p>GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection</p>		
	38 787 000		4005176855689	109.51
		<p>GROHE Rapido UMB roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V water group with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection during construction phase</p>		
	36 407 001		4005176368974	261.30
		<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>		





GROHE URINAL FLUSH VALVES



GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 339 000	Chrome	4005176837937	109.49
<p>Rondo Flush valve for urinal 1/2" brass integrated stop valve GROHE StarLight chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p>				
 	37 396 000	Chrome	4005176907968	120.57
<p>Press urinal flush valve 1/2" brass GROHE StarLight chrome finish with wall escutcheon</p>				
 	37 044 000		4005176160776	19.94
<p>Urinal inlet connector, 1/2"</p>				
 	37 035 000	Chrome	4005176143731	12.38
<p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated straight</p>				
 	37 036 000	Chrome	4005176143748	19.52
<p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 10 mm</p>				
 	37 037 000	Chrome	4005176143762	21.57
<p>Offset 20 mm</p>				
 	37 038 000	Chrome	4005176143786	23.62
<p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 30 mm</p>				
 	37 039 000	Chrome	4005176143793	25.65
<p>ditto, offset 40 mm</p>				

GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 040 000	Chrome	4005176143861	28.65
	Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 50 mm			
	37 043 000	Chrome	4005176143922	38.57
	Urinal flush pipe Ø 18 mm 400 mm brass straight			
	37 042 000	Chrome	4005176143908	17.42
	Flush pipe extension Ø 16 mm 200 mm brass			
	43 818 000	Chrome	4005176159589	12.59
	Adapter for urinal with inlet pipe 1/2" GROHE StarLight chrome finish			

GROHE ACTUATIONS





CONTENTS


WC	Flush Plates for WC	889
	GROHE Fresh	897
	Flush Plates for WC Flush Valves	899
Urinal	Flush Plates for Urinal	901

GROHE FLUSH PLATES FOR WC



GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



37 535 000	Chrome	4005176416019	63.95
37 535 P00	matt chrome	4005176416026	63.95
37 535 SH0	alpine white	4005176416033	66.36
37 535 DC0	supersteel	4005176416040	165.60
37 535 BE0	polished nickel	4005176431340	165.60
37 535 EN0	brushed nickel	4005176431319	165.60
37 535 GL0	cool sunrise	4005176431302	165.60
37 535 GN0	brushed cool sunrise	4005176431296	165.60
37 535 DA0	warm sunset	4005176431333	165.60
37 535 DL0	brushed warm sunset	4005176431326	165.60
37 535 A00	hard graphite	4005176431364	165.60
37 535 AL0	Brushed Hard Graphite	4005176431357	165.60

Skate Cosmopolitan S

Flush plate


for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately



37 601 000	Chrome	4005176416057	73.23
37 601 P00	matt chrome	4005176416064	97.34
37 601 SH0	alpine white	4005176416071	60.25
37 601 DC0	supersteel	4005176416088	165.67
37 601 BE0	polished nickel	4005176529009	165.67
37 601 EN0	brushed nickel	4005176529047	165.67
37 601 GL0	cool sunrise	4005176524271	165.67
37 601 GN0	brushed cool sunrise	4005176529016	165.67
37 601 DA0	warm sunset	4005176524288	165.67
37 601 DL0	brushed warm sunset	4005176529023	165.67
37 601 A00	hard graphite	4005176528996	165.67
37 601 AL0	Brushed Hard Graphite	4005176529030	165.67

Nova Cosmopolitan S

Flush plate


for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm
made of ABS

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately



37 624 000	Chrome	4005176416095	73.23
37 624 P00	matt chrome	4005176416101	97.34
37 624 SH0	alpine white	4005176416118	60.25
37 624 DC0	supersteel	4005176416125	165.70
37 624 BE0	polished nickel	4005176529085	165.67
37 624 EN0	brushed nickel	4005176529122	165.67
37 624 GL0	cool sunrise	4005176529054	165.67
37 624 GN0	brushed cool sunrise	4005176529092	165.67
37 624 DA0	warm sunset	4005176529061	165.67
37 624 DL0	brushed warm sunset	4005176529108	165.67
37 624 A00	hard graphite	4005176529078	165.67
37 624 AL0	Brushed Hard Graphite	4005176529115	165.67

Arena Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m









for vertical installation

130 x 172 mm
made of ABS












GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
small inspection shaft 40 911 000 sold separately

GROHE FLUSH PLATES FOR WC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 965 000	Chrome	4005176442506	64.15
	37 965 SH0	alpine white	4005176442513	50.87
	<p>Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included small inspection shaft 40 911 000 sold separately</p>			
	40 911 000		4005176416132	11.95
	<p>Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13 m cisterns</p>			
	40 950 000	Chrome	4005176478994	16.95
	40 949 000	Chrome	4005176477881	22.00
	<p>ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height ditto, for combination with 80 mm cistern</p>			
	38 915 KS0	velvet black	4005176897108	844.66
	38 915 LS0	moon white	4005176897115	883.78
	<p>Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow not suitable for GROHE Fresh</p>			
	38 809 000	Chrome	4005176864681	574.06
	<p>Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
				

GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 765 000	Chrome	4005176846830	70.78
	38 765 SH0	alpine white	4005176846854	54.20
	38 765 P00	matt chrome	4005176846847	69.68
	<p>Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>			
	38 845 KS0	velvet black	4005176878343	242.24
	38 845 LS0	moon white	4005176878336	242.24
	38 845 MF0	chrome/ daVinci satin	4005176878619	242.24
	<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>			
	38 916 0A0	mirror glass	4005176896941	297.54
	<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE EcoJoy technology for less water and perfect flow</p>			
	38 957 000	Chrome	4005176914409	109.51
		<p>Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate</p>		
	38 821 000	Chrome	4005176868986	231.18
		<p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 for vertical installation made of metal GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 732 SD0	stainless steel	4005176847691	153.75
		<p>Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE StarLight finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 776 SD0	stainless steel	4005176853555	153.74
	<p>ditto, horizontal installation</p>			

GROHE FLUSH PLATES FOR WC

Ref. No. Colour EAN code Retail Guide Price (£)



38 732 000	Chrome	4005176836114	70.80
38 732 DC0	supersteel	4005176431371	129.00
38 732 SH0	alpine white	4005176836138	54.17
38 732 P00	matt chrome	4005176836121	53.60
38 732 BE0	polished nickel	4005176427749	139.31
38 732 EN0	brushed nickel	4005176427756	139.31
38 732 GL0	cool sunrise	4005176339103	139.31
38 732 GN0	brushed cool sunrise	4005176427725	139.31
38 732 DA0	warm sunset	4005176339097	139.31
38 732 DL0	brushed warm sunset	4005176427732	139.31
38 732 A00	hard graphite	4005176339110	139.31
38 732 AL0	Brushed Hard Graphite	4005176339127	139.31

Skate Cosmopolitan

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1


for vertical and horizontal installation

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

38 732 BR0	titanium	4005176873676	120.55
------------	----------	---------------	--------

ditto, with anti-fingerprint surface



38 844 000	Chrome	4005176874963	70.78
38 844 SH0	alpine white	4005176874970	54.19
38 844 P00	matt chrome	4005176875687	65.25

Arena Cosmopolitan

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1


for vertical installation

GROHE EcoJoy technology for less water and perfect flow

GROHE StarLight chrome finish

38 858 000	Chrome	4005176876714	70.78
38 858 SH0	alpine white	4005176876738	54.19
38 858 P00	matt chrome	4005176876721	65.25

ditto, horizontal installation



38 505 000	Chrome	4005176290053	48.64
38 505 SH0	alpine white	4005176290046	32.08
38 505 P00	matt chrome	4005176290060	87.35

Skate Air

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1


for vertical installation

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

38 506 000	Chrome	4005176290121	70.76
38 506 SH0	alpine white	4005176290114	65.29
38 506 P00	matt chrome	4005176290138	72.41

ditto, horizontal installation



38 862 000	Chrome	4005176832314	70.78
38 862 SH0	alpine white	4005176832338	54.18
38 862 P00	matt chrome	4005176832321	64.65
38 862 SD0	stainless steel	4005176834721	164.80

Skate


Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1

for vertical and horizontal installation

GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow



38 861 000	Chrome	4005176832284	65.26
------------	--------	---------------	-------

Surf

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1

for vertical and horizontal installation


GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow

GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

38 540 000	Chrome	4005176807091	82.01
------------	--------	---------------	-------



Chiara and Sentosa

Flush plate

for dual flush or start & stop actuation

for pneumatic drop valve

for horizontal installation













203 x 185 mm

made of ABS

GROHE StarLight chrome finish

* only front actuation

GROHE FLUSH PLATES FOR WC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 564 000	Chrome	4005176291784	76.35
	38 564 SH0	alpine white	4005176291777	60.29
	Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 565 000	Chrome	4005176291845	48.69
	ditto, horizontal installation			
	38 573 000	Chrome	4005176292316	54.21
	38 573 SH0	alpine white	4005176292309	61.91
	38 573 P00	matt chrome	4005176292323	72.41
	Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 672 SD0	stainless steel	4005176296468	120.57
	Skate Wall plate, stainless steel for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE EcoJoy technology for less water and perfect flow			
	38 574 000	Chrome	4005176292385	61.91
	Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	37 059 000	Chrome	4005176142857	136.41
	Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
	43 977 000	Chrome	4005176164798	208.83
	Air button GROHE StarLight chrome finish remote hand-actuation for institutional requirements white push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1500 mm long			

ACTUATIONS


GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 060 000	Chrome	4005176142901	61.91
<p>Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267</p>				
	38 488 000	Chrome	4005176289866	40.93
<p>Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	38 496 000	Chrome	4005176289958	187.84
<p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	38 771 000	Chrome	4005176848551	43.15
<p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE StarLight chrome finish</p>				
 	37 761 000	Chrome	4005176213243	40.93
<p>Air button GROHE StarLight chrome finish for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000		4005176828454	14.59
<p>WC wall plate extension set 70 mm with pneumatic discharge valve</p>				

GROHE FRESH




Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



38 805 000	Chrome	4005176865596	131.61
-------------------	---------------	----------------------	---------------

**Skate Cosmopolitan Set Fresh
Flush plate**
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 796 000		4005176857034	65.25
-------------------	--	----------------------	--------------

**GROHE Fresh
Dual flush valve set**
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
**not suitable for flush plates with
wood or glass or metal surface or new small flush plates**
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm



38 882 000		4005176879197	8.40
-------------------	--	----------------------	-------------

**GROHE Fresh
Tabs**
2 x 50 g WC-Tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data
sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE FLUSH PLATES FOR WC FLUSH VALVES












GROHE FLUSH PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	37 547 000	Chrome	4005176189425	72.41
	37 547 SH0	alpine white	4005176189418	61.91
	37 547 P00	matt chrome	4005176189449	67.37
	<p>Skate Flush plate for vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
	38 445 SD0	stainless steel	4005176282850	105.88
	<p>Skate Wall plate, stainless steel for vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws</p>			
				
	37 063 000	Chrome	4005176142185	61.91
	37 063 SH0	alpine white	4005176142307	61.91
	<p>Surf Flush plate 156 x 197 mm manual activation push button actuation made of ABS GROHE StarLight chrome finish</p>			
				
	37 069 000	Chrome	4005176142352	107.25
	<p>Surf Flush plate for vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE StarLight chrome finish</p>			
				
	43 193 000	stainless steel	4005176155192	135.37
	<p>Flush plate push button actuation chrome plated for flush valves GROHE StarLight finish</p>			
				





GROHE FLUSH PLATES FOR URINAL



GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 846 LS0	moon white	4005176878367	296.38
	38 846 KS0	velvet black	4005176878268	296.38
	<p>Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable</p>			
	38 784 000	Chrome	4005176855535	112.77
	38 784 SH0	alpine white	4005176855559	103.76
	38 784 P00	matt chrome	4005176855542	112.82
	<p>Skate Cosmopolitan Wall plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>			
	38 784 SD0	stainless steel	4005176877407	166.36
	<p>Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws</p>			
	38 804 000	Chrome	4005176861512	120.56
	38 804 SH0	alpine white	4005176861529	109.52
	38 804 P00	matt chrome	4005176861536	112.82
	<p>Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>			
	38 857 000	Chrome	4005176875694	112.82
	38 857 SH0	alpine white	4005176875793	103.98
	38 857 P00	matt chrome	4005176875663	109.50
	<p>Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>			

GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 808 000	Chrome	4005176864056	98.44
	38 808 SH0	alpine white	4005176864070	88.81
	38 808 P00	matt chrome	4005176864063	110.62
	<p>Surf Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>			
	37 018 000	Chrome	4005176143359	72.41
	37 018 P00	matt chrome	4005176143281	67.58
	37 018 SH0	alpine white	4005176143595	69.21
	<p>Surf Flush plate 116 x 144 mm with push button actuation GROHE StarLight chrome finish</p>			

GROHE
CONNECTION AND SECURITY TECHNOLOGY















CONTENTS

Angle Valves	906
WAS valves	910
Safety Systems	911













GROHE ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	22 039 AL0	Brushed Hard Graphite	4005176467936	70.18
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 043 000	Chrome	4005176305597	15.41
<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 037 000	Chrome	4005176305535	9.94
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 041 000	Chrome	4005176305573	9.95
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 046 000	Chrome	4005176305627	8.83
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>				







GROHE ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	22 023 000	Chrome	4005176305405	6.62
	<p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 018 000	Chrome	4005176305382	5.52
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>			
 	22 025 00M	Chrome	4005176306501	49.78
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm 10 pieces GROHE StarLight finish</p>			
 	22 029 000	Chrome	4005176305467	9.93
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			
 	22 032 000	Chrome	4005176305481	9.96
	<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>			

GROHE ANGLE VALVES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	22 053 000	Chrome	4005176349027	11.07
<p>Angle valve 3/8" pre-roughened connection thread for easy sealing wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p>				
 	22 017 00M	Chrome	4005176940613	54.20
<p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal GROHE StarLight finish 10 pieces</p>				
 	22 016 00M	Chrome	4005176940606	76.32
<p>Universal angle valve 1/2" with connection 1/2" plastic handle marking: neutral screw escutcheon metal GROHE StarLight finish sales unit 1 pieces</p>				
 	22 939 000	Chrome	4005176829369	19.94
<p>Angle valve 1/2" with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 940 000	Chrome	4005176829376	19.94
<p>Angle valve 1/2" without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 958 00M	Chrome	4005176034237	406.37
<p>Service valve connection thread 1/2" TDL handle marking: neutral escutcheon GROHE StarLight finish sales unit 1 pieces</p>				

GROHE ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	22 917 000	Chrome	4005176501388	46.43
<p>Atlanta Angle valve 1/2" wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut \varnothing 10 mm marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 012 000	Chrome	4005176906343	43.14
	22 012 DC0	supersteel	4005176525742	63.00
	22 012 AL0	Brushed Hard Graphite	4005176585944	72.00
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	22 013 000	Chrome	4005176909689	43.14
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				


GROHE WAS VALVES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------




22 035 000	Chrome	4005176305511	21.01
------------	--------	---------------	-------

Original WAS combination service valve 1/2"
 pre-roughened connection thread for easy sealing
 wall connection 1/2"
 outlet thread 3/8"
 with length compensation
 with compression nut \varnothing 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handle
 marking: neutral
 metal push-on escutcheon \varnothing 55 mm
 for combination with pipe ventilating valve type HB 41 239 000



22 033 000	Chrome	4005176305498	25.44
------------	--------	---------------	-------

Original WAS combination service valve 3/8"
 wall connection 3/8"
 outlet thread 3/8"
 with length compensation
 with compression nut \varnothing 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handles
 marking: neutral
 metal push-on escutcheon \varnothing 55 mm
 for combination with pipe ventilating valve type HB 41 239 000




41 007 000	Chrome	4005176281815	14.59
------------	--------	---------------	-------

Eggemann
Original WAS T-piece 3/8"
 for service valve
 with compression nut
GROHE StarLight chrome finish

GROHE SAFETY SYSTEMS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------

41 275 000	Chrome	4005176280481	40.67
------------	--------	---------------	-------



Original WAS inclined filter 3/4"
suitable for cold and warm water up to + 80 °C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE StarLight chrome finish

GROHE
SPARE PARTS
















CONTENTS

Cartridges	914
Thermo elements and thermostatic cartridges	918
Aquadimmer	922
Head parts	923
Spare parts for two-handle faucets	928
Extension sets	930
Unions	932
Outlets and spouts	937
Flow straighteners	940
Waste sets and traps	946
Connections and non-return valves	950
Spare parts GROHE Sense	952
Spare parts for electronics	953
Diverter	954
Hoses	956
Spare parts for kitchen faucets	958
Spare parts for showers	962
Spare parts for accessories	966
Seals	967
Miscellaneous	968
Special tools	972
Cleaning and care	974
Spare parts for sanitary systems	975
Spare parts for shower toilet	980
Spare parts for Ceramics	983







GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 580 000		4005176831867	93.40
	Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers			
	46 907 000		4005176319815	51.42
	Cartridge 29 mm GROHE SilkMove Joystick cartridge with ceramic sealing system with o-ring for cartridge fixation nut for all single lever mixers			
	46 374 000		4005176169076	93.40
	Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 863 000		4005176942334	15.64
	Cartridge 35 mm GROHE SilkMove ES with cold start function with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283	93.40
	Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 409 000		4005176177668	49.63
	ditto, for open water heater			
	46 588 000		4005176832352	88.51
	ditto, with Eco-Button			
	46 386 000		4005176169410	114.38
	Cartridge GROHE SilkMove			






GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 558 000		4005176284120	16.79
	Cartridge for low pressure 35 mm GROHE SilkMove with ceramic sealing system for all single lever mixers			
	46 278 000		4005176131868	103.89
	Ceramic cartridge for Euroeco special mixer			
	46 308 000		4005176131769	40.93
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 375 000		4005176169083	40.93
	Temperature limiter for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 277 000		4005176131851	40.93
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	48 297 000		4005176361265	37.78
	Cartridge for Rainshower system SmartControl push button including fixation			







GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	48 359 000		4005176442810	43.02
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	07 000 000		4005176016899	124.88
	Cartridge from 1974 for Euromix and Ladylux			
	08 201 000		4005176003943	47.75
	Cartridge for Moen			
	42 383 000	Chrome	4005176903281	40.93
	Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			
	42 384 000	Chrome	4005176903298	51.42
	Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			
	42 713 000		4005176249112	90.51
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2" from 2001			







GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 717 000		4005176249167	191.35
	Cartridge for Controecon for self-closing concealed gate taps 1/2" from 2001			
	43 981 000		4005176153341	145.87
	Cartridge for Controecon for self-closing pillar, shower and gate taps 1/2" until 2001			
	43 982 000		4005176153358	168.27
	Cartridge for Controecon for self-closing concealed gate taps 1/2" until 2001			
	43 813 000		4005176152467	178.14
	Cartridge for Contromix Surf/Public for self-closing basin and shower mixer 1/2"			
	42 985 000		4005176149771	93.40
	Cartridge for Contropress for self-closing pillar, shower and gate taps 1/2" marking: blue (cold)			







GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 450 000		4005176076190	166.85
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	145.87
	ditto, for reverse waterways, 1/2"			
	47 310 000		4005176079238	187.84
	Wax thermo-element-cartridge wax element			
	47 379 000		4005176203169	282.29
	ditto, for reverse waterways, 3/4"			
	47 349 000		4005176141461	124.88
	Wax thermo-element-cartridge 3/8" wax element			
	47 217 000		4005176241246	145.87
	Thermo-element wax element with non-rising spindle			
	47 657 000		4005176262838	292.78
	ditto, for reverse waterways, 1/2"			
	47 220 000		4005176241253	187.84
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000		4005176262845	597.10
	ditto, for reverse waterways, 3/4"			
	47 010 000		4005176009419	204.16
	Thermo-element bimetal for Grohmix Thermostat			

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 111 000		4005176009921	313.77
	Thermo-element wax element for Grohmix Thermostat			
	47 012 000		4005176009433	261.30
	Thermo-element wax element for Grohmix Thermostat			
	47 025 000		4005176009549	439.69
	Wax thermo-element-cartridge wax element for Grohmix Thermostat			
	47 019 000		4005176009488	415.92
	Wax thermo-element-cartridge bimetal for Grohmix Thermostat			
	47 565 000		4005176214110	304.32
	Thermostatic cartridge wax element for Grohtherm XL thermostats			
	47 574 000		4005176217920	40.93
	Thermostatic cartridge wax thermoelement 3/4"			

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 532 000		4005176206795	198.33
	Thermostatic cartridge			
	47 024 000		4005176009532	200.38
	Thermo-element wax element for Grohmix Thermostat			
	00 798 000	Chrome	4005176229008	30.43
	Wax thermo-element			
	47 598 000		4005176229169	282.29
	Control unit			
	47 600 000		4005176228995	240.31
	Control unit			
	47 439 000		4005176811975	156.36
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000		4005176803895	156.36
	ditto, for reverse waterways, 1/2"			







GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 885 000		4005176924729	40.93
	Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	187.84
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000		4005176803901	187.84
	ditto, for reverse waterways, 3/4"			
	49 028 000		4005176442827	50.37
	Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	19.94
	Stop ring and regulating nut			







GROHE AQUADIMMER

Ref. No.	Colour	EAN code	Retail Guide Price (£)
49 084 000		4005176487101	37.40
 <p>Aquadimmer for thermostatic mixers</p>			
47 364 000		4005176171819	82.90
 <p>Aquadimmer for thermostatic mixers</p>			
12 433 000		4005176272752	82.90
 <p>Aquadimmer for exposed fittings</p>			
47 262 000		4005176118722	198.33
 <p>Aquadimmer for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"</p>			







GROHE HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	11 003 000	Chrome	4005176020353	23.29
	Headpart 3/8" Trecorn handle marking: blue (cold) GROHE StarLight chrome finish			
	11 006 000	Chrome	4005176020377	23.29
	ditto, marking red			
	11 101 000	Chrome	4005176020575	35.37
	Headpart 1/2" Trecorn handle marking: blue (cold) GROHE StarLight chrome finish			
	11 102 000	Chrome	4005176020599	35.37
	ditto, marking red			
	11 104 000	Chrome	4005176020612	69.16
	Headpart 3/4" Trecorn handle marking: blue (cold) GROHE StarLight chrome finish			
	11 105 000	Chrome	4005176020629	72.41
	ditto, marking red			
	11 090 000	Chrome	4005176020513	19.94
	Headpart 1/2" metal handle heat-insulated screwable marking: blue/red GROHE StarLight chrome finish			
	11 118 000	Chrome	4005176004261	26.23
	Headpart 1/2" marking: blue (cold) GROHE StarLight chrome finish			
	11 086 000	Chrome	4005176020476	32.84
	Headpart 1/2" with Treflor handle heat-insulated screwable marking: blue/red GROHE StarLight chrome finish			

GROHE HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	06 170 000 Headpart short spindle 3/8"		4005176015717	11.02
	07 146 000 Headpart 1/2" short spindle, 1/2"		4005176017261	19.94
	45 964 000 ditto, packaging unit 20		4005176279911	7.00
	45 346 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand		4005176104572	51.42
	45 342 000 Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand		4005176129865	51.42
	45 885 000 Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189913	103.89
	45 869 000 Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189876	30.43

GROHE HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 882 000		4005176189883	40.93
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand			
	45 883 000		4005176189890	40.93
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000		4005176189944	72.41
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	06 188 000		4005176002519	103.89
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	07 156 000		4005176003493	32.53
	Screw-down valve, 3/4" short spindles for 3/4" handles			
	07 025 000		4005176016929	30.43
	ditto, short spindle for 1/2" handles for concealed valves, 3/4"			
	11 501 000	Chrome	4005176004285	30.43
	Headpart 1/2" for concealed valves, 1/2" Trecorn handle escutcheon marking: blue (cold) GROHE StarLight chrome finish			








GROHE HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	11 504 000	Chrome	4005176020926	75.45
	Headpart 3/4" for concealed valves, 3/4" Trecorn handle escutcheon marking: blue (cold) GROHE StarLight chrome finish			
	11 505 000	Chrome	4005176020933	71.41
	ditto, marking red			
	11 508 000	Chrome	4005176020964	72.41
	Headpart 1" for concealed valves 1" Trecorn handle escutcheon marking: red (hot) GROHE StarLight chrome finish			
	11 513 000	Chrome	4005176020971	40.93
	Headpart 1/2" for concealed valves, 1/2" Trecorn handle metal, heat insulated escutcheon marking: blue/red GROHE StarLight chrome finish			
	11 514 000	Chrome	4005176020988	58.77
	ditto, for concealed valves, 3/4"			
	11 515 000	Chrome	4005176020995	85.00
	Headpart 1" for concealed valves 1" Trecorn handle metal, heat insulated escutcheon marking: blue/red GROHE StarLight chrome finish			
	11 550 000	Chrome	4005176021169	53.16
	Headpart 1/2" for concealed valves, 1/2" socket spanner closed cap escutcheon GROHE StarLight chrome finish			
	19 830 000	Chrome	4005176030697	27.00
	Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) GROHE StarLight chrome finish			
	19 831 000	Chrome	4005176030703	27.00
	ditto, marking red			
				








GROHE HEAD PARTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 841 000	Chrome	4005176030765	43.87
	Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner GROHE StarLight chrome finish			
	19 840 000	Chrome	4005176030758	34.99
	ditto, installation depth infinitely adjustable 20-80 mm			
 	19 470 000	Chrome	4005176848018	65.28
	Grontherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			
	07 147 000		4005176003455	19.94
	Headpart 1/2" for concealed valves, 1/2" in units of 10			
	07 150 000		4005176003479	35.37
	Headpart 3/4" for concealed valves, 3/4"			
	11 148 000	Chrome	4005176020827	51.42
	Headpart 1/2" socket spanner closed cap GROHE StarLight chrome finish			













GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 180 000	Chrome	4005176007576	40.93
	Florida Handle marking: blue/red single packed GROHE StarLight chrome finish			
	06 707 000	Chrome	4005176003066	18.94
	Brilliant handle 1/2" marking: red (hot)			
	45 124 000	Chrome	4005176007309	30.43
	Treflor handle 1/2" with handle fixing marking: blue/red GROHE StarLight chrome finish			
	45 144 000	Chrome	4005176007446	15.48
	Costa ABS handle heat insulated plastic chrome plated marking: blue/red GROHE StarLight chrome finish			
	45 258 000	Chrome	4005176054327	27.49
	Metal handle 1/2"			
	45 080 000	Chrome	4005176007040	28.86
	Trecorn handle 1/2" marking: blue (cold) with cap GROHE StarLight chrome finish			







GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 081 000	Chrome	4005176007057	28.86
	Trecorn handle 1/2" marking: red (hot) with cap GROHE StarLight chrome finish			
	10 099 00M	Chrome	4005176812965	13.64
	Cover Cap multi-packaging: 2 pieces			
	02 490 P0M	matt chrome	4005176168185	14.59
	Cover Cap for shut-off valve temperature scale handle in units of 2			
	45 605 000	Chrome	4005176250262	9.44
	Repl. kit f. fastening			
	45 123 000	Chrome	4005176052002	11.96
	Handle fixation			
	45 186 000		4005176007668	13.54
	Replacement kit for fastening single packed			
	05 386 00M		4005176015106	14.38
	Snap insert			













GROHE EXTENSION SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	06 427 000	Chrome	4005176002762	18.73
	Extension-set, 40 mm for concealed valves, 1/2"			
	06 428 000	Chrome	4005176002786	22.77
	ditto, for concealed valves 3/4", 1", 1 1/4" and multi-way diverters, 1/2"			
	45 202 000		4005176052835	11.54
	Extension 20-80 for concealed valves, 1/2", 3/4"			
	45 203 000		4005176052842	19.94
	ditto, 200 mm			
	46 191 000		4005176119996	135.37
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"			
				
	46 343 000		4005176189791	187.84
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"			
				
	46 627 000		4005176855276	84.06
	Flush pipe extension 25 mm for single-lever two-hole basin mixer 1/2" for concealed body 23 200, 23 319, 32635			
				
	14 048 000		4005176413483	151.54
	GROHE Rapido SmartBox Universal extension set single-lever mixers, 25 mm 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			
				

GROHE EXTENSION SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
		<p>14 056 000</p> <p>Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>	<p>4005176466298</p>	<p>114.13</p>
		<p>14 057 000</p> <p>Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>	<p>4005176466304</p>	<p>147.62</p>
		<p>14 058 000</p> <p>Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox</p>	<p>4005176466311</p>	<p>147.63</p>

GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	12 001 000	Chrome	4005176004339	19.94
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm GROHE StarLight chrome finish</p>				
 	12 004 000	Chrome	4005176004353	19.94
<p>S-union 1/2" x 1/2" adjustment range 10 mm screw escutcheon GROHE StarLight chrome finish</p>				
 	12 400 000	Chrome	4005176004582	40.93
<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>				
 	12 051 000	Chrome	4005176213588	40.93
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				
 	12 005 000	Chrome	4005176004360	44.44
<p>S-union male thread 1/2" x 3/4" screw escutcheon adjustment range 30 mm GROHE StarLight chrome finish</p>				
	12 465 000	Chrome	4005176004858	70.15
<p>ditto, 1/2" x 3/4", adjustment range 55 mm</p>				
 	12 023 000	Chrome	4005176089718	58.03
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm escutcheon for Chiara/Grohtherm 3000 wall mounted mixers GROHE StarLight chrome finish</p>				












GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	12 058 000	Chrome	4005176122477	36.88
<p>S-union 1/2" x 3/4" escutcheon adjustment range 7.5 mm GROHE StarLight chrome finish</p>				
 	12 075 000	Chrome	4005176004520	19.94
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm GROHE StarLight chrome finish content: 1 piece</p>				
 	12 411 000	Chrome	4005176004667	114.18
<p>S-union nut 1 1/4" x 1" male thread adjustment range 50 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish in units of 1</p>				
 	12 662 000	Chrome	4005176819056	40.93
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon diameter: 70 mm / depth: 26 mm GROHE StarLight chrome finish content: 1 piece</p>				
	12 693 000	Chrome	4005176829918	19.94
<p>S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE StarLight chrome finish</p>				
 	12 013 000	Chrome	4005176004414	29.12
<p>Wall union male thread 3/4" x 1/2" GROHE StarLight chrome finish</p>				







GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	12 015 000	Chrome	4005176004438	31.01
Wall unions male thread 3/4" x 1/2" GROHE StarLight chrome finish				
 	18 862 000	Chrome	4005176028120	61.91
Wall union				
 	12 041 000	Chrome	4005176004490	82.90
Pillar union 1/2" angle 3/4" stop screw 1/2" diametre of nut 10.5 mm adjustment range 12.5 mm projection 30 mm GROHE StarLight chrome finish				
 	12 030 000	Chrome	4005176021558	78.86
Pillar union 1/2" for all series with 3/4" visible nuts angle 3/4" x 1/2" mounting set 1/2" projection 47 mm GROHE StarLight chrome finish				
	14 013 000	Chrome	4005176915567	93.40
Pillar union, pair connection thread 1/2" mounting set 1/2" height 70 mm projection 31 mm with connection nipple G3/4 GROHE StarLight chrome finish				
 	12 060 000	Chrome	4005176122576	178.50
Pillar union 1/2" plug-in connection connection thread 1/2" mounting set 1/2" projection 57 mm 70 mm high without connection nipple GROHE StarLight chrome finish				













GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 327 000		4005176121005	42.92
<p>Nipple M 20 x 1</p>				
 	18 121 000	Chrome	4005176815812	51.42
<p>Pillar union, pair GROHE StarLight chrome finish</p>				
 	12 419 000	Chrome	4005176004698	28.97
<p>Elbow union nut 3/4" x 3/4" male thread for thermostatic 34 361/34 364 GROHE StarLight chrome finish</p>				
 	12 063 000	Chrome	4005176021787	44.44
<p>Elbow union male thread 1/2" x 3/4" escutcheon for Vertica-mixers GROHE StarLight chrome finish</p>				
 	12 407 000	Chrome	4005176004629	113.02
<p>Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	12 444 000	Chrome	4005176004834	196.97
<p>Wall union, male 1 1/4" with thermometer nut 1 1/2" x 1 1/4" male thread projection 90 mm screw escutcheon (for Grohtherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				

GROHE UNIONS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 058 000	Chrome	4005176006845	52.31
<p>Set for wall union 200 mm with compression coupling 3/4" to outlet elbow 12 407 ,1/2" GROHE StarLight chrome finish</p>				
	12 417 000	Chrome	4005176004681	70.36
<p>Straight union nut 1 1/4" x 1" male thread screw escutcheon (for Grotherm XL 1", 35 085 000/35 086 000) GROHE StarLight chrome finish</p>				
	12 901 00M	Chrome	4005176022456	11.54
<p>Coupling nut 1/2" x 10.5 mm drilling 10.5 mm nickel-plated in dispense of 2 piece at 00M GROHE StarLight chrome finish</p>				
	13 911 000	Chrome	4005176005459	30.43
<p>Flexible tube outlet M 22 x 1 female thread M 22 x 1 mousseur 150 mm GROHE StarLight chrome finish</p>				
	02 210 00M	Chrome	4005176001185	19.94
<p>Escutcheon multi-packaging: 2 pieces</p>				
	02 201 000	Chrome	4005176001147	10.13
<p>Escutcheon 1/2" Ø 65 mm GROHE StarLight chrome finish</p>				





GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)	
 	13 005 000	Chrome	4005176022739	40.93	
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout projection 150 mm mousseur coupling nut 3/4" DR-brass GROHE StarLight chrome finish				
	13 084 000	Chrome	4005176023217	35.58	
	Ditto, projection 200 mm				
	13 017 000	Chrome	4005176022777	50.11	
	Ditto, projection 300 mm				
 	13 051 000	Chrome	4005176005091	24.14	
	Swivel tube spout for kitchen wall mixer swivelling mousseur coupling nut M 22 x 1 projection 200 mm DR-brass GROHE StarLight chrome finish				
 	13 028 000	Chrome	4005176022821	38.04	
	Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 200 mm coupling nut 3/4" DR-brass GROHE StarLight finish				
	13 034 000	Chrome	4005176022869	52.11	
	Ditto, projection 300 mm				
 	13 076 000	Chrome	4005176023170	35.73	
	Swivel tube spout swivelling with stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE StarLight chrome finish				
	13 071 000	Chrome	4005176023132	35.10	
	ditto, without stop				
 	13 072 000	Chrome	4005176005145	30.43	
	Swivel tube spout swivelling mousseur coupling nut M 22 x 1 projection 140 mm DR-brass GROHE StarLight chrome finish				
 	13 073 000	Chrome	4005176005183	51.42	
	Swivel tube spout for kitchen pillar mixers, 1/2" tubular spout mousseur projection 185 mm DR-brass GROHE StarLight chrome finish				










GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 070 000	Chrome	4005176023125	39.19
	Swivel tube spout for kitchen pillar mixers, 1/2" mousseur coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish			
	13 077 000	Chrome	4005176023187	43.87
	Ditto, projection 235 mm			
 	13 462 000	Chrome	4005176024276	155.05
	Cast swivel spout length 175 mm swivelling laminar flow straightener 9 l/min coupling nut 3/4" GROHE StarLight chrome finish			
 	13 269 000	Chrome	4005176883132	194.56
	Cast swivel spout length 117 mm swivelling and lockable laminar flow straightener 9 l/min GROHE StarLight chrome finish			
 	13 049 000	Chrome	4005176125041	125.93
	Swivel tube spout stop limiter mousseur projection 225 mm GROHE StarLight chrome finish			
	13 041 000	Chrome	4005176005077	39.19
	Swivel tube spout for kitchen pillar mixers, 1/2" Sistra flow straightener coupling nut 3/4" projection 185 mm without stop DR-brass GROHE StarLight chrome finish			
	13 037 000	Chrome	4005176005060	32.53
	Swivel tube spout Sistra flow straightener coupling nut 3/4" projection 140 mm GROHE StarLight chrome finish			

GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 043 000	Chrome	4005176801402	39.51
C-spout for Minta single lever sink mixer GROHE StarLight chrome finish				
 	46 103 000	Chrome	4005176008801	112.49
Extractable outlet				













GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	48 189 000	Chrome	4005176928772	28.79
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
	48 190 000	Chrome	4005176928987	33.21
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
	48 191 000	Chrome	4005176928994	33.21
	<p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
	13 935 000	Chrome	4005176263859	12.49
	<p>Flow restrictor internal thread M 22 x 1 (LP) 5.7 l/min at 3 bar including metal connection nipple for better servicing SpeedClean anti-limescale system GROHE StarLight finish</p>			
	13 959 000	Chrome	4005176109515	9.44
	<p>Flow straightener internal thread M 22 x 1 (LP) 7.5 l/min at 3 bar GROHE StarLight finish</p>			
	13 954 000	Chrome	4005176025747	9.44
	<p>Flow straightener internal thread M 22 x 1 (LP) 6.9 l/min. at 3 bar SpeedClean anti-limescale system GROHE StarLight finish</p>			

GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 950 000	Chrome	4005176025679	12.59
	Economy Mousseur internal thread M 22 x 1(LP) 7.5 l/min at 3 bar GROHE StarLight finish			
 	13 928 000	Chrome	4005176025365	12.59
	Flow restrictor internal thread M 22 x 1(LP) 13.5 l/min at 3 bar GROHE StarLight finish			
 	13 900 000	Chrome	4005176005442	9.39
	Strainer jet regulator Sistra M24x1 internal thread M 22 x 1(LP) no limitation of flow rate including metal connection nipple for better servicing GROHE StarLight finish			
 	48 159 000	Chrome	4005176919589	9.44
	Flow restrictor external thread M 24 x 1 5.7 l/min at 3 bar SpeedClean anti-limescale system			
 	46 837 000	Chrome	4005176931888	13.64
	Flow straightener external thread M 24 x 1 5.7 l/min for pressures 1-5 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish			
 	13 960 000	Chrome	4005176109522	15.74
	Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			













GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 133 000	Chrome	4005176140310	22.93
	Flow restrictor external thread M 24 x 1 flow class Z 7.5 l/min at 3 bar including disassembly key theft proof GROHE StarLight finish			
 	13 955 000	Chrome	4005176025808	10.49
	Flow straightener external thread M 24 x 1 6.9 l/min at 3 bar GROHE StarLight finish			
 	13 951 000	Chrome	4005176025730	12.59
	Economy Mousseur external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			
 	64 451 000	Chrome	4005176869273	9.44
	Flow straightener external thread M 24 x 1 flow class A 13.5 l/min at 3 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish			
 	13 929 000 13 929 G00 13 929 L00	Chrome gold white	4005176025440 4005176005688 4005176005695	12.59 51.06 19.94
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE StarLight finish			
 	13 952 000	Chrome	4005176079818	12.59
	Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar GROHE StarLight finish			










GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 961 000	Chrome	4005176128431	4.20
	Flow restrictor external thread M 24 x 1 flow class: B 25.2 l/min at 3 bar GROHE StarLight finish			
 	13 941 000	Chrome	4005176162732	4.09
	Flow restrictor external thread M 24 x 1 flow class D 34.8 - 37.8 l/min at 3 bar GROHE StarLight finish			
 	13 927 000 13 927 G00	Chrome gold	4005176005541 4005176005565	19.94 68.79
	Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar GROHE StarLight finish			
 	13 930 000	Chrome	4005176025488	19.94
	Flow restrictor external thread M 28 x 1.5 55 l/min. at 3 bar for pull out shower (46 108) GROHE StarLight finish			
	13 907 000	Chrome	4005176025129	19.94
	Strainer jet regulator Sistra M24x1 external thread M 28 x 1 60.0 - 70.0 l/min at 3 bar GROHE StarLight finish			
 	13 943 000		4005176831584	9.44
	Flow restrictor external thread M 16.5 x 1 flow class PCA 5.0 l/min integrated including disassembly key			













GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	46 765 000		4005176911484	9.44
<p>Flow restrictor external thread M 16.5 x 1 5.7 l/min at 3 bar integrated including disassembly key</p>				
 	13 937 000		4005176819193	19.94
<p>Mousseur set Consisting of: mousseur 14.9 l/min at 3 bar mousseur 7.2 l/min at 3 bar external thread M 16.5 x 1 including disassembly key</p>				
 	13 994 000		4005176859618	12.49
<p>Flow restrictor external thread M 18.5 x 1 flow class: A + PCA 15.0 l/min + 5.7 l/min at 3 bar integrated including disassembly key</p>				
 	13 989 000		4005176831881	12.59
<p>Flow restrictor external thread M 18.5 x 1 flow class V 17.8 l/min at 3 bar integrated including disassembly key</p>				
 	13 926 000		4005176819063	24.24
<p>Flow restrictor external thread M 24 x 1 flow class C 27.0 l/min at 3 bar integrated including disassembly key</p>				
 	46 711 000		4005176890291	14.90
<p>Flow restrictor contains 2 different inserts: flow class A and D 13.5 l/min and 34.8 - 37.8 l/min at 3 bar SpeedClean anti-limescale system integrated including disassembly key</p>				









GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 925 000	Chrome	4005176005534	32.89
<p>Ball-joint aerator internal thread M 22 x 1(LP) flow class A 13.5 l/min at 3 bar GROHE StarLight finish</p>				
 	13 915 000	Chrome	4005176005473	30.69
<p>Ball-joint aerator external thread M 24 x 1 flow class A 13.5 l/min at 3 bar GROHE StarLight finish</p>				
 	13 220 000		4005176855504	19.94
<p>Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key</p>				
 	64 374 000	Chrome	4005176869594	16.69
<p>Flow restrictor external thread M 28 x 1 19.0 l/min at 3 bar dual flow straightener GROHE Blue GROHE StarLight finish</p>				
	13 263 000	Chrome	4005176879579	30.43
<p>Flow restrictor external thread M 28 x 1 7.5 l/min at 3 bar hot water flow straightener for GROHE Red GROHE StarLight finish</p>				













GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 910 000	Chrome	4005176603846	61.91
	28 910 L00	white	4005176603884	138.47
	<p>Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings</p>			
	28 900 000	Chrome	4005176603822	93.40
	<p>Pop-up waste set 1 1/4" for basins GROHE StarLight chrome finish</p>			
				
	28 940 000	Chrome	4005176604058	38.19
	<p>Pop-up waste set with plug and chain GROHE StarLight chrome finish</p>			
				
	40 565 000	Chrome	4005176912757	76.32
	40 565 DC0	supersteel	4005176491702	83.00
	40 565 A00	hard graphite	4005176491757	88.00
	40 565 AL0	Brushed Hard Graphite	4005176491696	94.00
	<p>Waste set with push-open plug for wash basins with overflow GROHE StarLight chrome finish</p>			
				
	65 807 000	Chrome	4005176849893	41.24
	65 807 BE0	polished nickel	4005176467691	62.00
	65 807 GL0	cool sunrise	4005176467738	90.00
	65 807 DA0	warm sunset	4005176467752	90.00
	65 807 A00	hard graphite	4005176467721	99.00
	<p>Pop-up waste set with push-open cover removable cover closable GROHE StarLight chrome finish</p>			
				
	65 807 DC0	supersteel	4005176442797	100.48
	65 807 EN0	brushed nickel	4005176467707	68.00
	65 807 GN0	brushed cool sunrise	4005176467745	73.63
	65 807 DL0	brushed warm sunset	4005176467769	123.00
	65 807 AL0	Brushed Hard Graphite	4005176467714	73.63
	<p>Pop-up waste set with push-open cover removable cover closable GROHE StarLight finish</p>			
				

GROHE WASTE SETS AND TRAPS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	65 808 000	Chrome	4005176860065	43.13
<p>Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE StarLight chrome finish</p>				
 	40 824 000	Chrome	4005176332975	21.02
<p>Waste set with push-open plug for wash basins with overflow removable plug closable</p>				
	07 182 000 07 182 G00	Chrome gold	4005176017438 4005176017346	25.19 103.99
<p>Chrome bath plug for waste set 1 1/4" GROHE StarLight chrome finish</p>				
	07 052 000		4005176003370	30.43
<p>Eccentric rod for waste set 1 1/4" length 180 mm GROHE StarLight chrome finish</p>				
	07 341 000	Chrome	4005176017728	40.93
<p>Eccentric rod for waste set 1 1/4" length 350 mm GROHE StarLight chrome finish</p>				
	06 844 000	Chrome	4005176016714	18.37
<p>Joint piece for eccentric rods of waste set 1 1/4" GROHE StarLight chrome finish</p>				

GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 947 000	Chrome	4005176604089	46.10
<p>P-trap 1 1/4" for bidets for basins wall connection escutcheon GROHE StarLight chrome finish</p>				
 	28 961 000	Chrome	40051766042799	45.76
<p>trap for bidet escutcheon wall connection GROHE StarLight chrome finish</p>				
 	28 946 000	Chrome	4005176604072	51.42
<p>P-trap 1 1/4" for bidets for bidet wall connection escutcheon wall support 250 - 265 mm GROHE StarLight chrome finish</p>				
 	28 920 000	Chrome	4005176603914	32.07
<p>Bottle trap, 1 1/4" for basins with fixed dip tube wall connection escutcheon GROHE StarLight chrome finish</p>				
 	40 564 000 40 564 DC0 40 564 A00 40 564 AL0	Chrome supersteel hard graphite Brushed Hard Graphite	4005176912740 4005176491795 4005176491849 4005176491788	253.31 329.00 353.00 376.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>				
 	28 912 000	Chrome	4005176266751	231.18
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				

GROHE WASTE SETS AND TRAPS






Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------



28 912 DC0	supersteel	4005176467905	215.00
28 912 EN0	brushed nickel	4005176467837	266.42
28 912 GN0	brushed cool sunrise	4005176467875	266.42
28 912 DL0	brushed warm sunset	4005176467899	243.00
28 912 AL0	Brushed Hard Graphite	4005176467844	243.00

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight finish

GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 914 000		4005176326424	7.24
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive			
	14 165 00M	Chrome	4005176006043	19.94
	Non-return valve male thread 1/2" female thread 1/2" GROHE StarLight chrome finish multi-packaging: 2 pieces			
	47 189 000	Chrome	4005176010330	40.93
	Non-return valve multi-packaging: 2 pieces GROHE StarLight chrome finish			
	14 116 00M		4005176006005	51.42
	Non-return valve 1/2" multi-packaging: 2 pieces			
	14 117 00M		4005176006012	145.87
	Backflow preventer multi-packaging: 2 pieces			
	14 114 00M	Chrome	4005176025921	59.03
	Non-return valve multi-packaging: 2 pieces GROHE StarLight chrome finish			

GROHE CONNECTIONS AND NON-RETURN VALVES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
08 565 000		4005176019739	19.94
Non-return valve			




47 373 000		4005176010620	162.24
Non-return valve + shut-off			



GROHE SPARE PARTS GROHE SENSE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------









48 374 LN0	white	4005176454424	75.00
------------	-------	---------------	-------

Mains adaptor
for GROHE Sense Guard
Consisting of:
mains supply 100-240 V AC, 50-60 Hz
secondary connection with plug
cable length 1500 mm

GROHE SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 229 000 Solenoid valve for Europlus E		4005176299223	208.83
	48 213 000 Solenoid valve for electronic single-lever sink mixer		4005176937323	103.89
	42 394 000 Solenoid valve for infra-red electronic wall basin tap without mixing device		4005176906084	149.00
	42 886 000 Battery 6V lithium battery, type CR-P2		4005176200670	40.93
	42 393 000 Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer		4005176905872	68.26
	42 388 000 Mains adaptor without power supply 36 338 000 (required) to replace battery		4005176905827	50.37

GROHE DIVERTERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	51.42
Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower				
	65 655 000		4005176844539	19.94
Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower mechanical parts GROHE StarLight chrome finish				
	07 531 000	Chrome	4005176003578	30.43
Diverter for concealed single lever bath mixers and bath module 1/2", wall mounted automatic diverter: bath/shower including diverter knob GROHE StarLight chrome finish				
	46 058 000	Chrome	4005176008467	61.91
Diverter for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 GROHE StarLight chrome finish				
	45 048 000	Chrome	4005176006753	19.94
Diverter for wall mounted bath mixers including diverter knob GROHE StarLight chrome finish				
	46 056 000	Chrome	4005176008443	41.24
Diverter for wall mounted bath mixers lockable automatic diverter: bath/shower including diverter knob GROHE StarLight chrome finish				











GROHE DIVERTERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
47 238 000	Chrome	4005176139727	40.93






Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
lockable automatic diverter: bath/shower
including diverter knob
GROHE StarLight chrome finish

GROHE HOSES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	45 484 000	Chrome	4005176135415	56.56
	Flexible connection hose, 470 in units of 2			
	45 120 000	Chrome	4005176007279	36.52
	Flexible pressure hose with compression nut for copper pipe Ø 10 mm coupling nut 3/8" 300 mm			
	46 322 000	Chrome	4005176136245	32.01
	inlet hose			
	28 112 000	Chrome	4005176601286	40.93
	Metal hose for sink mixers 1500 mm M 15 x 1 x 3/8" nut GROHE StarLight chrome finish			
	46 104 000	Chrome	4005176008856	72.41
	Metalflex hose			
	46 092 000	Chrome	4005176057755	51.42
	Metal hose for sink mixers with extractible outlet 1500 mm			

GROHE HOSES








	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 174 000	Chrome	4005176211294	61.91
	48 293 000		4005176358593	30.43
	07 240 000		4005176017476	19.94

Metalflex hose

Shower hose
for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1
GROHE StarLight finish

Compression spring



GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 580 SD0	stainless steel	4005176479236	10.00
	Chrome bath plug basket strainer waste for kitchen sinks without automatic waste fitting including lip seal Ø 83 mm GROHE StarLight finish			
	42 576 SD0	stainless steel	4005176478703	16.62
	Chrome bath plug basket strainer waste for kitchen sinks with automatic waste fitting an adjustable screw below the basket offers the adjustment including lip seal Ø 83 mm GROHE StarLight finish			
	42 577 SD0	stainless steel	4005176478710	42.60
	Chrome bath plug basket strainer waste with steel cap for kitchen sinks with automatic waste fitting an adjustable screw below the basket offers the adjustment including lip seal Ø 83 mm GROHE StarLight finish			
	42 579 SD0	stainless steel	4005176478734	22.04
	Cover element overflow cover element for kitchen sinks consisting of frame and cover, printed dimensions: 55,3 mm x 30,3 mm GROHE StarLight finish			
	46 312 IE0	chrome / light grey	4005176136085	124.88
	46 312 SD0	stainless steel	4005176265372	247.66
	46 312 KH0	black softfeeling/black	4005176136108	122.88
	Hand shower diverter: mousseur/shower jet automatic return to mousseur for sink mixers 33 727 33 707 33 933			
	46 173 IE0	chrome / light grey	4005176211263	72.41
	Hand shower			




GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 575 DC0	supersteel	4005176845864	135.37
	46 575 000	Chrome	4005176830099	72.41
Hand shower GROHE StarLight chrome finish				
	46 592 000	Chrome	4005176833618	103.89
	Minta Hand shower including hose			
	46 710 000	Chrome	4005176889974	67.28
	Hand shower GROHE StarLight chrome finish			
	46 731 000	Chrome	4005176889973	58.77
	Hand shower professional spray regular flow/shower jet automatic return to mousseur SpeedClean anti-limescale system GROHE StarLight chrome finish			
	46 246 000	Chrome	4005176168086	114.38
	46 246 SD0	stainless steel	4005176198212	136.32
Extractable outlet removable for single-hole sink mixers Zedra (33 708) Zedra (33 738) Europlus (33 858)				
	46 576 000	Chrome	4005176830105	49.85
	K4 Extractable outlet for K4 single-lever shower mixer GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position including weight approx. 1425 mm M15 x 1			







GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 590 000	Chrome	4005176832482	40.93
	Extractable outlet			
	46 925 000	Chrome	4005176347528	11.54
	Hand shower for Minta single lever sink mixer with pull out mousseur spout GROHE StarLight finish			
	46 757 000	Chrome	4005176907654	19.94
	Extractable outlet			
	46 857 000	Chrome	4005176937309	61.91
	46 857 DC0	supersteel	4005176937316	82.90
	Hand shower diverter: mousseur/shower jet automatic return to mousseur GROHE StarLight chrome finish SpeedClean anti-limescale system			
	46 956 000	Chrome	4005176384622	32.53
	Hand shower Laminar spray/shower spray automatic return to laminar spray SpeedClean anti-limescale system GROHE StarLight chrome finish including disassembly key for laminar spray for Eurosmart 2015 and Start 2015 sink mixers			
	48 416 000	Chrome	4005176482472	27.01
	48 416 DC0	supersteel	4005176482489	34.00
	Hand shower Laminar spray/shower spray automatic return to laminar spray SpeedClean anti-limescale system GROHE StarLight chrome finish including disassembly key			

GROHE SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 338 000		4005176160653	40.93
	Coupling piece			
	46 315 000		4005176136146	45.59
	Quick coupling			
	05 334 000		4005176015083	9.44
	Support plate			



GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	28 815 000	black	4005176602948	19.94
	Snap coupling			
	45 899 000		4005176253072	19.94
	Quick coupling			
	28 635 XX0	dark grey	4005176041457	9.44
	Relaxa Coupling piece as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece			
				
	28 634 XX0	dark grey	4005176041440	30.17
	Relaxa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)			
				
	28 637 XX0	dark grey	4005176093913	19.30
	Relaxa Coupling piece as replacement connector for new hand shower and hose each handshower is equipped with a coupling piece with flow regulating valve 9.5 l/min. maximum flow rate at 1 - 6 bar water saving			
				
	28 785 000	black	4005176602405	9.44
	Swivel adaptor 1/2" black (to combine Relaxa handshowers with shower rails of other manufacturers)			
				

GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 817 000	Chrome	4005176602962	13.54
	Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish			
 	45 304 000	Chrome	4005176055201	31.79
	Elbow for shower mixers 1/2" x 1/2" GROHE StarLight chrome finish bath mixers			
	45 900 000		4005176253089	40.93
	Nipple			
	48 279 000	Chrome	4005176354069	19.94
	Outlet shower holder for shower systems with thermostat for wall mounting including fixation set GROHE StarLight chrome finish			
	48 333 000	Chrome	4005176377945	51.42
	Outlet shower holder metal including fastening set as replacement for former metal version 06 667 00M and 45 403 000 including disassembly key to loosen former plastic version 64 245 00M and 48 010 000 packaging unit: 2 pieces GROHE StarLight chrome finish			
	48 423 000		4005176484568	16.79
	Outlet shower holder for shower systems with thermostat for wall mounting including fixation set GROHE StarLight chrome finish			








GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	06 765 000	Chrome	4005176831973	93.40
	Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	07 659 000	Chrome	4005176003707	51.42
	Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	12 140 000	Chrome	4005176288319	61.91
Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				
	45 650 IPO	chrome/ matt chrome	4005176137228	51.42
Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				
	12 435 000	Chrome	4005176272141	51.42
	Relexa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
	48 099 000	Chrome	4005176908583	19.94
Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish				







GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	08 864 000	Chrome	4005176266058	30.43
	connector 8 x 15 mm for three-, four- and five-hole single-lever bath combinations to connect hand shower with shower hose GROHE StarLight chrome finish			
	48 177 000	Chrome	4005176924248	40.93
	Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	45 363 000	Chrome	4005176112324	19.94
	Cover plate for shower rail Relexa and Tempesta ø 25 mm			
	45 656 XX0	dark grey	4005176063626	19.94
	Pulsator element			







GROHE SPARE PARTS FOR ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 212 000	Chrome	4005176171123	50.53
<p>Spare pump GROHE StarLight chrome finish</p>				
 	40 206 000	Chrome	4005176170904	58.03
<p>Spare brush GROHE StarLight chrome finish</p>				
 	40 207 000		4005176170973	14.59
<p>Spare brush</p>				
	43 897 000	white	4005176173981	71.10
<p>Soap dish</p>				







GROHE SEALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 077 000		4005176008672	36.88
	Replacement kit for seal for kitchen fittings			
	46 429 K00	black	4005176196881	20.25
	Replacement kit for seal			
	46 090 000		4005176008719	23.72
	Replacement kit for seal			
	01 386 00M		4005176000782	12.49
	Sealing washer multi-packaging: 10 pieces			
	03 214 00M		4005176265501	11.02
	Sealing washer multi packaging: 1 x 6 pieces and 1 x 3 pieces			
	01 285 00M		4005176000614	12.49
	O-Ring Ø13,5 x Ø2,75 multi packaging: 20 pieces			







GROHE MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	07 653 000	Chrome	4005176003684	19.94
	Stop ring 1/2" GROHE StarLight chrome finish			
	03 758 000	Chrome	4005176001741	51.42
	Stop ring			
	04 853 00M	Chrome	4005176014888	12.49
	Safety ring multi packaging: 5 pieces			
	08 065 00M	Chrome	4005176257773	19.94
	Safety ring multi packaging: 5 pieces			
	07 002 00M	Chrome	4005176113413	9.44
	Strainer multi-packaging: 2 pieces			
	07 264 00M	Chrome	4005176228797	9.44
	Filter multi-packaging: 2 pieces			

GROHE MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 739 000 Pop-up rod	Chrome	4005176900952	19.94
	06 048 000 Pop-up rod for Chiara before 2004 and Europlus from 1988 to 1999	Chrome	4005176002144	30.43
	06 329 000 Pop-up rod for Eurosmart and Eurostyle	Chrome	4005176228278	23.72
	46 249 000 Shank mounting kit	Chrome	4005176185021	15.64
	46 345 000 Shank mounting kit		4005176226069	19.94
	48 384 000 Shank fastening assembly with fastening nut M33 x 1.5 including screws and seals		4005176474422	13.51



GROHE MISCELLANEOUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
46 436 000	Chrome	4005176205644	13.85
Shield for cross handle			
			
46 242 000		4005176121913	14.59
Shield for cross handle			
			
46 243 000	Chrome	4005176121920	15.33
Shield for cross handle			
			
45 023 000		4005176006494	9.44
Seat			
			
45 052 000		4005176006784	8.19
renewable seat set 3/4"			
			
07 587 000	Chrome	4005176229015	19.94
Slider			
			








GROHE MISCELLANEOUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
45 044 000	Chrome	4005176006678	13.54










		45 388 000 Supporting legs for baseframe for direct floor installation fixing material in units of 2	4005176212758	77.76
---	---	---	----------------------	--------------

GROHE SPECIAL TOOLS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	02 276 000	Chrome	4005176001215	5.71
	Socket Spanner multiple interlocking 11 mm for headparts with e.g. 3/4", 1" or 5/4"			
	02 277 000	Chrome	4005176001222	16.53
	Socket spanner 1/2" multiple interlocking 8 mm for 11 148 and 22 917			
	18 283 00M		4005176026669	29.33
	Fitting aid for mounting of 1/2" fittings in units of 10			
	19 332 000		4005176823695	72.41
	Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for disassembly of 35 mm cartridge			
	19 132 000		4005176197260	95.86
	Disassembling key to disassemble / assemble thread connected copper tubes and flexible connection hoses			
	45 654 000		4005176063534	9.44
	Disassembling key			

GROHE SPECIAL TOOLS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	48 021 000	Chrome	4005176881435	9.44
 	19 377 000		4005176872204	40.93
 	19 017 000		4005176212024	40.93
 	19 001 000		4005176029417	40.93

GROHE CLEANING AND CARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
----------	--------	----------	------------------------










45 937 000		4005176279683	24.60
Grohe Special grease 25 g sales unit 15 pieces			









48 166 000		4005176923197	14.80
Grohclean Detergent for fittings and bathrooms 500 ml spray bottle based on citric acid in display box sales unit 1 pieces			








GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 302 000	Chrome	4005176835360	72.41
	42 302 SH0	alpine white	4005176835384	61.91
	Surf Flush plate for retrofit for dual flush or start & stop actuation for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	42 303 000	Chrome	4005176835391	72.41
	42 303 SH0	alpine white	4005176835414	61.91
	Skate Flush plate for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation for vertical and horizontal installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	42 304 000	Chrome	4005176835469	72.41
	42 304 SH0	alpine white	4005176835483	46.17
	Skate Air Flush plate for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for vertical installation 156 x 197 mm made of ABS GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	42 305 000	Chrome	4005176835490	72.41
	Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish			
 	37 115 P10	matt chrome/chrome	4005176172571	9.44
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 40 mm GROHE StarLight chrome finish			
	37 117 P10	matt chrome/chrome	4005176172588	9.44
	Push button and escutcheon for servo set for close-coupled ceramic cisterns lid hole Ø 16 - 35 mm GROHE StarLight chrome finish			







GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 122 000 Cover		4005176154836	30.43
	43 247 000 Cover	Chrome	4005176154999	52.31
	43 056 000 Lever for flush valves GROHE StarLight chrome finish	Chrome	4005176154393	35.84
	42 740 000 Solenoid Valve		4005176230653	366.24
	43 544 000 Outlet piston		4005176157738	9.44
	43 535 000 Push bar 350 mm for Servo discharge valve 350 mm		4005176157639	3.15



GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	43 540 000		4005176157691	9.44
	Pop-up rod for Servo discharge valve 451 mm			
	43 422 000		4005176156595	30.43
	Safety valve			
	43 405 000		4005176156489	100.06
	Isolating valves, pair			
	43 451 000		4005176156830	32.32
	Piston			
	43 506 000		4005176157356	9.44
	Bellow			
	42 315 000		4005176835643	11.54
	Valve seat for GD2			




GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 533 000 Seat		4005176157615	9.44
	42 764 00M Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces		4005176222092	15.64
	42 233 000 Connecting hose	Chrome	4005176300653	19.94
	42 775 000 Tubes		4005176221606	9.44
	43 745 000 Sealing washer		4005176158995	9.44
	43 722 000 Set of seals		4005176158810	11.54







GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 714 000 Set of seals		4005176158742	41.24
	43 758 00M Membrane filling valve multi-packaging: 10 pieces		4005176159121	40.93



GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 924 SH0	alpine white	4005176375446	104.68
	GROHE Sensia Arena WC seat for Sensia Arena shower toilet system, wall hung automatic opening/close function suitable WC lid: 14 925 SH0			
	14 925 SH0	alpine white	4005176375453	131.14
	GROHE Sensia Arena WC lid for Sensia Arena shower toilet system, wall hung automatic opening/close function suitable WC seat: 14 924 SH0			
	14 926 001		4005176483400	312.03
	GROHE Sensia Arena Remote control for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder including batteries			
	14 926 000		4005176375460	411.37
	GROHE Sensia Arena Remote control for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder including batteries			
	14 930 000		4005176375507	20.09
	Nozzle guard for Sensia Arena shower toilet system, wall hung and floor standing			
	14 937 000	alpine white	4005176407000	1,056.40
	GROHE Sensia Arena WC-ceramic for Sensia Arena shower toilet system, wall hung			

GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 969 000		4005176436079	27.49
	GROHE Sensia Arena Fixing member rear for Sensia Arena shower toilet system, wall hung			
	14 971 000		4005176436093	29.60
	GROHE Sensia Arena Hose clip for Sensia Arena shower toilet system, wall hung			
	14 974 000		4005176436123	80.37
	GROHE Sensia Arena Connection hose assembly for Sensia Arena shower toilet system, wall hung			
	14 933 000		4005176375538	9.51
	GROHE Sensia Arena Air filter for Sensia Arena shower toilet system, wall hung			
	14 972 000		4005176436109	27.49
	GROHE Sensia Arena Anti-theft screw for Sensia Arena shower toilet system, wall hung			
	14 919 000	alpine white	4005176375194	1,585.16
	GROHE Sensia Arena E-bidet unit for 39 354 SH0 for Sensia Arena shower toilet system, wall hung exchange set			










GROHE SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 976 000	alpine white	4005176483417	1,697.00
	GROHE Sensia Arena E-bidet unit for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set			
	14 927 000		4005176375477	20.09
	GROHE Sensia Arena Filter for Sensia Arena function model shower toilet system, wall hung			

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)		Ref. No.	Colour	Retail Guide Price (£)
	49 512 000		25.87		49 518 000		25.87
	Mounting set for counter top basins 39 337 000 39 337 00H 39 475 00H 39 476 00H 39 477 00H 39 478 00H for drop in basin 39 422 000, 39 479 00H for vessel basin 39 481 00H contains 2 pieces				Mounting set for undercounter basins 39 423 000, 39 480 00H contains 4 pieces		
	49 025 000	Chrome	22.50		49 516 000		22.51
	Mounting set for half pedestal 39 426 000 39 201 000 39 325 000 contains 2 pieces				Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces		
	49 021 000		3.37		49 022 000	Chrome	24.75
	Rubber sealing for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000				Fixing bolt for close coupled WC and cistern 39 436 000 39 437 000 39 333 000 39 332 000 39 489 000 39 490 000		
	49 526 000	Chrome	13.49		49 023 000	Chrome	15.75
	Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000				Filling valve for close coupled cistern exposed bottom inlet 39 332 000 39 436 000 universal application		
	49 020 000	Chrome	15.74		49 061 000	Chrome	15.73
	Filling valve for Euro Ceramic cistern for close coupled cistern exposed side inlet 39 333 000 universal application				Discharge valve for Bau Ceramic cistern for close coupled cistern exposed side inlet 39 436 000 39 437 000 Dual Flush universal application for ceramic lid hole Ø 50 mm		
	49 066 000	Chrome	15.76		49 016 000	alpine white	10.65
	Discharge valve for Euro Ceramic cistern for close-coupled cisterns 39 332 000 39 333 000 Dual Flush universal application for ceramic lid hole Ø 50 mm				Locking cap for Euro Ceramic close coupled WC 39 338 000 / 39 338 00H		

GROHE SPARE PARTS FOR CERAMICS

Ref. No.	Colour	Retail Guide Price (£)	Ref. No.	Colour	Retail Guide Price (£)
49 027 000	Chrome	63.02	49 510 000		58.51
		Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H			Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H
49 024 000	Chrome	63.02	49 509 000		57.37
		Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			Fixing set for Cube Ceramic wall hung WC 178 mm 39 244 00H
49 528 000	Chrome	33.77	49 529 000	Chrome	20.25
		Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces			Fixing set for Bau Ceramic seat and lid 39 493 000 39 492 000 contains 2 pieces
49 530 000	white	8.99	49 019 000	alpine white	2.25
		Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat			Locking cap for exposed ceramic cistern, side inlet 39 437 000 39 333 000
49 522 000		25.88			
		Mounting set for Euro Ceramic cistern 39 333 000 for back inlet installation			

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
00				11			
00 798 000	4005176229008	920	30.43	11 003 000	4005176020353	923	23.29
01				11 006 000	4005176020377	923	23.29
01 285 00M	4005176000614	967	12.49	11 086 000	4005176020476	923	32.84
01 386 00M	4005176000782	967	12.49	11 090 000	4005176020513	923	19.94
02				11 101 000	4005176020575	923	35.37
02 201 000	4005176001147	936	10.13	11 102 000	4005176020599	923	35.37
02 210 00M	4005176001185	936	19.94	11 104 000	4005176020612	923	69.16
02 276 000	4005176001215	972	5.71	11 105 000	4005176020629	923	72.41
02 277 000	4005176001222	972	16.53	11 118 000	4005176004261	923	26.23
02 490 POM	4005176168185	929	14.59	11 148 000	4005176020827	927	51.42
03				11 501 000	4005176004285	925	30.43
03 214 00M	4005176265501	967	11.02	11 504 000	4005176020926	926	75.45
03 758 000	4005176001741	968	51.42	11 505 000	4005176020933	926	71.41
04				11 508 000	4005176020964	926	72.41
04 853 00M	4005176014888	968	12.49	11 513 000	4005176020971	926	40.93
05				11 514 000	4005176020988	926	58.77
05 334 000	4005176015083	961	9.44	11 515 000	4005176020995	926	85.00
05 386 00M	4005176015106	929	14.38	11 550 000	4005176021169	926	53.16
06				12			
06 048 000	4005176002144	969	30.43	12 001 000	4005176004339	932	19.94
06 170 000	4005176015717	924	11.02	12 004 000	4005176004353	932	19.94
06 188 000	4005176002519	925	103.89	12 005 000	4005176004360	932	44.44
06 329 000	4005176228278	969	23.72	12 013 000	4005176004414	933	29.12
06 427 000	4005176002762	930	18.73	12 015 000	4005176004438	934	31.01
06 428 000	4005176002786	930	22.77	12 023 000	4005176089718	932	58.03
06 707 000	4005176003066	928	18.94	12 030 000	4005176021558	710, 934	78.86
06 765 000	4005176831973	964	93.40	12 041 000	4005176004490	934	82.90
06 844 000	4005176016714	947	18.37	12 051 000	4005176213588	709, 726	40.93
07				12 058 000	4005176122477	933	36.88
07 000 000	4005176016899	916	124.88	12 060 000	4005176122576	934	178.50
07 002 00M	4005176113413	968	9.44	12 063 000	4005176021787	935	44.44
07 025 000	4005176016929	925	30.43	12 075 000	4005176004520	933	19.94
07 052 000	4005176003370	947	30.43	12 124 000	4005176262579	714	103.89
07 146 000	4005176017261	924	19.94	12 140 000	4005176288319	964	61.91
07 147 000	4005176003455	927	19.94	12 400 000	4005176004582	932	40.93
07 150 000	4005176003479	927	35.37	12 407 000	4005176004629	935	113.02
07 156 000	4005176003493	925	32.53	12 411 000	4005176004667	712, 933	114.18
07 182 000	4005176017438	947	25.19	12 417 000	4005176004681	712, 936	70.36
07 182 G00	4005176017346	947	103.99	12 419 000	4005176004698	935	28.97
07 240 000	4005176017476	957	19.94	12 420 000	4005176004704	712	103.89
07 264 00M	4005176228797	968	9.44	12 424 000	4005176004735	712	90.20
07 341 000	4005176017728	947	40.93	12 426 000	4005176004742	712	198.23
07 531 000	4005176003578	954	30.43	12 428 000	4005176004759	713	136.16
07 587 000	4005176229015	970	19.94	12 430 000	4005176004766	713	149.60
07 653 000	4005176003684	968	19.94	12 432 000	4005176004773	713	157.82
07 659 000	4005176003707	964	51.42	12 433 000	4005176272752	922	82.90
08				12 435 000	4005176272141	964	51.42
08 065 00M	4005176257773	968	19.94	12 436 000	4005176004797	713	161.92
08 201 000	4005176003943	916	47.75	12 444 000	4005176004834	713, 935	196.97
08 565 000	4005176019739	951	19.94	12 448 000	4005176004841	713	449.14
08 864 000	4005176266058	965	30.43	12 465 000	4005176004858	932	70.15
08 915 000	4005176020124	954	51.42	12 662 000	4005176819056	933	40.93
10				12 693 000	4005176829918	933	19.94
10 099 00M	4005176812965	929	13.64	12 901 00M	4005176022456	936	11.54
				13			
				13 005 000	4005176022739	937	40.93
				13 017 000	4005176022777	937	50.11
				13 028 000	4005176022821	635, 937	38.04
				13 034 000	4005176022869	635, 937	52.11
				13 037 000	4005176005060	938	32.53
				13 041 000	4005176005077	938	39.19
				13 043 000	4005176801402	939	39.51
				13 049 000	4005176125041	938	125.93

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
13 051 000	4005176005091	937	24.14	13 941 000	4005176162732	943	4.09
13 070 000	4005176023125	938	39.19	13 943 000	4005176831584	943	9.44
13 071 000	4005176023132	635, 937	35.10	13 950 000	4005176025679	941	12.59
13 072 000	4005176005145	937	30.43	13 951 000	4005176025730	942	12.59
13 073 000	4005176005183	937	51.42	13 952 000	4005176079818	942	12.59
13 076 000	4005176023170	937	35.73	13 954 000	4005176025747	940	9.44
13 077 000	4005176023187	938	43.87	13 955 000	4005176025808	942	10.49
13 080 000	4005176234934	707	173.94	13 959 000	4005176109515	940	9.44
13 084 000	4005176023217	937	35.58	13 960 000	4005176109522	941	15.74
13 137 000	4005176234941	707	173.94	13 961 000	4005176128431	943	4.20
13 139 003	4005176455131	60	214.66	13 989 000	4005176831881	944	12.59
13 139 AL3	4005176455155	60	389.84	13 994 000	4005176859618	944	12.49
13 139 DA3	4005176493287	60	336.99	14			
13 139 DC3	4005176455148	60	341.09	14 013 000	4005176915567	934	93.40
13 139 GL3	4005176493263	60	336.99	14 014 000	4005176929274	404	54.19
13 218 000	4005176847110	43	1,366.73	14 015 000	4005176932748	357	135.37
13 220 000	4005176855504	945	19.94	14 048 000	4005176413483	334, 930	151.54
13 261 000	4005176877384	185	83.46	14 053 00M	4005176413513	334	50.88
13 262 000	4005176877391	185	94.02	14 055 000	4005176413520	219, 334	161.51
13 263 000	4005176879579	945	30.43	14 056 000	4005176466298	334, 931	114.13
13 264 000	4005176882449	43	231.18	14 057 000	4005176466304	335, 931	147.62
13 269 000	4005176883132	938	194.56	14 058 000	4005176466311	335, 931	147.63
13 276 002	4005176887246	161	98.44	14 074 000	4005176575365	762, 805	37.00
13 278 002	4005176887871	144	98.42	14 114 00M	4005176025921	950	59.03
13 280 001	4005176888687	153	89.89	14 116 00M	4005176006005	950	51.42
13 281 001	4005176888694	153	120.19	14 117 00M	4005176006012	950	145.87
13 299 000	4005176899003	33	319.64	14 165 00M	4005176006043	498, 950	19.94
13 299 A00	4005176490767	33	453.30	14 919 000	4005176375194	981	1,585.16
13 299 AL0	4005176490705	33	483.50	14 924 SH0	4005176375446	980	104.68
13 299 DC0	4005176490712	33	423.08	14 925 SH0	4005176375453	980	131.14
13 301 000	40051768899041	33	1,431.83	14 926 000	4005176375460	980	411.37
13 301 A00	4005176490859	33	2,228.00	14 926 001	4005176483400	980	312.03
13 301 AL0	4005176490798	33	2,371.00	14 927 000	4005176375477	982	20.09
13 301 DC0	4005176490804	33	2,084.00	14 928 000	4005176375484	758	30.66
13 303 000	4005176906350	103	120.57	14 929 000	4005176375491	758	30.66
13 303 AL0	4005176585562	103	186.00	14 930 000	4005176375507	980	20.09
13 303 DC0	4005176525100	103	163.00	14 933 000	4005176375538	981	9.51
13 304 000	4005176906367	103	131.62	14 936 000	4005176375569	758	41.25
13 317 000	4005176912603	43	739.98	14 937 000	4005176407000	980	1,056.40
13 319 000	4005176912627	33	739.98	14 969 000	4005176436079	981	27.49
13 319 A00	4005176352782	33	1,037.00	14 971 000	4005176436093	981	29.60
13 319 AL0	4005176353284	33	1,118.68	14 972 000	4005176436109	981	27.49
13 319 DC0	4005176490651	33	978.82	14 974 000	4005176436123	981	80.37
13 341 000	4005176931000	70	231.18	14 976 000	4005176483417	982	1,697.00
13 341 IG0	4005176931017	70	308.60	18			
13 378 000	4005176351532	708	82.90	18 121 000	4005176815812	935	51.42
13 380 000	4005176351549	708	91.63	18 283 00M	4005176026669	972	29.33
13 383 001	4005176418167	84	197.99	18 349 000	4005176874796	181	26.41
13 383 DC1	4005176418174	84	330.23	18 541 000	4005176910869	97	32.08
13 404 003	4005176529788	114	139.00	18 608 001	4005176985140	298	43.14
13 462 000	4005176024276	938	155.05	18 700 000	4005176940811	302	43.13
13 540 000	4005176005411	212	103.89	18 862 000	4005176028120	934	61.91
13 900 000	4005176005442	941	9.39	19			
13 907 000	4005176025129	943	19.94	19 001 000	4005176029417	973	40.93
13 911 000	4005176005459	936	30.43	19 017 000	4005176212024	973	40.93
13 915 000	4005176005473	945	30.69	19 025 000	4005176209154	85, 116	54.19
13 925 000	4005176005534	945	32.89	19 069 003	4005176455469	58	83.53
13 926 000	4005176819063	944	24.24	19 069 AL3	4005176455483	58	151.60
13 927 000	4005176005541	943	19.94	19 069 DA3	4005176494031	58	130.00
13 927 G00	4005176005565	943	68.79	19 069 DC3	4005176455476	58	132.64
13 928 000	4005176025365	941	12.59	19 069 GL3	4005176494017	58	130.00
13 929 000	4005176025440	942	12.59	19 088 003	4005176455162	58	107.85
13 929 G00	4005176005688	942	51.06	19 088 AL3	4005176455186	58	150.16
13 929 L00	4005176005695	942	19.94	19 088 DA3	4005176493348	58	130.00
13 930 000	4005176025488	943	19.94				
13 935 000	4005176263859	940	12.49				
13 937 000	4005176819193	944	19.94				

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
19 088 DC3	4005176455179	58	139.57	19 783 000	4005176898846	30	728.94
19 088 GL3	4005176493324	58	130.00	19 783 A00	4005176490538	30	1,046.09
19 132 000	4005176197260	972	95.86	19 783 AL0	4005176490477	30	1,115.83
19 287 003	4005176454738	50	357.42	19 783 DC0	4005176490484	30	976.36
19 287 AL3	4005176454752	50	649.72	19 787 001	4005176429057	32	1,563.17
19 287 DA3	4005176492372	50	561.64	19 787 A01	4005176495427	32	2,157.54
19 287 DC3	4005176454745	50	568.50	19 787 AL1	4005176489563	32	2,301.37
19 287 GL3	4005176492358	50	561.64	19 787 DC1	4005176489570	32	2,013.69
19 309 000	4005176820656	40	562.99	19 796 000	4005176899133	34	186.94
19 316 000	4005176821783	42	1,270.93	19 796 A00	4005176352607	34	258.00
19 332 000	4005176823695	972	72.41	19 796 AL0	4005176353062	34	258.00
19 334 000	4005176823800	44	142.69	19 796 DC0	4005176490019	34	248.17
19 345 001	4005176888953	151	150.49	19 798 000	4005176899157	34	264.35
19 346 001	4005176889080	151	160.59	19 798 A00	4005176352614	34	359.00
19 377 000	4005176872204	973	40.93	19 798 AL0	4005176353079	34	359.00
19 381 000	4005176874673	180	178.54	19 798 DC0	4005176489969	34	345.80
19 382 000	4005176874697	184	125.71	19 808 001	4005176843204	212	21.01
19 383 000	4005176874765	184	104.59	19 809 001	4005176853876	212	21.01
19 384 000	4005176875755	45	142.69	19 830 000	4005176030697	926	27.00
19 386 000	4005176876011	40	607.25	19 831 000	4005176030703	926	27.00
19 408 001	4005176307133	126	186.91	19 840 000	4005176030758	927	34.99
19 408 A01	4005176426209	126	307.90	19 841 000	4005176030765	927	43.87
19 408 AL1	4005176426193	126	328.42	19 895 000	4005176901072	96	253.30
19 408 BE1	4005176426216	126	307.90	19 895 AL0	4005176585494	96	391.00
19 408 DA1	4005176426179	126	307.90	19 897 001	4005176429101	102	1,072.92
19 408 DC1	4005176369964	126	287.36	19 897 AL1	4005176585548	102	1,540.00
19 408 DL1	4005176426186	126	328.42	19 897 DC1	4005176525087	102	1,348.00
19 408 EN1	4005176426223	126	328.42	19 910 000	4005176987014	103	54.18
19 408 GL1	4005176426155	126	307.90	19 918 003	4005176454769	51	405.01
19 408 GN1	4005176426162	126	328.42	19 918 AL3	4005176454783	51	736.36
19 409 001	4005176409158	79	275.42	19 918 DA3	4005176492440	51	636.52
19 409 AL1	4005176586170	79	374.00	19 918 DC3	4005176454776	51	644.31
19 409 DC1	4005176412752	79	352.85	19 918 GL3	4005176492426	51	636.52
19 450 002	4005176862229	194	104.59	19 919 000	4005176924125	69	1,160.31
19 451 002	4005176862335	193	94.02	19 919 IGO	4005176924132	69	1,514.26
19 470 000	4005176848018	927	65.28	19 922 003	4005176455568	59	1,220.80
19 506 002	4005176887185	161	153.74	19 922 AL3	4005176455582	59	1,776.00
19 506 003	4005176334399	172	142.69	19 922 DA3	4005176494697	59	1,684.91
19 506 LS3	4005176334542	172	186.93	19 922 DC3	4005176455575	59	1,515.00
19 507 002	4005176887079	161	153.73	19 922 GL3	4005176494673	59	1,684.91
19 507 003	4005176334337	171	120.56	19 923 003	4005176455537	59	1,220.80
19 507 LS3	4005176334528	171	168.00	19 923 AL3	4005176455551	59	1,632.00
19 571 002	4005176886973	158	220.12	19 923 DA3	4005176494635	59	1,684.91
19 571 003	4005176334269	168	220.13	19 923 DC3	4005176455544	59	1,705.54
19 571 LS3	4005176334498	168	275.43	19 923 GL3	4005176494611	59	1,684.91
19 573 002	4005176887659	141	209.07	19 929 000	4005176930430	67	400.92
19 575 001	4005176888366	149	180.79	19 929 IGO	4005176930447	67	551.94
19 576 002	4005176429088	152	693.87	19 930 000	4005176930454	67	463.45
19 577 001	4005176409233	83	662.56	19 930 IGO	4005176930461	67	607.24
19 577 AL1	4005176586224	83	1,277.00	19 936 000	4005176930812	69	1,093.93
19 577 DC1	4005176412820	83	1,211.71	19 936 IGO	4005176930829	69	1,414.71
19 577 EN1	4005176413018	83	1,276.83	19 942 000	4005176931048	70	142.68
19 578 001	4005176307195	130	739.99	19 942 IGO	4005176931055	70	180.97
19 578 A01	4005176426520	130	1,110.77	19 944 000	4005176931086	71	109.48
19 578 AL1	4005176426513	130	1,184.83	19 944 IGO	4005176931093	71	131.62
19 578 BE1	4005176426537	130	1,110.77	19 952 000	4005176174230	84, 116	48.67
19 578 DA1	4005176426490	130	1,110.77	19 952 A00	4005176352874	218	120.00
19 578 DC1	4005176371103	130	1,036.73	19 952 AL0	4005176353376	84, 116	132.00
19 578 DL1	4005176426506	130	1,184.83	19 952 DC0	4005176467776	84, 116	61.00
19 578 EN1	4005176374463	130	1,184.83	19 952 EN0	4005176468100	218	251.00
19 578 GL1	4005176426476	130	1,110.77	19 954 000	4005176175732	219	20.62
19 578 GN1	4005176426483	130	1,184.83	19 965 001	4005176409240	83	485.57
19 590 000	4005176890529	44	197.97	19 966 000	4005176988664	102	680.00
19 781 000	4005176898822	30	684.68	19 967 001	4005176307140	126	209.06
19 781 A00	4005176490446	30	970.00	19 967 A01	4005176426285	126	346.89
19 781 AL0	4005176490385	30	1,046.09	19 967 AL1	4005176426278	126	370.00
19 781 DC0	4005176490392	30	915.34	19 967 BE1	4005176426292	126	346.89

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
19 967 DA1	4005176426254	126	346.89	20 346 000	4005176898907	29	717.86
19 967 DC1	4005176369971	126	323.77	20 346 A00	4005176490262	29	1,024.30
19 967 DL1	4005176426261	126	370.00	20 346 AL0	4005176490200	29	1,092.57
19 967 EN1	4005176426308	126	370.00	20 346 DC0	4005176490217	29	956.00
19 967 GL1	4005176426230	126	346.89	20 348 000	4005176898921	29	762.12
19 967 GN1	4005176426247	126	370.00	20 348 A00	4005176490354	29	1,089.68
19 968 000	4005176993657	134	209.05	20 348 AL0	4005176490293	29	1,162.31
19 968 LS0	4005176993664	134	330.72	20 348 DC0	4005176490309	29	1,017.02
19 969 000	4005176993671	134	231.19	20 351 000	4005176901041	96	297.54
19 969 LS0	4005176993688	134	253.31	20 351 AL0	4005176584688	96	475.00
19 974 002	4005176305948	141	220.11	20 351 DC0	4005176525001	96	416.00
19 976 001	4005176307218	131	441.32	20 389 000	4005176924101	67	551.95
19 997 000	4005176342189	89	242.23	20 389 IG0	4005176924118	67	717.87
19 998 000	4005176342196	89	275.42	20 393 001	4005176842993	210	71.90
20				20 404 001	4005176842986	210	54.18
20 008 003	4005176455285	56	476.91	20 414 000	4005176930492	67	408.16
20 008 AL3	4005176455308	56	866.30	20 414 IG0	4005176930508	67	506.69
20 008 DA3	4005176493621	56	748.86	20 415 000	4005176930515	67	431.51
20 008 DC3	4005176455292	56	758.03	20 415 IG0	4005176930522	67	596.19
20 008 GL3	4005176493607	56	748.86	20 417 000	4005176930553	66	496.64
20 009 003	4005176454974	56	381.74	20 417 IG0	4005176930560	66	651.49
20 009 AL3	4005176454998	56	866.30	20 421 000	4005176934353	196	49.49
20 009 DA3	4005176492853	56	748.86	20 421 O0M	4005176986932	196	101.79
20 009 DC3	4005176454981	56	758.03	20 422 000	4005176934490	202	49.49
20 009 GL3	4005176492839	56	748.86	20 474 000	4005176319112	198	169.00
20 021 003	4005176455193	55	239.00	20 575 000	4005176388422	206	51.76
20 021 AL3	4005176455216	55	433.16	21			
20 021 DA3	4005176493416	55	374.44	21 019 003	4005176455223	55	381.75
20 021 DC3	4005176455209	55	379.04	21 019 AL3	4005176455247	55	693.07
20 021 GL3	4005176493393	55	374.44	21 019 DA3	4005176493485	55	599.09
20 025 000	4005176099403	730	124.88	21 019 DC3	4005176455230	55	606.42
20 143 000	4005176832581	39	629.38	21 019 GL3	4005176493461	55	599.09
20 164 003	4005176455315	56	405.01	21 022 003	4005176454943	55	381.75
20 164 AL3	4005176455339	56	736.36	21 022 AL3	4005176454967	55	693.07
20 164 DA3	4005176493690	56	636.52	21 022 DA3	4005176492792	55	599.09
20 164 DC3	4005176455322	56	644.31	21 022 DC3	4005176454950	55	606.42
20 164 GL3	4005176493676	56	636.52	21 022 GL3	4005176492778	55	599.09
20 169 003	4005176455001	56	405.01	21 044 003	4005176455254	55	524.51
20 169 AL3	4005176455025	56	736.36	21 044 AL3	4005176455278	55	952.95
20 169 DA3	4005176492921	56	636.52	21 044 DA3	4005176493553	55	823.74
20 169 DC3	4005176455018	56	644.31	21 044 DC3	4005176455261	55	833.84
20 169 GL3	4005176492907	56	636.52	21 044 GL3	4005176493539	55	823.74
20 186 001	4005176874437	210	65.26	21 107 000	4005176930393	66	419.22
20 187 000	4005176874680	180	199.67	21 107 IG0	4005176930409	66	551.94
20 188 000	4005176875724	39	629.38	21 375 001	4005176843037	210	98.44
20 189 000	4005176875731	40	562.99	21 390 001	4005176843006	210	142.69
20 190 000	4005176875748	39	562.99	22			
20 192 000	4005176875991	39	596.19	22 012 000	4005176906343	104, 909	43.14
20 193 000	4005176876004	40	596.19	22 012 AL0	4005176585944	104, 909	72.00
20 201 000	4005176883354	216	105.07	22 012 DC0	4005176525742	104, 909	63.00
20 203 000	4005176883378	216	92.89	22 013 000	4005176909689	104, 909	43.14
20 205 000	4005176883682	216	76.33	22 016 00M	4005176940606	908	76.32
20 208 002	4005176886980	158	253.30	22 017 00M	4005176940613	908	54.20
20 216 001	4005176888373	148	221.19	22 018 000	4005176305382	907	5.52
20 296 001	4005176307072	125	253.30	22 023 000	4005176305405	907	6.62
20 299 001	4005176307096	126	319.66	22 025 00M	4005176306501	907	49.78
20 301 003	4005176529757	109	301.99	22 029 000	4005176305467	907	9.93
20 304 001	4005176409141	79	352.85	22 032 000	4005176305481	907	9.96
20 342 000	4005176898860	29	695.76	22 033 000	4005176305498	910	25.44
20 342 A00	4005176490125	29	985.87	22 035 000	4005176305511	910	21.01
20 342 AL0	4005176490064	29	1,051.58	22 037 000	4005176305535	906	9.94
20 342 DC0	4005176490071	29	920.13	22 039 AL0	4005176467936	906	70.18
20 344 000	4005176898884	29	828.48	22 041 000	4005176305573	906	9.95
20 344 A00	4005176338342	29	1,340.62	22 043 000	4005176305597	906	15.41
20 344 AL0	4005176353185	29	1,361.43	22 046 000	4005176305627	906	8.83
20 344 DC0	4005176489815	29	1,098.39				

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
22 053 000	4005176349027	908	11.07	23 200 000	4005176908354	30, 97	231.19
22 917 000	4005176501388	909	46.43	23 200 002	4005176519901	30, 97	220.00
22 939 000	4005176829369	908	19.94	23 293 000	4005176921148	722	196.37
22 940 000	4005176829376	908	19.94	23 296 001	4005176409127	79	297.54
22 958 00M	4005176034237	908	406.37	23 296 DC1	4005176412738	79	407.90
23				23 302 000	4005176923876	716	327.43
23 029 000	4005176898709	28	563.00	23 303 000	4005176924088	66	352.87
23 029 A00	4005176338335	28	918.07	23 303 IG0	4005176924095	66	463.45
23 029 AL0	4005176353154	28	932.84	23 310 000	4005176930331	66	352.87
23 029 DC0	4005176489471	28	752.59	23 310 IG0	4005176930348	66	463.45
23 033 000	4005176898716	28	563.00	23 313 000	4005176930614	66	463.45
23 033 A00	4005176489631	28	806.36	23 313 IG0	4005176930621	66	607.24
23 033 AL0	4005176489648	28	860.12	23 315 000	4005176930652	68	397.10
23 033 DC0	4005176489488	28	752.59	23 315 IG0	4005176930669	68	518.77
23 037 002	4005176886355	156	142.67	23 316 000	4005176930690	68	389.77
23 039 002	4005176886881	156	87.39	23 316 IG0	4005176930706	68	506.69
23 043 003	4005176472732	157	185.07	23 317 000	4005176930799	68	518.76
23 048 003	4005176429132	161	828.48	23 317 IG0	4005176930805	68	633.37
23 049 002	4005176887536	138	186.94	23 318 000	4005176930874	70	1,658.06
23 051 002	4005176887567	138	98.44	23 318 IG0	4005176930881	70	2,144.75
23 054 003	4005176472596	140	185.09	23 319 000	4005176931192	67	231.19
23 055 002	4005176887680	140	231.16	23 322 001	4005176934506	189	104.59
23 058 003	4005176313790	395	659.85	23 323 001	4005176934513	190	104.59
23 060 001	4005176888021	146	130.29	23 324 001	4005176934520	190	94.02
23 061 002	4005176417917	394	543.14	23 325 000	4005176933974	178	125.71
23 076 000	4005176890505	38	507.70	23 327 000	4005176934094	179	115.15
23 106 001	4005176409110	78	231.17	23 327 KW0	4005176565205	179	150.49
23 106 AL1	4005176586149	78	328.00	23 328 000	4005176934254	196	70.70
23 106 DC1	4005176412721	78	310.78	23 329 000	4005176934261	197	66.66
23 109 000	4005176898754	28	706.80	23 330 000	4005176934278	197	64.64
23 109 A00	4005176352683	28	1,003.00	23 331 000	4005176934285	199	70.70
23 109 AL0	4005176353161	28	1,070.00	23 332 000	4005176934292	199	73.73
23 109 DC0	4005176489860	28	935.65	23 333 000	4005176934308	199	69.69
23 112 000	4005176898778	28	706.80	23 334 000	4005176934322	199	84.84
23 112 A00	4005176489778	28	991.00	23 335 000	4005176934391	202	79.79
23 112 AL0	4005176489785	28	1,069.32	23 336 000	4005176934407	202	79.79
23 114 000	4005176898792	28	872.71	23 337 000	4005176934414	202	64.64
23 114 A00	4005176352690	28	1,259.54	23 338 000	4005176934421	203	89.89
23 114 AL0	4005176353178	28	1,310.00	23 340 000	4005176934445	203	69.69
23 114 DC0	4005176489914	28	1,159.41	23 341 000	4005176934469	203	79.79
23 117 000	4005176898938	30	640.44	23 356 000	4005176934131	196	74.74
23 117 A00	4005176490620	30	915.32	23 373 20E	4005176936661	157	120.54
23 117 AL0	4005176490569	30	976.33	23 374 003	4005176334153	165	120.57
23 117 DC0	4005176490576	30	854.27	23 374 20E	4005176936678	157	120.55
23 119 000	4005176899027	32	2,542.95	23 374 LS3	4005176334450	165	164.81
23 119 001	4005176428883	32	2,412.00	23 376 00E	4005176936623	178	109.87
23 119 A00	4005176338601	32	3,923.55	23 377 00E	4005176936630	178	115.15
23 119 AL0	4005176353208	32	4,185.12	23 378 00E	4005176936647	178	104.59
23 119 DC0	4005176489679	32	3,376.51	23 379 001	4005176306891	123	164.81
23 127 000	4005176900341	94	220.12	23 380 10E	4005176938245	147	140.39
23 127 00E	4005176901591	94	220.12	23 382 20E	4005176936708	139	175.89
23 132 000	4005176900990	94	209.06	23 384 20E	4005176936722	139	209.06
23 132 00E	4005176906725	94	209.06	23 385 10E	4005176938269	147	130.29
23 135 000	4005176901027	95	242.23	23 387 20E	4005176938382	156	120.55
23 135 00E	4005176906732	95	231.18	23 389 20E	4005176938842	139	186.95
23 137 000	4005176901096	94	164.82	23 390 00E	4005176938436	95	220.12
23 138 000	4005176901133	97	209.07	23 392 00E	4005176938450	95	220.11
23 140 000	4005176901157	98	264.36	23 393 10E	4005176938467	190	104.59
23 140 AL0	4005176585531	98	417.00	23 394 10E	4005176938474	190	94.02
23 140 DC0	4005176525056	98	365.00	23 395 10E	4005176938481	190	94.02
23 141 000	4005176901164	98	330.71	23 396 00E	4005176938504	179	125.71
23 143 000	4005176901188	101	341.76	23 403 000	4005176941627	38	673.63
23 145 000	4005176901270	97	242.22	23 405 001	4005176409134	79	275.42
23 145 AL0	4005176585524	97	358.00	23 405 AL1	4005176586163	79	459.00
23 145 DC0	4005176525049	97	313.00	23 405 DC1	4005176412745	79	435.09
23 147 001	4005176313271	395	1,171.38	23 406 000	4005176941658	96	275.40
				23 406 AL0	4005176584671	96	439.00

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
23 406 DC0	4005176524998	96	384.00	23 589 GL1	4005176407321	122	239.72
23 409 000	4005176942105	101	672.50	23 589 GN1	4005176419614	122	255.69
23 425 000	4005176993596	134	175.86	23 590 001	4005176339189	122	148.22
23 425 LS0	4005176993602	134	231.17	23 590 A01	4005176426001	122	231.93
23 427 000	4005176993619	134	197.99	23 590 AL1	4005176425998	122	247.38
23 427 LS0	4005176993626	134	253.31	23 590 BE1	4005176426018	122	231.93
23 428 000	4005176993633	134	297.54	23 590 DA1	4005176425875	122	231.93
23 428 LS0	4005176993640	134	386.03	23 590 DC1	4005176369926	122	216.45
23 429 000	4005176993695	51, 89	231.17	23 590 DL1	4005176425882	122	247.38
23 430 000	4005176993725	135	220.12	23 590 EN1	4005176426025	122	247.38
23 430 LS0	4005176993732	135	242.22	23 590 GL1	4005176425851	122	231.93
23 431 000	4005176993749	135	220.11	23 590 GN1	4005176425868	122	247.38
23 431 LS0	4005176993756	135	253.30	23 591 001	4005176339196	122	131.62
23 432 000	4005176993763	140	286.48	23 654 000	4005176342080	88	231.19
23 444 001	4005176411977	80	275.41	23 656 000	4005176342103	88	209.05
23 444 AL1	4005176586187	80	405.00	23 657 000	4005176342110	88	286.48
23 444 DC1	4005176412769	80	383.81	23 658 000	4005176342127	88	220.11
23 445 000	4005176998706	95	231.18	23 661 000	4005176342158	88	297.54
23 445 AL0	4005176584657	95	333.00	23 664 000	4005176342202	89	242.23
23 445 DC0	4005176524974	95	291.00	23 665 000	4005176342219	89	264.35
23 446 000	4005176998720	95	220.10	23 666 000	4005176342226	90	308.62
23 447 000	4005176998737	96	253.30	23 667 001	4005176429019	92	1,616.04
23 448 002	4005176998744	139	186.94	23 672 001	4005176429002	102	1,600.55
23 449 002	4005176998768	140	175.86	23 672 AL1	4005176585555	102	2,366.00
23 450 001	4005176998775	147	150.49	23 672 DC1	4005176525094	102	2,070.00
23 451 001	4005176998799	148	140.39	23 707 003	4005176364778	164	109.50
23 456 002	4005176304941	188	91.91	23 707 LS3	4005176364785	164	153.73
23 462 001	4005176306907	123	186.92	23 708 003	4005176364990	164	103.97
23 462 A01	4005176425325	123	280.63	23 709 003	4005176365003	165	109.50
23 462 AL1	4005176426070	123	299.33	23 709 LS3	4005176365010	165	142.67
23 462 BE1	4005176426087	123	280.63	23 715 003	4005176365065	166	98.45
23 462 DA1	4005176426056	123	280.63	23 716 003	4005176365072	166	142.68
23 462 DC1	4005176369933	123	261.90	23 717 30L	4005176365089	166	98.45
23 462 DL1	4005176426063	123	299.33	23 718 003	4005176365096	167	186.94
23 462 EN1	4005176426094	123	299.33	23 718 LS3	4005176365102	167	220.11
23 462 GL1	4005176426032	123	280.63	23 719 003	4005176365119	167	220.13
23 462 GN1	4005176426049	123	299.33	23 719 LS3	4005176365126	167	253.30
23 463 001	4005176306914	124	175.86	23 720 003	4005176365157	168	109.50
23 480 001	4005176306921	123	184.00	23 720 LS3	4005176365164	168	153.73
23 491 001	4005176307263	132	1,138.19	23 722 003	4005176365188	169	164.84
23 491 A01	4005176407598	132	1,753.87	23 722 LS3	4005176365195	169	164.81
23 491 AL1	4005176407604	132	1,870.78	23 725 003	4005176365249	172	153.75
23 491 BE1	4005176426605	132	1,753.87	23 726 003	4005176365256	170	164.82
23 491 DA1	4005176407574	132	1,753.87	23 726 LS3	4005176365263	170	220.09
23 491 DC1	4005176371127	132	1,636.94	23 730 003	4005176365324	173	164.81
23 491 DL1	4005176426599	132	1,870.78	23 739 002	4005176472602	148	199.00
23 491 EN1	4005176371134	132	1,870.78	23 741 001	4005176371509	131	1,713.37
23 491 GL1	4005176407581	132	1,753.87	23 741 DC1	4005176371516	131	3,069.05
23 491 GN1	4005176426582	132	1,870.78	23 751 000	4005176388149	206	71.84
23 537 002	4005176312212	190	125.71	23 752 000	4005176388156	206	67.61
23 541 001	4005176313912	124	186.92	23 753 000	4005176388163	206	103.54
23 559 000	4005176327698	196	73.73	23 754 000	4005176388170	206	94.02
23 564 003	4005176334146	164	119.00	23 755 000	4005176388187	207	72.89
23 567 003	4005176334214	166	120.57	23 756 000	4005176388392	207	83.46
23 569 003	4005176334238	167	209.06	23 757 000	4005176388453	197	99.00
23 569 LS3	4005176334467	167	231.00	23 758 000	4005176388460	197	86.86
23 570 003	4005176334245	167	231.17	23 759 000	4005176388477	197	86.86
23 570 LS3	4005176334474	167	275.43	23 760 000	4005176388484	198	98.98
23 571 000	4005176334276	80, 126	220.10	23 761 000	4005176388491	198	117.16
23 589 001	4005176339172	122	159.28	23 762 000	4005176388538	202	86.86
23 589 A01	4005176407338	122	239.72	23 763 000	4005176388545	203	98.98
23 589 AL1	4005176407345	122	255.69	23 764 000	4005176388552	203	117.16
23 589 BE1	4005176419638	122	239.72	23 790 001	4005176408380	78	220.11
23 589 DA1	4005176407314	122	239.72	23 791 001	4005176409097	78	220.11
23 589 DC1	4005176369919	122	223.72	23 791 AL1	4005176586125	78	308.00
23 589 DL1	4005176419621	122	255.69	23 791 DC1	4005176412707	78	291.36
23 589 EN1	4005176425844	122	255.69	23 792 001	4005176409257	83	1,635.92

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
23 792 AL1	4005176586231	83	2,375.00	24 057 BE1	4005176465628	129	246.03
23 792 DC1	4005176412837	83	2,253.21	24 057 DA1	4005176465543	129	246.03
23 792 EN1	4005176413001	83	2,374.36	24 057 DC1	4005176465482	129	229.62
23 802 000	4005176421655	196	71.71	24 057 DL1	4005176465567	129	262.42
23 822 000	4005176452192	197	86.86	24 057 EN1	4005176465642	129	262.42
23 823 000	4005176457944	94	198.00	24 057 GL1	4005176465505	129	246.03
23 843 003	4005176496547	108	329.00	24 057 GN1	4005176465529	129	262.42
23 844 003	4005176496554	108	329.00	24 058 001	4005176465475	129	181.12
23 845 003	4005176496677	113	679.00	24 058 A01	4005176465598	129	270.60
23 846 003	4005176496684	114	1,499.00	24 058 AL1	4005176465611	129	288.65
23 846 AL3	4005176585722	114	2,330.00	24 058 BE1	4005176465635	129	270.60
23 846 DC3	4005176574177	114	2,039.00	24 058 DA1	4005176465550	129	270.60
23 851 003	4005176496523	108	279.00	24 058 DC1	4005176465499	129	252.56
23 851 AL3	4005176585623	108	430.00	24 058 DL1	4005176465574	129	288.65
23 851 DC3	4005176574078	108	376.00	24 058 EN1	4005176465659	129	288.65
23 870 003	4005176529719	107	199.00	24 058 GL1	4005176465512	129	270.60
23 871 003	4005176529726	107	249.00	24 058 GN1	4005176465536	129	288.65
23 871 AL3	4005176585616	107	384.00	24 059 003	4005176529832	112	189.00
23 871 DC3	4005176574061	107	336.00	24 059 AL3	4005176585708	112	292.00
23 872 003	4005176529733	107	249.00	24 059 DC3	4005176574153	112	255.00
23 873 003	4005176529986	108	279.00	24 060 003	4005176529825	112	199.00
23 922 002	4005176583322	188	94.00	24 060 AL3	4005176585692	112	307.00
23 923 002	4005176583339	189	104.59	24 060 DC3	4005176574146	112	269.00
23 924 002	4005176583346	190	95.08	24 061 000	4005176465680	90, 99	181.12
23 925 000	4005176583353	176	110.09	24 061 AL0	4005176585586	99	267.00
23 926 000	4005176583360	179	125.71	24 062 000	4005176465697	90, 99	199.98
23 927 000	4005176583377	179	125.71	24 062 AL0	4005176585579	99	294.00
23 928 000	4005176583384	179	115.15	24 062 DC0	4005176553905	99	257.00
23 929 003	4005176583995	164	115.15	24 063 001	4005176465703	81	188.47
23 930 003	4005176584008	165	115.15	24 063 AL1	4005176586248	81	277.00
23 931 001	4005176584015	146	130.29	24 063 DC1	4005176465727	81	262.72
23 932 001	4005176584022	147	140.39	24 064 001	4005176465710	82	207.30
23 933 001	4005176584039	180	145.39	24 064 AL1	4005176586255	82	305.00
23 958 003	4005176605642	106	679.00	24 064 DC1	4005176465734	82	288.99
23 958 AL3	4005176612749	106	1,082.76	24 065 003	4005176465741	52	312.01
23 958 DC3	4005176612756	106	947.43	24 065 AL3	4005176465765	52	497.09
23 959 003	4005176605659	106	699.00	24 065 DA3	4005176564550	52	430.00
24				24 065 DC3	4005176465758	52	434.96
24 027 003	4005176455346	57	405.01	24 065 GL3	4005176564574	52	429.69
24 027 AL3	4005176455360	57	736.36	24 066 003	4005176465772	52	342.37
24 027 DA3	4005176493768	57	636.52	24 066 AL3	4005176465796	52	546.78
24 027 DC3	4005176455353	57	644.31	24 066 DA3	4005176564628	52	473.00
24 027 GL3	4005176493744	57	636.52	24 066 DC3	4005176465789	52	478.44
24 036 000	4005176993701	135	209.05	24 066 GL3	4005176564642	52	472.65
24 036 LSO	4005176993718	135	242.25	24 067 000	4005176465802	68	296.30
24 042 002	4005176465161	193	118.00	24 067 IGO	4005176465819	68	355.98
24 043 002	4005176465178	193	130.00	24 068 000	4005176465840	69	326.68
24 044 000	4005176465185	183	129.00	24 068 IGO	4005176465857	69	391.57
24 045 000	4005176465291	183	142.00	24 069 000	4005176465888	41	336.09
24 046 003	4005176465307	171	129.82	24 070 000	4005176465895	41	369.58
24 046 LS3	4005176465314	171	168.57	24 071 000	4005176465901	31	364.36
24 047 003	4005176465321	171	143.43	24 071 A00	4005176564734	31	503.00
24 047 LS3	4005176465338	171	185.31	24 071 AL0	4005176465925	31	537.00
24 048 003	4005176465345	170	136.11	24 071 DC0	4005176465918	31	470.00
24 048 LS3	4005176465352	170	176.93	24 072 000	4005176465932	31	401.01
24 049 003	4005176465369	171	149.72	24 072 A00	4005176564741	31	554.00
24 049 LS3	4005176465376	171	194.75	24 072 AL0	4005176465956	31	590.00
24 051 002	4005176465383	160	148.67	24 072 DC0	4005176465949	31	517.00
24 052 002	4005176465390	160	163.33	24 075 000	4005176465987	286	365.39
24 053 001	4005176465406	151	144.00	24 076 000	4005176465994	286	407.27
24 054 001	4005176465413	151	158.00	24 077 000	4005176466007	286	407.27
24 055 002	4005176465420	135, 143	154.95	24 078 000	4005176466038	284	365.39
24 056 002	4005176465437	136, 143	169.61	24 079 000	4005176466045	284	407.27
24 057 001	4005176465468	129	164.38	24 080 000	4005176466052	284	407.27
24 057 A01	4005176465581	129	246.03	24 092 001	4005176480522	130	205.21
24 057 AL1	4005176465604	129	262.42	24 092 A01	4005176481291	130	306.11
				24 092 AL1	4005176481307	130	326.49

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
24 092 BE1	4005176480607	130	306.11	25 128 000	4005176905209	183	199.67
24 092 DA1	4005176480560	130	306.11	25 129 000	4005176905216	183	241.93
24 092 DC1	4005176480539	130	285.69	25 132 003	4005176529870	112	369.00
24 092 DL1	4005176480577	130	326.49	25 133 003	4005176529887	113	399.00
24 092 EN1	4005176480614	130	326.49	25 136 000	4005176906763	101	308.59
24 092 GL1	4005176480546	130	306.11	25 137 000	4005176906770	101	352.85
24 092 GN1	4005176480553	130	326.49	25 216 000	4005176479779	200	130.29
24 093 003	4005176530050	112	219.00	25 217 000	4005176479786	200	160.59
24 093 AL3	4005176585760	112	345.00	25 219 001	4005176466373	184	408.00
24 093 DC3	4005176574214	112	302.00	25 450 001	4005176843372	211	131.61
24 094 000	4005176480638	91, 99	223.00	25 452 001	4005176843075	211	123.21
24 094 AL0	4005176585593	99	328.00	25 460 10A	4005176456541	211	153.74
24 094 DC0	4005176574047	99	287.00				
24 095 001	4005176480645	82	231.39				
24 095 AL1	4005176586262	82	340.00				
24 095 DC1	4005176480652	82	322.14				
24 096 003	4005176480669	52	366.45				
24 096 AL3	4005176480683	52	584.63				
24 096 DA3	4005176564697	52	506.00				
24 096 DC3	4005176480676	52	511.58				
24 096 GL3	4005176564710	52	505.39				
24 099 000	4005176480744	31	425.07				
24 099 A00	4005176564758	31	585.73				
24 099 AL0	4005176480768	31	677.61				
24 099 DC0	4005176480751	31	592.89				
24 134 003	4005176480959	53	600.98				
24 134 AL3	4005176480997	53	960.09				
24 134 DA3	4005176564345	53	829.92				
24 134 DC3	4005176480973	53	840.09				
24 134 GL3	4005176564369	53	829.92				
24 135 003	4005176480966	53	642.86				
24 135 AL3	4005176481000	53	1,026.96				
24 135 DA3	4005176564413	53	888.00				
24 135 DC3	4005176480980	53	898.59				
24 135 GL3	4005176564437	53	887.73				
24 138 003	4005176481017	54	642.86				
24 138 AL3	4005176481031	54	1,026.96				
24 138 DA3	4005176564482	54	888.00				
24 138 DC3	4005176481024	54	898.59				
24 138 GL3	4005176564505	54	887.73				
24 153 000	4005176481178	91, 100	474.29				
24 153 AL0	4005176585913	91, 100	699.00				
24 153 DC0	4005176574221	91, 100	612.00				
24 154 000	4005176481185	91, 100	528.73				
24 154 AL0	4005176585920	91, 100	779.00				
24 154 DC0	4005176574238	91, 100	682.00				
24 155 000	4005176481192	92, 100	528.73				
24 155 AL0	4005176585937	92, 100	779.00				
24 155 DC0	4005176574245	92, 100	682.00				
25				26			
25 010 003	4005176455407	57	572.10	26 003 003	4005176455377	57	429.32
25 010 AL3	4005176455421	57	1,039.58	26 003 AL3	4005176455391	57	779.67
25 010 DA3	4005176493904	57	898.65	26 003 DA3	4005176493836	57	673.95
25 010 DC3	4005176455414	57	909.64	26 003 DC3	4005176455384	57	682.21
25 010 GL3	4005176493881	57	898.65	26 003 GL3	4005176493812	57	673.95
25 044 003	4005176455438	58	1,787.12	26 037 001	4005176487392	72	104.70
25 044 AL3	4005176455452	58	3,248.67	26 037 EN1	4005176487408	72	177.98
25 044 DA3	4005176493973	58	2,808.21	26 037 IGO	4005176936210	72	142.68
25 044 DC3	4005176455445	58	2,842.59	26 038 000	4005176935404	73	216.69
25 044 GL3	4005176493959	58	2,808.21	26 042 000	4005176935954	419	196.79
25 098 000	4005176881633	193	178.54	26 050 001	4005176444166	428, 488	46.47
25 102 000	4005176881671	152	231.29	26 051 001	4005176443954	428, 481	51.98
25 104 000	4005176881794	82	408.14	26 052 000	4005176937064	415	374.97
25 105 000	4005176881800	193	210.23	26 054 000	4005176937088	414	529.82
25 109 000	4005176881848	152	261.59	26 056 000	4005176937101	413	518.76
25 113 000	4005176881862	82	441.34	26 060 000	4005176937149	46, 414	463.46
				26 062 000	4005176937163	415	374.97
				26 063 000	4005176937170	415	374.97
				26 064 000	4005176937187	414	529.82
				26 065 000	4005176937194	414	485.57
				26 066 000	4005176937200	413	518.76
				26 066 A00	4005176427237	413	855.78
				26 066 AL0	4005176427220	413	909.28
				26 066 BE0	4005176427244	413	855.78
				26 066 DA0	4005176427206	413	855.78
				26 066 DC0	4005176371172	413	748.83
				26 066 DL0	4005176427213	413	909.28
				26 066 EN0	4005176427251	413	909.28
				26 066 GL0	4005176427183	413	855.78
				26 066 GN0	4005176427190	413	909.28
				26 067 000	4005176937217	413	518.76
				26 067 A00	4005176427312	413	855.78
				26 067 AL0	4005176427305	413	909.28
				26 067 BE0	4005176427329	413	855.78
				26 067 DA0	4005176427282	413	855.78
				26 067 DC0	4005176371189	413	748.83
				26 067 DL0	4005176427299	413	909.28
				26 067 EN0	4005176427336	413	909.28
				26 067 GL0	4005176427268	413	855.78
				26 067 GN0	4005176427275	413	909.28
				26 070 000	4005176937248	46, 414	463.46
				26 071 000	4005176937255	46, 414	463.46
				26 073 000	4005176937279	416, 473	231.19
				26 075 000	4005176937606	386	817.41
				26 075 A00	4005176425387	386	1,658.07
				26 075 AL0	4005176425370	386	2,215.55
				26 075 BE0	4005176428593	386	1,658.07
				26 075 DA0	4005176425356	386	1,658.07
				26 075 DC0	4005176371219	386	1,208.49
				26 075 DL0	4005176425363	386	1,658.06
				26 075 EN0	4005176428609	386	1,658.06
				26 075 GL0	4005176425332	386	1,658.07
				26 075 GN0	4005176425349	386	1,658.06

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
26 082 002	4005176443268	478	22.13	26 413 000	4005176390180	416, 488	160.41
26 083 002	4005176451546	479	64.15	26 414 000	4005176408090	416, 488	134.96
26 084 002	4005176451645	481	35.37	26 418 000	4005176407666	392	471.00
26 085 001	4005176444036	476	45.36	26 443 000	4005176409875	366	1,281.98
26 086 001	4005176451904	476	91.83	26 443 LSO	4005176409882	366	1,270.92
26 087 000	4005176940828	388	1,215.61	26 446 000	4005176409905	367	1,372.68
26 089 001	4005176444067	417, 476	68.56	26 446 LSO	4005176409912	367	1,372.68
26 090 001	4005176443992	417, 481	71.88	26 449 000	4005176409790	280, 368	275.40
26 114 001	4005176417870	393	701.28	26 450 000	4005176409813	368, 408	543.12
26 130 001	4005176443909	478	27.65	26 450 LSO	4005176409820	368, 408	543.12
26 145 000	4005176986000	432	131.64	26 455 000	4005176416903	426, 469	132.75
26 146 000	4005176986017	432	109.52	26 457 000	4005176416934	426, 469	132.75
26 146 LSO	4005176997266	432	109.50	26 458 000	4005176416958	415, 468	221.23
26 161 001	4005176444104	483	24.33	26 459 000	4005176416965	415, 468	221.23
26 162 001	4005176451713	485	56.04	26 460 000	4005176416972	415, 468	175.88
26 164 001	4005176451867	487	34.88	26 461 000	4005176416989	415, 468	175.88
26 171 000	4005176997310	414	397.09	26 465 000	4005176423918	436	145.55
26 187 000	4005176310744	388	939.09	26 465 A00	4005176459146	436	232.66
26 223 001	4005176408144	400	628.59	26 465 AL0	4005176459153	436	247.19
26 224 001	4005176408168	400	436.32	26 465 BE0	4005176459160	436	232.66
26 241 000	4005176316319	392	434.72	26 465 DA0	4005176459122	436	232.66
26 243 000	4005176316326	394	580.73	26 465 DC0	4005176459092	436	203.59
26 249 000	4005176317156	391	585.12	26 465 DL0	4005176459139	436	247.19
26 250 000	4005176316999	364	1,403.65	26 465 EN0	4005176423925	436	247.19
26 250 LSO	4005176317002	364	1,381.53	26 465 GL0	4005176459108	436	232.66
26 254 000	4005176317026	367, 408	585.12	26 465 GN0	4005176459115	436	247.19
26 254 LSO	4005176409806	368, 408	695.73	26 467 000	4005176423956	471	88.01
26 256 000	4005176318597	413	762.09	26 468 000	4005176423963	427	147.63
26 257 000	4005176317927	413	551.95	26 469 000	4005176423970	422	469.00
26 264 001	4005176417108	368, 408	198.00	26 472 000	4005176424908	423	484.00
26 267 001	4005176444197	416, 488	57.50	26 474 000	4005176424939	424	350.00
26 302 001	4005176408137	399	491.25	26 474 BE0	4005176424953	424	455.00
26 308 001	4005176843129	211	98.45	26 474 EN0	4005176424946	424	455.00
26 328 000	4005176332111	492	66.37	26 474 ZB0	4005176424960	424	455.00
26 329 000	4005176332128	492	164.82	26 475 000	4005176423758	409	519.87
26 330 001	4005176843112	211	82.96	26 475 A00	4005176557095	409	750.85
26 332 000	4005176332135	492	175.87	26 475 AL0	4005176557101	409	797.76
26 333 000	4005176332142	492	70.80	26 475 BE0	4005176557118	409	750.85
26 334 000	4005176332159	500	16.28	26 475 DA0	4005176557125	409	750.85
26 335 000	4005176332166	500	18.07	26 475 DC0	4005176526237	409	656.97
26 346 000	4005176332173	500	20.26	26 475 DL0	4005176557132	409	797.76
26 352 000	4005176333835	494	33.52	26 475 EN0	4005176557149	409	797.76
26 353 000	4005176333866	494	32.07	26 475 GL0	4005176557156	409	750.85
26 354 000	4005176333873	494	43.14	26 475 GN0	4005176557163	409	797.76
26 355 ILO	4005176333880	494	32.08	26 475 LSO	4005176425899	409	682.46
26 356 ILO	4005176333903	495	32.00	26 477 000	4005176423772	409	519.87
26 357 000	4005176333927	495	87.36	26 477 A00	4005176557170	409	750.85
26 358 000	4005176333941	495	115.04	26 477 AL0	4005176557187	409	797.76
26 361 000	4005176347580	365	1,281.97	26 477 BE0	4005176557194	409	750.85
26 361 LSO	4005176409707	365	1,270.92	26 477 DA0	4005176557200	409	750.85
26 362 LNO	4005176339257	405	19.94	26 477 DC0	4005176526244	409	656.97
26 363 000	4005176339264	389	695.75	26 477 DL0	4005176557217	409	797.76
26 370 000	4005176341380	355, 508	32.07	26 477 EN0	4005176557224	409	797.76
26 373 001	4005176415593	354, 418	20,739.05	26 477 GL0	4005176557231	409	750.85
26 374 000	4005176350825	357	894.84	26 477 GN0	4005176557248	409	797.76
26 376 001	4005176415609	354, 418	1,974.41	26 477 LSO	4005176425912	409	682.46
26 381 001	4005176451980	401	241.93	26 479 000	4005176425196	410	547.54
26 383 000	4005176369025	390	726.71	26 479 A00	4005176557255	410	790.79
26 383 001	4005176460050	390	889.31	26 479 AL0	4005176557262	410	840.22
26 384 000	4005176369032	386	871.61	26 479 DC0	4005176526251	410	691.96
26 385 000	4005176375057	369, 405	19.94	26 479 DL0	4005176557293	410	840.22
26 405 000	4005176385162	472	78.00	26 479 GN0	4005176557323	410	840.22
26 406 001	4005176451881	487	51.83	26 479 LSO	4005176425936	410	710.14
26 408 000	4005176390111	428, 488	90.72	26 481 000	4005176425219	410	547.54
26 409 000	4005176390128	428, 488	90.72	26 481 A00	4005176557330	410	790.79
26 410 000	4005176390142	428, 488	90.72	26 481 AL0	4005176557347	410	840.22
26 412 000	4005176390173	416, 487	160.40	26 481 DC0	4005176526268	410	691.96

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
27 074 000	4005176833083	505	32.07	27 296 001	4005176896293	391	579.99
27 074 A00	4005176338991	505	59.71	27 296 002	4005176417818	387	571.86
27 074 AL0	4005176339004	505	59.70	27 320 000	4005176600159	513	78.18
27 074 BE0	4005176834325	505	59.71	27 354 000	4005176874444	468	54.20
27 074 DA0	4005176338977	505	59.71	27 355 000	4005176874451	468	98.43
27 074 DC0	4005176374487	505	54.19	27 367 000	4005176875939	470	43.15
27 074 DL0	4005176427091	505	59.70	27 368 000	4005176875946	470	164.81
27 074 EN0	4005176834301	505	59.70	27 369 000	4005176875953	470	76.31
27 074 GL0	4005176338984	505	59.71	27 400 000	4005176877292	470	43.15
27 074 GN0	4005176427084	505	59.70	27 406 000	4005176600166	434, 489	51.42
27 074 LS0	4005176873591	505	43.12	27 421 002	4005176417924	396	456.82
27 075 000	4005176833090	505	32.07	27 443 000	4005176880025	453	87.40
27 076 000	4005176833106	508	54.18	27 444 000	4005176880049	453	87.40
27 102 000	4005176600074	498	54.93	27 446 000	4005176880063	453	87.40
27 134 000	4005176836060	424, 452	120.56	27 447 000	4005176880087	454	88.73
27 135 000	4005176836077	424	119.34	27 448 000	4005176880100	454	87.40
27 135 EN0	4005176836084	424	221.02	27 449 000	4005176879982	454	87.40
27 137 000	4005176836237	501	19.62	27 467 000	4005176882609	419	607.25
27 151 000	4005176837012	507	98.44	27 469 000	4005176882593	45, 379	1,116.06
27 174 001	4005176877162	378	1,259.86	27 470 000	4005176882531	422	463.46
27 180 000	4005176839306	405	43.12	27 470 LS0	4005176997235	422	554.11
27 206 000	4005176845444	512	21.02	27 473 001	4005176417900	394	514.33
27 220 000	4005176854118	465	43.12	27 475 001	4005176417863	393	715.65
27 221 000	4005176854125	464	54.20	27 477 000	4005176883286	423	485.58
27 221 001	4005176457708	464	61.95	27 478 000	4005176883293	423	485.58
27 222 000	4005176854132	464	65.25	27 479 000	4005176883309	423	474.53
27 224 000	4005176854156	465	32.06	27 480 000	4005176883316	423	474.53
27 225 001	4005176899508	467	98.44	27 484 000	4005176885488	433	65.26
27 226 001	4005176899515	467	109.50	27 485 000	4005176885495	433	54.21
27 227 001	4005176899522	467	109.50	27 488 000	4005176885525	433	76.32
27 230 001	4005176899546	466	92.89	27 492 000	4005176885556	426, 470	131.62
27 231 001	4005176899553	466	98.44	27 499 000	4005176886041	469, 511	43.14
27 232 001	4005176899560	465	109.51	27 500 000	4005176886058	469, 511	54.19
27 237 000	4005176854286	427, 469	76.32	27 512 001	4005176333804	494	21.01
27 238 000	4005176854293	465	42.19	27 513 001	4005176333842	494	32.07
27 239 000	4005176854323	464	59.71	27 514 001	4005176333910	495	65.26
27 239 001	4005176457715	464	67.48	27 519 000	4005176886485	477, 511	54.20
27 242 001	4005176899782	466	98.42	27 520 000	4005176886492	477, 511	54.21
27 243 001	4005176899799	466	98.44	27 521 000	4005176886508	482, 511	43.13
27 251 000	4005176856327	420	109.49	27 522 000	4005176886515	482, 511	54.20
27 251 A00	4005176338878	420	180.61	27 523 000	4005176886522	489, 511	43.12
27 251 AL0	4005176338885	420	191.88	27 524 000	4005176886539	489, 511	65.25
27 251 BE0	4005176431593	420	166.53	27 530 000	4005176889219	425, 458	463.45
27 251 DA0	4005176338854	420	166.53	27 531 000	4005176889486	507	261.30
27 251 DC0	4005176431586	420	145.70	27 541 001	4005176451676	429, 482	82.94
27 251 DL0	4005176431579	420	176.92	27 569 000	4005176894275	379	1,116.06
27 251 EN0	4005176431562	420	176.92	27 571 002	4005176443893	478	27.65
27 251 GL0	4005176338861	420	166.53	27 571 20E	4005176443275	478	27.65
27 251 GN0	4005176431555	420	176.92	27 572 002	4005176443923	478	35.38
27 252 000	4005176856334	420	109.49	27 573 002	4005176443947	478	46.44
27 253 000	4005176856365	421	164.80	27 574 002	4005176443916	478	35.38
27 254 000	4005176856372	420	164.80	27 575 002	4005176443930	478	46.44
27 256 001	4005176899805	466	81.84	27 576 002	4005176451560	479	81.84
27 265 000	4005176856983	465	32.06	27 577 002	4005176451584	478	84.06
27 265 00E	4005176885693	465	32.06	27 578 002	4005176451386	480	61.32
27 266 001	4005176899812	466	87.38	27 578 20E	4005176451362	480	61.32
27 266 00E	4005176890710	466	78.97	27 579 002	4005176451492	479	71.91
27 267 001	4005176899829	467	95.11	27 580 002	4005176451515	479	79.65
27 271 000	4005176860690	420	441.33	27 584 002	4005176451621	480	53.11
27 272 000	4005176860836	455	109.51	27 588 002	4005176451669	480	49.78
27 273 001	4005176875502	455	242.23	27 591 001	4005176443985	428, 481	65.27
27 274 000	4005176861383	456	109.51	27 594 000	4005176895920	506	12.05
27 276 000	4005176861437	453	87.39	27 595 000	4005176895937	504	17.71
27 276 LS0	4005176861451	453	87.39	27 596 000	4005176895944	469, 482	9.95
27 277 001	4005176875489	454	209.06	27 597 001	4005176985508	483	24.33
27 285 000	4005176860713	420	441.33	27 597 10E	4005176985409	483	24.33
27 286 000	4005176860737	419	1,768.67	27 598 001	4005176985515	485	56.05

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
27 598 10E	4005176985416	485	56.05	27 938 001	4005176927072	419	3,029.65
27 600 001	4005176451775	484	74.11	27 939 001	4005176927287	419	3,029.65
27 601 10E	4005176985430	486	40.19	27 964 000	4005176929595	389	717.86
27 606 001	4005176444180	428, 488	58.62	27 966 000	4005176929250	378	1,116.06
27 608 001	4005176444029	476	51.99	27 966 001	4005176532993	375	1,040.00
27 609 001	4005176451898	476	97.35	27 967 000	4005176929670	379	983.33
27 610 001	4005176444050	429, 476	59.72	27 968 000	4005176929687	378	1,116.06
27 615 001	4005176417825	387	571.86	27 968 001	4005176533006	375	1,040.00
27 621 000	4005176898310	507	308.60	27 969 000	4005176931123	73	87.38
27 641 000	4005176901645	380	1,116.06	27 969 IGO	4005176931130	73	109.50
27 644 001	4005176451720	485	65.24	27 970 000	4005176931154	73	120.57
27 645 001	4005176451744	484	71.88	27 970 IGO	4005176931161	73	164.79
27 646 001	4005176985522	486	62.39	27 974 000	4005176932793	71, 425	430.28
27 646 10E	4005176985423	486	62.39	27 974 IGO	4005176933486	71, 425	563.00
27 693 000	4005176907043	505	21.02	27 978 000	4005176932830	72, 434	76.31
27 696 000	4005176907074	396	684.68	27 978 IGO	4005176933509	72, 434	98.43
27 698 000	4005176907098	472	43.13	27 986 000	4005176933011	72, 433	98.43
27 699 000	4005176907104	472	43.13	27 986 IGO	4005176933547	72, 433	131.61
27 700 000	4005176907111	472	209.04	27 993 000	4005176933080	72	153.74
27 702 000	4005176907135	472	76.30	27 993 IGO	4005176933585	72	197.98
27 703 000	4005176907142	472	76.30	28			
27 704 000	4005176907159	508	32.06	28 002 000	4005176858796	430, 460	186.91
27 705 000	4005176907166	427, 473	142.68	28 020 L01	4005176333828	494	14.27
27 706 000	4005176908439	34, 505	32.08	28 025 000	4005176284830	500	25.30
27 706 A00	4005176491030	34, 505	47.00	28 034 000	4005176231810	436	142.68
27 706 AL0	4005176490972	34, 505	50.00	28 034 000	4005176231810	436	142.68
27 706 DC0	4005176490989	34, 505	41.00	28 094 000	4005176601132	430, 460	51.42
27 707 000	4005176908446	34, 508	43.15	28 105 000	4005176601217	500	18.07
27 707 A00	4005176490941	34, 508	75.00	28 112 000	4005176601286	956	40.93
27 707 AL0	4005176490880	34, 508	79.00	28 139 000	4005176601316	500	19.82
27 707 DC0	4005176490897	34, 508	65.00	28 140 000	4005176601323	500	22.04
27 709 000	4005176909092	433	109.50	28 142 000	4005176601330	500, 719	19.62
27 711 000	4005176909115	433	87.38	28 143 000	4005176601347	355, 500	21.81
27 786 002	4005176451508	479	71.91	28 143 KSO	4005176842252	500, 719	28.63
27 787 002	4005176451522	479	79.65	28 143 LSO	4005176842269	500, 719	28.63
27 790 002	4005176451614	480	77.00	28 145 000	4005176601354	500, 719	25.72
27 794 001	4005176451737	485	65.24	28 146 000	4005176121753	502	51.42
27 795 001	4005176451751	484	71.88	28 150 001	4005176933196	501	8.64
27 796 001	4005176451850	485	71.88	28 151 001	4005176933202	501	10.45
27 798 10E	4005176985447	487	34.88	28 151 L01	40051769335091	501	19.90
27 799 001	4005176985539	487	34.88	28 154 001	4005176933219	501	12.21
27 803 10E	4005176985454	487	37.00	28 155 001	4005176933226	501	13.52
27 805 001	4005176451911	476	67.48	28 158 000	4005176601606	502	30.84
27 812 IL1	4005176333897	494	33.17	28 161 001	4005176935107	502, 718	16.73
27 841 000	4005176916670	510	198.00	28 198 000	4005176038686	431	124.88
27 852 001	4005176444081	483	19.02	28 214 003	4005176444098	483	23.26
27 853 001	4005176451706	485	46.53	28 233 000	4005176868016	427, 470	87.40
27 854 001	4005176451829	486	52.89	28 261 002	4005176444135	483	32.07
27 863 000	4005176918155	422	662.55	28 280 004	4005176306624	485	54.19
27 865 000	4005176918179	355, 418	4,216.78	28 286 000	4005176198526	430, 461	98.43
27 869 001	4005176444005	416, 481	77.45	28 308 000	4005176254949	425, 436	124.88
27 884 001	4005176919695	471	87.39	28 341 000	4005176259463	436	142.68
27 888 000	4005176921179	355, 471	87.39	28 342 000	4005176260070	430, 460	62.28
27 889 000	4005176921186	471	131.62	28 343 000	4005176260285	498	20.99
27 890 000	4005176921193	471	253.31	28 348 000	4005176263262	436	135.37
27 891 000	4005176921209	471	242.25	28 361 000	4005176295157	432	98.43
27 892 000	4005176921216	510	186.95	28 362 000	4005176295225	501	13.96
27 922 000	4005176923364	399	506.04	28 362 A00	4005176427633	501	21.36
27 922 001	4005176985348	398	491.25	28 362 BE0	4005176295249	501	21.36
27 923 001	4005176444074	483	19.02	28 362 DA0	4005176427602	501	21.36
27 924 001	4005176451690	485	46.53	28 362 DC0	4005176386435	501	18.75
27 925 001	4005176451812	486	52.89	28 362 GLO	4005176427589	501	21.36
27 926 001	4005176451768	484	64.51	28 364 000	4005176295294	501	15.69
27 929 002	4005176451577	479	81.84	28 368 000	4005176267253	423	220.11
27 932 000	4005176924231	392	551.96	28 368 00E	4005176867385	423	330.72
27 934 000	4005176927157	357	3,272.98	28 368 LSO	4005176997242	424	419.21
27 936 000	4005176927058	472	189.86	28 369 000	4005176267260	424, 453	352.85

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
29 119 BE0	4005176493027	275	726.00	29 708 000	4005176102653	71, 194	292.78
29 119 DA0	4005176493065	60, 275	726.00	29 800 000	4005176504839	44, 104	30.43
29 119 DC0	4005176455056	60, 275	742.85	29 801 000	4005176504846	44, 104	25.08
29 119 DL0	4005176493072	275	774.00	29 802 000	4005176504853	44, 71	51.42
29 119 EN0	4005176493034	275	774.00	29 804 000	4005176504877	44, 104	39.88
29 119 GL0	4005176493041	60, 275	726.00	29 805 000	4005176504884	44, 104	86.36
29 119 GN0	4005176493058	275	774.00	29 811 000	4005176062711	45, 71	51.42
29 120 000	4005176412264	275	621.77	29 813 000	4005176062735	337	82.90
29 121 000	4005176412271	61, 276	560.46	29 904 LSO	4005176413568	278	728.91
29 121 A00	4005176493225	276	793.78	30			
29 121 AL0	4005176455100	61, 276	918.30	30 008 001	4005176843242	212	32.07
29 121 BE0	4005176493164	276	793.78	30 058 001	4005176989162	569	1,989.89
29 121 DA0	4005176493201	61, 276	793.78	30 058 A01	4005176489259	569	2,249.00
29 121 DC0	4005176455094	61, 276	714.00	30 058 AL1	4005176489266	569	2,249.00
29 121 DL0	4005176493218	276	846.71	30 058 DA1	4005176489273	569	2,249.00
29 121 EN0	4005176493171	276	837.00	30 058 DC1	4005176989179	569	2,100.48
29 121 GL0	4005176493188	61, 276	793.78	30 058 DL1	4005176489280	569	2,249.00
29 121 GN0	4005176493195	276	847.00	30 060 001	4005176989186	570	1,768.69
29 122 000	4005176412288	61, 276	341.57	30 064 001	4005176843259	627	43.14
29 122 A00	4005176515231	61, 276	484.36	30 098 001	4005176843266	212, 626	32.07
29 122 AL0	4005176455124	276	469.00	30 189 000	4005176914102	600	164.80
29 122 BE0	4005176493232	276	484.36	30 190 000	4005176914119	600	175.87
29 122 DA0	4005176515217	61, 276	484.36	30 193 000	4005176919459	617	125.71
29 122 DC0	4005176455117	61, 276	436.00	30 193 DC0	4005176938559	617	146.84
29 122 DL0	4005176515224	276	516.64	30 195 000	4005176919473	617	172.21
29 122 EN0	4005176413728	276	469.00	30 199 000	4005176922022	617	98.25
29 122 GL0	4005176515194	61, 276	484.36	30 208 000	4005176927836	722	253.30
29 122 GN0	4005176515200	276	516.64	30 215 001	4005176409066	602	351.75
29 123 000	4005176413292	270	497.74	30 215 DC1	4005176409073	602	358.48
29 123 A00	4005176558054	270	673.95	30 219 002	4005176466540	588	664.51
29 123 AL0	4005176558061	270	718.88	30 219 DC2	4005176466557	588	896.93
29 123 DL0	4005176558092	270	718.88	30 221 002	4005176984235	612	131.63
29 123 GN0	4005176558122	270	718.88	30 260 002	4005176310386	621	104.59
29 124 000	4005176413308	270	541.99	30 269 000	4005176314902	595	264.36
29 124 A00	4005176558139	270	733.87	30 269 A00	4005176428661	595	341.79
29 124 AL0	4005176558146	270	782.79	30 269 AL0	4005176428654	595	341.80
29 124 DC0	4005176526329	270	684.94	30 269 DA0	4005176428630	595	341.79
29 124 DL0	4005176558177	270	782.79	30 269 DC0	4005176314919	595	330.74
29 124 GN0	4005176558207	270	782.79	30 269 DL0	4005176428647	595	341.80
29 125 000	4005176413315	271	650.38	30 269 GL0	4005176428616	595	341.79
29 126 000	4005176413322	271, 354	586.24	30 269 GN0	4005176428623	595	341.80
29 126 A00	4005176558290	271	793.78	30 270 000	4005176314926	595	330.71
29 126 AL0	4005176558306	271	846.71	30 270 A00	4005176427473	595	441.33
29 126 DC0	4005176526343	271	740.86	30 270 AL0	4005176427466	595	441.30
29 126 DL0	4005176558337	271	846.71	30 270 DA0	4005176427442	595	441.33
29 126 GN0	4005176558368	271	846.71	30 270 DC0	4005176314933	595	386.03
29 127 000	4005176413339	272	357.28	30 270 DL0	4005176427459	595	441.30
29 127 A00	4005176558375	272	484.36	30 270 GL0	4005176427428	595	441.33
29 127 AL0	4005176558382	272	516.64	30 270 GN0	4005176427435	595	441.30
29 127 DC0	4005176526350	272	452.08	30 273 001	4005176314964	610	263.05
29 127 DL0	4005176558412	272	516.64	30 273 DC1	4005176314971	610	337.01
29 127 GN0	4005176558443	272	516.64	30 274 000	4005176314988	583	263.05
29 150 LSO	4005176413544	277	640.45	30 274 A00	4005176488658	583	356.00
29 151 LSO	4005176413551	277	684.69	30 274 AL0	4005176488665	583	356.00
29 152 LSO	4005176413575	278	452.39	30 274 DA0	4005176488672	583	356.00
29 153 LSO	4005176413582	272	640.45	30 274 DC0	4005176314995	583	329.91
29 156 LSO	4005176413599	273	684.69	30 274 DL0	4005176488689	583	356.00
29 157 LSO	4005176413605	273	728.91	30 294 000	4005176341472	594	419.21
29 158 LSO	4005176413612	274	452.39	30 294 A00	4005176488054	594	546.00
29 303 003	4005176529764	109	249.00	30 294 AL0	4005176488061	594	546.00
29 303 AL3	4005176585654	109	374.00	30 294 BE0	4005176488511	594	546.00
29 303 DC3	4005176574108	109	328.00	30 294 DA0	4005176488498	594	546.00
29 306 003	4005176529771	109	259.00	30 294 DC0	4005176341489	594	540.89
29 307 003	4005176529993	113	799.00	30 294 DL0	4005176488504	594	546.00
29 307 AL3	4005176585715	113	1,265.00	30 294 EN0	4005176488528	594	546.00
29 307 DC3	4005176574160	113	1,107.00	30 294 GL0	4005176488078	594	546.00
29 706 000	4005176102639	194	282.29				

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
30 294 GN0	4005176488085	594	546.00	31 347 DC3	4005176446559	541	2,324.34
30 305 000	4005176343285	620	157.41	31 358 002	4005176465000	582	568.38
30 305 DC0	4005176359811	620	199.67	31 358 DC2	4005176465017	582	710.76
30 309 000	4005176351235	580	352.86	31 360 001	4005176343025	582	551.95
30 310 000	4005176351242	580	313.00	31 360 DC1	4005176343032	582	717.86
30 321 DG0	4005176438219	594	98.45	31 367 001	4005176478512	630	103.55
30 321 DP0	4005176438264	594	98.45	31 368 001	4005176478529	630	81.00
30 321 DU0	4005176438257	594	98.45	31 375 000	4005176934155	582	210.23
30 321 GE0	4005176438271	594	98.45	31 375 A00	4005176488610	582	299.00
30 321 HG0	4005176385742	594	60.85	31 375 AL0	4005176488627	582	299.00
30 321 MW0	4005176385728	594	60.85	31 375 DA0	4005176488634	582	299.00
30 321 TY0	4005176438240	594	98.45	31 375 DC0	4005176934162	582	273.62
30 321 XC0	4005176385735	594	60.85	31 375 DL0	4005176488641	582	299.00
30 321 YF0	4005176438233	594	60.85	31 379 000	4005176938085	578	601.12
30 321 YR0	4005176438226	594	98.45	31 379 A00	4005176488856	578	819.00
30 328 001	4005176414107	568	2,100.49	31 379 AL0	4005176488863	578	819.00
30 328 DC1	4005176414114	568	2,211.11	31 379 DC0	4005176938092	578	780.72
30 329 001	4005176414121	570	1,768.69	31 391 002	4005176992476	621	110.09
30 340 001	4005176414893	568	2,100.50	31 395 000	4005176304774	598	574.06
30 340 DC1	4005176414909	568	2,211.12	31 395 DC0	4005176304767	598	740.00
30 341 001	4005176414916	569	1,989.89	31 454 001	4005176454110	551	1,989.90
30 341 A01	4005176489297	569	2,249.00	31 454 A01	4005176488894	551	2,249.00
30 341 AL1	4005176489303	569	2,249.00	31 454 AL1	4005176488900	551	2,249.00
30 341 DA1	4005176489310	569	2,249.00	31 454 DA1	4005176488917	551	2,249.00
30 341 DC1	4005176414923	569	2,100.48	31 454 DC1	4005176454127	551	2,281.68
30 341 DL1	4005176489327	569	2,249.00	31 454 DL1	4005176488924	551	2,249.00
30 348 001	4005176464973	584	203.00	31 455 000	4005176323027	549	1,989.90
30 349 001	4005176464980	585	203.00	31 455 001	4005176454134	548	1,989.90
30 362 000	4005176496479	592	449.17	31 455 A01	4005176488931	548	2,249.00
30 362 AL0	4005176497292	592	672.66	31 455 AL1	4005176488948	548	2,249.00
30 362 DC0	4005176496486	592	585.27	31 455 DA1	4005176488955	548	2,249.00
30 382 000	4005176565496	558	501.51	31 455 DC0	4005176323034	549	2,281.68
30 382 DC0	4005176565502	558	574.80	31 455 DC1	4005176454141	548	2,281.68
30 383 000	4005176565519	558	344.46	31 455 DL1	4005176488962	548	2,249.00
30 385 000	4005176565533	558	313.05	31 456 001	4005176454158	553	1,989.90
30 387 000	4005176565557	559	260.70	31 456 DC1	4005176454165	553	2,281.68
30 978 000	4005176098918	730	209.04	31 481 001	4005176466922	616	188.00
31				31 482 003	4005176466984	612	239.83
31 067 001	4005176845710	627	94.00	31 483 002	4005176466809	609	239.53
31 122 004	4005176466892	604	261.75	31 483 DC2	4005176466816	609	312.75
31 124 002	4005176886614	613	164.82	31 491 000	4005176343308	608	337.01
31 126 004	4005176466977	612	206.97	31 491 DC0	4005176343315	608	442.65
31 127 002	4005176886669	612	175.88	31 498 001	4005176454172	555	1,989.89
31 128 001	4005176886737	609	189.10	31 498 A01	4005176488979	555	2,249.00
31 128 DC1	4005176891007	609	241.93	31 498 AL1	4005176488986	555	2,249.00
31 129 001	4005176886744	609	231.36	31 498 DA1	4005176488993	555	2,249.00
31 129 DC1	4005176891021	609	294.75	31 498 DC1	4005176454189	555	2,211.11
31 159 002	4005176888106	613	297.53	31 498 DL1	4005176489006	555	2,249.00
31 161 000	4005176889158	618	199.67	31 535 001	4005176478550	630	75.00
31 170 000	4005176889165	618	220.80	31 536 001	4005176478567	630	75.00
31 179 000	4005176889172	617	146.84	31 538 001	4005176478574	630	77.00
31 180 000	4005176889288	616	189.10	31 539 000	4005176437014	552	2,100.51
31 187 001	4005176843327	626	87.38	31 539 DC0	4005176437021	552	2,646.32
31 212 003	4005176466762	608	236.00	31 541 000	4005176437038	550	2,100.51
31 214 001	4005176891090	610	232.00	31 541 DC0	4005176437045	550	2,646.32
31 255 000	4005176901416	598	198.00	31 543 000	4005176437052	554	2,100.51
31 255 DC0	4005176994319	598	408.19	31 543 DC0	4005176437069	554	2,646.32
31 302 002	4005176443343	544	1,968.36	31 552 SD1	4005176623714	644	104.68
31 302 DC2	4005176443350	544	2,197.66	31 562 SD1	4005176623721	644	189.29
31 323 002	4005176989933	540	2,067.83	31 563 SD1	4005176623738	641	195.29
31 323 DC2	4005176989940	540	2,324.34	31 564 SD1	4005176623745	644	156.20
31 325 002	4005176507274	542	2,172.53	31 565 SD1	4005176623752	644	175.74
31 325 DC2	4005176507250	542	3,261.43	31 566 SD0	4005176473234	643	168.13
31 326 002	4005176507236	543	2,172.53	31 567 SD0	4005176473241	643	242.16
31 326 DC2	4005176507212	543	3,261.43	31 568 SD0	4005176473258	642	210.43
31 347 003	4005176443336	541	2,067.83	31 569 SD0	4005176473265	642	305.61
				31 570 SD0	4005176473272	643	347.91

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
32 321 DA2	4005176488757	584	298.00	32 663 003	4005176466854	608	208.15
32 321 DC2	4005176465116	584	270.91	32 663 DC3	4005176466861	608	291.83
32 321 DL2	4005176488764	584	298.00	32 666 001	4005176887406	609	315.88
32 321 GN2	4005176618529	584	298.12	32 700 001	4005176887994	150	160.59
32 322 002	4005176465123	585	208.15	32 706 000	4005176855092	39	242.21
32 322 A02	4005176488818	585	298.00	32 750 000	4005176868238	624	87.38
32 322 AL2	4005176488825	585	298.00	32 752 000	4005176868252	624	98.44
32 322 DA2	4005176488832	585	298.00	32 754 002	4005176428876	42	2,255.36
32 322 DC2	4005176465130	585	270.91	32 757 000	4005176870897	38	397.09
32 322 DL2	4005176488849	585	298.00	32 760 000	4005176870927	38	673.62
32 467 002	4005176862069	189	83.46	32 762 000	4005176871023	722	109.50
32 467 20L	4005176304736	189	83.46	32 763 000	4005176871030	722	109.50
32 468 003	4005176334207	166	109.50	32 765 000	4005176871054	722	231.19
32 468 20E	4005176906886	157	120.54	32 766 000	4005176871061	722	242.23
32 468 20L	4005176917097	157	115.27	32 767 000	4005176871078	723	275.40
32 469 20E	4005176908835	138	175.89	32 768 000	4005176871689	723	256.06
32 469 20L	4005176917110	139	166.85	32 770 000	4005176871702	723	225.21
32 488 000	4005176289552	585	167.97	32 771 000	4005176871719	723	297.54
32 488 A00	4005176488771	585	239.00	32 772 000	4005176871726	724	259.17
32 488 AL0	4005176488788	585	239.00	32 773 000	4005176871733	724	268.41
32 488 DA0	4005176488795	585	239.00	32 774 000	4005176871740	724	299.27
32 488 DC0	4005176804939	585	221.36	32 775 000	4005176871757	724	311.60
32 488 DL0	4005176488801	585	239.00	32 776 000	4005176871764	723	228.31
32 511 000	4005176295621	584	252.49	32 778 000	4005176871788	723	253.30
32 553 002	4005176466649	589	322.48	32 779 000	4005176871795	723	286.49
32 553 DC2	4005176466656	589	506.04	32 780 000	4005176871801	724	106.00
32 612 003	4005176529696	106	199.00	32 783 000	4005176871832	725	124.55
32 612 30L	4005176529979	106	199.00	32 784 000	4005176871849	725	131.62
32 612 AL3	4005176585609	106	307.00	32 786 000	4005176871863	624, 725	131.63
32 612 DC3	4005176574054	106	269.00	32 787 000	4005176871870	624, 726	129.87
32 618 003	4005176529740	109	299.00	32 788 000	4005176871887	732	231.17
32 618 AL3	4005176585647	109	476.00	32 789 000	4005176871894	732	209.06
32 618 DC3	4005176574092	109	416.00	32 790 000	4005176871900	732	277.72
32 628 001	4005176306983	124	197.97	32 792 000	4005176871924	733	367.13
32 628 A01	4005176407376	124	307.90	32 793 000	4005176871931	733	382.55
32 628 AL1	4005176407383	124	328.42	32 795 000	4005176871955	732	363.91
32 628 BE1	4005176419669	124	307.90	32 823 000	4005176877995	732	342.39
32 628 DA1	4005176407352	124	307.90	32 824 000	4005176874604	177	104.59
32 628 DC1	4005176369940	124	287.36	32 824 00L	4005176917035	177	104.59
32 628 DL1	4005176419652	124	328.42	32 825 000	4005176874611	176	115.15
32 628 EN1	4005176426100	124	328.42	32 825 00E	4005176874628	176	115.15
32 628 GL1	4005176407369	124	307.90	32 825 00L	4005176917028	177	114.38
32 628 GN1	4005176419645	124	328.42	32 826 000	4005176882425	41	839.53
32 629 002	4005176472619	148	170.69	32 827 00E	4005176906565	177	115.15
32 647 003	4005176454707	50	501.25	32 830 001	4005176472749	180	145.39
32 647 AL3	4005176454721	50	909.64	32 831 000	4005176874703	182	146.84
32 647 DA3	4005176492303	50	786.31	32 832 000	4005176874710	183	167.97
32 647 DC3	4005176454714	50	795.94	32 833 000	4005176874727	182	120.43
32 647 GL3	4005176492280	50	786.31	32 836 000	4005176874758	182	146.84
32 650 003	4005176454820	51	429.32	32 837 000	4005176874772	181	125.71
32 650 AL3	4005176454844	51	779.67	32 839 000	4005176874802	181	104.59
32 650 DA3	4005176492587	51	673.95	32 840 000	4005176874819	181	95.08
32 650 DC3	4005176454837	51	682.21	32 842 000	4005176874833	617	104.59
32 650 GL3	4005176492563	51	673.95	32 843 002	4005176466939	616	127.26
32 652 003	4005176454851	51	501.25	32 843 20E	4005176466946	616	130.00
32 652 AL3	4005176454875	51	909.64	32 843 DC2	4005176466953	616	191.00
32 652 DA3	4005176492655	51	786.31	32 845 002	4005176466960	616	120.00
32 652 DC3	4005176454868	51	795.94	32 846 000	4005176882432	41	701.60
32 652 GL3	4005176492631	51	786.31	32 870 000	4005176876523	726	94.45
32 653 003	4005176454912	54	1,382.12	32 871 000	4005176876530	726	110.72
32 653 AL3	4005176454936	54	2,512.31	32 879 000	4005176877353	184	136.28
32 653 DA3	4005176492723	54	2,171.69	32 880 000	4005176877360	184	136.28
32 653 DC3	4005176454929	54	2,198.28	32 898 001	4005176306860	122	153.74
32 653 GL3	4005176492709	54	2,171.69	32 901 001	4005176306969	125	264.36
32 659 001	4005176886713	610	167.97	32 901 A01	4005176407512	125	417.06
32 661 003	4005176466823	608	187.23	32 901 AL1	4005176407529	125	444.85
32 661 DC3	4005176466830	608	229.07	32 901 BE1	4005176426131	125	417.06

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
32 901 DA1	4005176407499	125	417.06	33 558 003	4005176334139	164	120.57
32 901 DC1	4005176369957	125	389.24	33 558 LS3	4005176335686	164	163.71
32 901 DL1	4005176426124	125	444.85	33 561 002	4005176886379	156	142.69
32 901 EN1	4005176426148	125	444.85	33 561 003	4005176334160	165	120.57
32 901 GL1	4005176407505	125	417.06	33 565 002	4005176887000	158	120.55
32 901 GN1	4005176426117	125	444.85	33 565 003	4005176334283	168	98.44
32 917 000	4005176230950	583	167.97	33 565 LS3	4005176334504	168	165.92
32 917 A00	4005176488696	583	239.00	33 569 002	4005176887734	141	186.94
32 917 AL0	4005176488702	583	239.00	33 577 003	4005176529801	110	239.00
32 917 DA0	4005176488719	583	239.00	33 577 AL3	4005176585685	110	368.00
32 917 DC0	4005176804946	583	210.23	33 577 DC3	4005176574139	110	322.00
32 917 DL0	4005176488726	583	239.00	33 590 002	4005176887048	158	131.61
32 917 KS0	4005176980640	583	227.14	33 590 003	4005176334306	169	164.82
32 918 000	4005176230967	583	210.23	33 590 LS3	4005176334511	169	175.86
32 918 00E	4005176866616	583	210.23	33 591 002	4005176887123	159	153.75
32 918 DC0	4005176804953	583	273.62	33 591 003	4005176334351	169	175.86
32 926 002	4005176861567	189	94.02	33 591 LS3	4005176334535	169	220.11
32 929 002	4005176862366	191	83.46	33 592 20A	4005176454288	160	203.51
32 935 001	4005176307171	127	153.74	33 592 30A	4005176456497	170	190.56
32 935 A01	4005176426360	127	239.72	33 614 002	4005176887208	159	198.33
32 935 AL1	4005176426353	127	255.69	33 624 001	4005176990786	128	198.01
32 935 BE1	4005176426377	127	239.72	33 624 A01	4005176426445	128	325.45
32 935 DA1	4005176426339	127	239.72	33 624 AL1	4005176426438	128	347.14
32 935 DC1	4005176369988	127	223.72	33 624 BE1	4005176426452	128	325.45
32 935 DL1	4005176426346	127	255.69	33 624 DA1	4005176426414	128	325.45
32 935 EN1	4005176426384	127	255.69	33 624 DC1	4005176371097	128	303.77
32 935 GL1	4005176426315	127	239.72	33 624 DL1	4005176426421	128	347.14
32 935 GN1	4005176426322	127	255.69	33 624 EN1	4005176426469	128	347.14
32 950 000	4005176879838	578	622.25	33 624 GL1	4005176426391	128	325.45
32 950 A00	4005176488870	578	849.00	33 624 GN1	4005176426407	128	347.14
32 950 AL0	4005176488887	578	849.00	33 628 001	4005176990793	128	242.22
32 950 DC0	4005176879845	578	812.41	33 635 003	4005176334344	172	147.00
32 955 000	4005176880117	176	104.59	33 636 001	4005176307287	127	164.82
33				33 636 A01	4005176426667	127	265.05
33 155 002	4005176865947	120	253.29	33 636 AL1	4005176426650	127	282.71
33 163 003	4005176529702	107	199.00	33 636 BE1	4005176426674	127	265.05
33 183 002	4005176887499	138	176.98	33 636 DA1	4005176426636	127	265.05
33 188 002	4005176862052	188	94.02	33 636 DC1	4005176371141	127	247.36
33 190 20E	4005176887482	138	186.94	33 636 DL1	4005176426643	127	282.71
33 192 002	4005176887864	142	209.07	33 636 EN1	4005176426681	127	282.71
33 202 002	4005176861956	620	125.71	33 636 GL1	4005176426612	127	265.05
33 241 003	4005176529849	110	199.00	33 636 GN1	4005176426629	127	282.71
33 241 AL3	4005176585739	110	307.00	33 637 003	4005176334405	173	195.77
33 241 DC3	4005176574184	110	269.00	33 769 000	4005176819605	40	242.24
33 244 002	4005176888779	141	175.87	33 770 001	4005176828959	606	197.99
33 265 002	4005176861543	188	94.02	33 770 002	4005176888137	604	220.11
33 265 20L	4005176304729	188	94.02	33 772 002	4005176890796	604	231.18
33 281 002	4005176861932	620	104.59	33 848 001	4005176409172	80	253.30
33 281 20E	4005176868498	620	104.59	33 848 DC1	4005176412776	80	339.95
33 281 DC2	4005176359798	620	118.32	33 849 001	4005176409189	81	286.49
33 300 002	4005176862182	191	104.59	33 849 AL1	4005176586200	81	471.00
33 302 20A	4005176456510	192	135.23	33 849 DC1	4005176412783	81	446.77
33 303 002	4005176862243	192	189.10	33 850 001	4005176409196	81	331.84
33 304 002	4005176862236	192	104.59	33 865 001	4005176409202	80	286.48
33 339 000	4005176222818	42	784.24	33 865 AL1	4005176586217	80	369.00
33 390 002	4005176887796	142	209.07	33 865 DC1	4005176412790	80	369.42
33 392 002	4005176889554	143	297.55	33 912 000	4005176111969	624, 725	404.43
33 395 002	4005176887802	142	275.40	33 961 000	4005176119972	336, 725	303.27
33 412 002	4005176862205	191	104.59	33 962 000	4005176119989	336, 725	208.83
33 547 003	4005176529818	111	339.00	33 963 000	4005176128387	336, 725	92.35
33 552 20E	4005176886300	156	120.55	33 964 000	4005176128394	336, 725	93.40
33 553 003	4005176529795	111	299.00	33 975 004	4005176467004	612	185.08
33 553 AL3	4005176585678	111	460.00	33 977 002	4005176886560	613	142.70
33 553 DC3	4005176574122	111	403.00	33 982 002	4005176890833	613	131.63
33 555 002	4005176862304	191	94.02	34			
33 557 003	4005176334184	165	109.50	34 143 003	4005176309618	169, 308	220.80

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
34 146 003	4005176309625	308	210.23	34 744 000	4005176484117	279	1,012.08
34 151 004	4005176456664	310	269.40	34 765 000	4005176612022	127, 149	188.59
34 152 004	4005176456640	310	289.47	34 766 000	4005176612039	128, 150	245.70
34 155 003	4005176310027	170, 309	273.62	34 767 000	4005176612046	316	183.80
34 156 003	4005176310034	309	284.18	34 768 000	4005176612053	318	219.09
34 169 001	4005176926518	294	308.59	34 769 000	4005176612060	318	224.48
34 170 001	4005176926471	295	286.47	34 770 000	4005176612077	317	240.91
34 174 001	4005176926426	296	374.99	34 771 000	4005176612886	316	192.66
34 176 001	4005176926488	297	695.76	34 772 000	4005176612893	317	249.77
34 195 001	4005176926631	298	330.74	34 776 000	4005176612930	312	199.07
34 256 004	4005176456671	310	273.62	34 779 000	4005176612961	312	259.35
34 274 000	4005176847905	292	430.28	34 780 000	4005176612978	312	254.56
34 276 000	4005176847929	292	507.72	34 781 000	4005176612985	313	203.15
34 277 000	4005176847936	292	463.44	34 782 000	4005176612992	313	263.42
34 281 001	4005176926501	297	485.57	34 783 000	4005176613005	313	229.78
34 294 001	4005176306877	123	142.69	34 784 000	4005176613012	314	233.20
34 430 000	4005176917981	306	241.93	34 787 000	4005176613043	314	233.85
34 437 000	4005176918025	306	284.18	35			
34 438 003	4005176309632	308	220.80	35 028 000	4005176908316	44, 45	131.61
34 439 003	4005176310041	309	284.18	35 034 000	4005176915697	507	209.06
34 446 001	4005176926402	295	308.59	35 085 000	4005176207068	712	1,927.36
34 448 000	4005176919183	306	358.14	35 087 000	4005176207082	712	2,244.65
34 463 001	4005176926419	294	365.00	35 500 000	4005176831522	708, 709	253.29
34 464 001	4005176926433	295	374.96	35 600 000	4005176413469	31, 41	132.18
34 466 001	4005176926440	296	386.05	36			
34 469 001	4005176926396	294	330.73	36 015 001	4005176929359	680	507.69
34 484 001	4005176932519	297	397.09	36 016 001	4005176929366	680	437.88
34 487 000	4005176936234	704, 726	131.63	36 078 000	4005176856532	362	109.51
34 488 000	4005176940620	89, 98	352.85	36 133 000	4005176140310	681, 692	22.93
34 491 000	4005176940644	300	397.08	36 194 000	4005176140921	634	136.41
34 497 000	4005176940675	90, 98	445.00	36 207 001	4005176929373	680	585.13
34 502 000	4005176940798	301	496.63	36 208 001	4005176929380	680	496.65
34 508 000	4005176941795	301	474.52	36 209 000	4005176207105	681, 736	72.04
34 509 000	4005176941801	300	363.91	36 233 000	4005176283338	736	523.65
34 519 000	4005176998515	306	271.69	36 249 000	4005176283345	736	597.10
34 557 001	4005176456688	310	241.93	36 264 001	4005176416279	663, 667	210.45
34 562 000	4005176310102	320	199.67	36 265 000	4005176893131	742	120.57
34 565 001	4005176456718	321	210.23	36 266 000	4005176893148	742	98.43
34 566 001	4005176456701	321	230.31	36 267 000	4005176893155	742	98.45
34 567 000	4005176310157	192, 199	241.93	36 268 000	4005176893162	742	98.43
34 569 000	4005176310171	320	241.93	36 269 000	4005176893179	694	297.55
34 665 000	4005176351556	706	346.92	36 271 000	4005176893193	694	275.43
34 666 000	4005176351563	708	307.63	36 272 000	4005176893209	694	275.43
34 667 000	4005176351570	706	277.09	36 273 000	4005176893216	695	361.60
34 671 000	4005176351587	707	353.43	36 274 000	4005176893223	695	352.85
34 681 000	4005176354090	707	330.72	36 309 000	4005176894794	362	264.37
34 705 000	4005176413285	61, 84	1,381.53	36 315 000	4005176896590	688	463.46
34 706 000	4005176413797	41, 116	1,370.46	36 316 000	4005176896279	742	32.06
34 713 000	4005176409776	280	883.79	36 317 000	4005176896514	738	275.43
34 714 000	4005176409783	280	828.47	36 318 000	4005176896521	738	297.55
34 718 000	4005176457647	81, 111	408.15	36 319 000	4005176896538	738	462.85
34 719 000	4005176457654	80, 110	370.52	36 320 000	4005176896545	738	430.29
34 720 000	4005176457661	281	474.52	36 321 000	4005176896552	738	308.59
34 721 000	4005176457678	281	481.17	36 322 001	4005176595400	738	128.00
34 725 000	4005176457081	706	344.20	36 324 001	4005176305757	686	532.04
34 726 000	4005176466014	287	552.82	36 325 001	4005176305764	684	374.97
34 727 000	4005176466021	287	618.78	36 327 001	4005176305771	180, 684	330.73
34 728 000	4005176466069	285	563.29	36 330 001	4005176305788	685	352.86
34 729 000	4005176466076	285	632.40	36 331 001	4005176305795	684	289.81
34 730 000	4005176466342	285	1,368.44	36 332 000	4005176896682	687	779.54
34 731 000	4005176466359	287	1,368.44	36 333 000	4005176896699	687	765.65
34 732 000	4005176466366	287	939.16	36 334 SD0	4005176896705	688	430.29
34 734 000	4005176466403	285	965.34	36 335 SD0	4005176896712	688	408.15
34 735 000	4005176466410	288	770.59	36 336 001	4005176991769	673, 688	304.00
34 741 000	4005176481208	92, 101	1,252.20	36 337 001	4005176595417	673, 688	115.00
34 742 000	4005176484094	42, 278	1,293.06				
34 743 000	4005176484100	279	1,204.56				

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
36 338 000	4005176896743	664, 668	87.38	37 095 000	4005176145124	858	30.43
36 339 001	4005176595424	674, 689	210.00	37 099 K00	4005176142086	860	30.74
36 340 000	4005176911385	663, 668	54.21	37 100 SH0	4005176142093	859	19.94
36 341 000	4005176911392	663, 668	97.46	37 102 SH0	4005176141768	871	15.53
36 356 000	4005176911347	362	164.80	37 104 K00	4005176160844	861	19.94
36 359 000	4005176918414	356	1,248.82	37 105 K00	4005176141904	862	19.94
36 360 000	4005176918438	356	1,071.84	37 107 000	4005176141713	869	46.07
36 367 000	4005176923203	359	286.48	37 108 000	4005176141720	869	39.36
36 371 000	4005176928970	358	607.24	37 112 000	4005176141911	869	71.51
36 376 000	4005176932243	688	551.94	37 114 000	4005176141935	869	18.94
36 384 000	4005176982774	695	607.24	37 115 P10	4005176172571	862, 975	9.44
36 386 001	4005176311673	686	643.19	37 117 P10	4005176172588	862, 975	9.44
36 397 000	4005176999413	358	1,071.82	37 119 000	4005176144370	862	4.09
36 407 001	4005176368974	663, 667	261.30	37 125 000	4005176144059	862	6.40
36 409 000	4005176320538	671	470.11	37 131 000	4005176144585	846, 863	39.95
36 410 000	4005176320545	673	539.78	37 132 000	4005176144608	868	18.94
36 412 000	4005176320569	674	608.36	37 133 000	4005176144622	868	31.27
36 413 000	4005176320576	670	570.75	37 135 000	4005176144653	869	6.04
36 414 000	4005176320583	672	774.28	37 139 000	4005176143083	868	87.38
36 415 000	4005176320590	675	511.66	37 141 000	4005176143113	868	104.54
36 416 001	4005176595394	675, 690	594.00	37 153 000	4005176142864	870	282.29
36 421 000	4005176368523	685	349.10	37 157 000	4005176142932	870	269.75
36 422 000	4005176368530	684	351.27	37 311 K00	4005176160851	861	19.94
36 439 000	4005176389740	685	260.74	37 321 001	4005176929496	879	518.76
36 440 000	4005176415623	662	770.88	37 321 SD1	4005176929502	879	518.76
36 441 000	4005176415630	96, 662	739.17	37 324 001	4005176929526	880	518.76
36 442 000	4005176415647	662	834.34	37 324 SD1	4005176929533	880	488.89
36 444 000	4005176415661	666	622.84	37 336 001	4005176929540	879	518.76
36 445 000	4005176415678	125, 666	601.70	37 337 001	4005176929557	879	488.89
36 446 000	4005176415685	666	559.41	37 338 000	4005176837920	676, 880	131.61
36 447 000	4005176416293	667	792.04	37 339 000	4005176837937	884	109.49
36 451 000	4005176473678	198, 700	229.47	37 347 000	4005176837999	868	209.07
36 452 000	4005176473685	700	213.61	37 396 000	4005176907968	884	120.57
36 453 000	4005176473791	700	242.16	37 419 000	4005176933806	874	784.24
36 454 000	4005176487774	687	882.00	37 419 SD0	4005176933813	874	784.24
36 455 000	4005176487781	687	858.00	37 421 000	4005176935572	878	424.00
36 456 000	4005176494758	689	216.00	37 489 000	4005176167386	861	9.44
36 457 000	4005176494765	689	805.00	37 503 000	4005176320507	676	662.57
36 458 000	4005176494772	689	647.00	37 504 000	4005176320521	677	828.48
36 459 000	4005176576188	690	695.00	37 535 000	4005176416019	104, 117	63.95
36 463 000	4005176576690	690	192.00	37 535 A00	4005176431364	890	165.60
36 464 000	4005176576706	690	582.00	37 535 AL0	4005176431357	104, 117	165.60
37				37 535 BE0	4005176431340	890	165.60
37 018 000	4005176143359	903	72.41	37 535 DA0	4005176431333	890	165.60
37 018 P00	4005176143281	903	67.58	37 535 DC0	4005176416040	104, 117	165.60
37 018 SH0	4005176143595	903	69.21	37 535 DL0	4005176431326	890	165.60
37 035 000	4005176143731	884	12.38	37 535 EN0	4005176431319	890	165.60
37 036 000	4005176143748	884	19.52	37 535 GL0	4005176431302	890	165.60
37 037 000	4005176143762	884	21.57	37 535 GN0	4005176431296	890	165.60
37 038 000	4005176143786	884	23.62	37 535 P00	4005176416026	890	63.95
37 039 000	4005176143793	884	25.65	37 535 SH0	4005176416033	890	66.36
37 040 000	4005176143861	885	28.65	37 547 000	4005176189425	900	72.41
37 042 000	4005176143908	885	17.42	37 547 P00	4005176189449	900	67.37
37 043 000	4005176143922	885	38.57	37 547 SH0	4005176189418	900	61.91
37 044 000	4005176160776	884	19.94	37 601 000	4005176416057	85, 132	73.23
37 048 000	4005176142109	870	313.77	37 601 A00	4005176528996	132, 890	165.67
37 059 000	4005176142857	895	136.41	37 601 AL0	4005176529030	85, 132	165.67
37 060 000	4005176142901	896	61.91	37 601 BE0	4005176529009	132, 890	165.67
37 063 000	4005176142185	900	61.91	37 601 DA0	4005176524288	132, 890	165.67
37 063 SH0	4005176142307	900	61.91	37 601 DC0	4005176416088	85, 132	165.67
37 069 000	4005176142352	900	107.25	37 601 DL0	4005176529023	132, 890	165.67
37 078 P10	4005176160783	859	82.75	37 601 EN0	4005176529047	132, 890	165.67
37 085 P10	4005176149641	859	51.42	37 601 GL0	4005176524271	132, 890	165.67
37 088 P10	4005176149672	859	51.42	37 601 GN0	4005176529016	132, 890	165.67
37 092 000	4005176145049	858	34.84	37 601 P00	4005176416064	890	97.34
37 093 000	4005176145070	858	40.93	37 601 SH0	4005176416071	890	60.25
				37 624 000	4005176416095	117, 144	73.23

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
37 624 A00	4005176529078	890	165.67	38 732 000	4005176836114	893	70.80
37 624 AL0	4005176529115	117, 890	165.67	38 732 A00	4005176339110	893	139.31
37 624 BE0	4005176529085	890	165.67	38 732 AL0	4005176339127	893	139.31
37 624 DA0	4005176529061	890	165.67	38 732 BE0	4005176427749	893	139.31
37 624 DC0	4005176416125	117, 890	165.70	38 732 BR0	4005176873676	893	120.55
37 624 DL0	4005176529108	890	165.67	38 732 DA0	4005176339097	893	139.31
37 624 EN0	4005176529122	890	165.67	38 732 DC0	4005176431371	893	129.00
37 624 GL0	4005176529054	890	165.67	38 732 DL0	4005176427732	893	139.31
37 624 GN0	4005176529092	890	165.67	38 732 EN0	4005176427756	893	139.31
37 624 P00	4005176416101	890	97.34	38 732 GL0	4005176339103	893	139.31
37 624 SH0	4005176416118	890	60.25	38 732 GN0	4005176427725	893	139.31
37 761 000	4005176213243	896	40.93	38 732 P00	4005176836121	893	53.60
37 762 SH0	4005176213250	854	72.41	38 732 SD0	4005176847691	892	153.75
37 791 SH0	4005176217241	854	166.85	38 732 SH0	4005176836138	893	54.17
37 945 SH0	4005176256387	854	72.41	38 733 000	4005176837289	846	32.05
37 965 000	4005176442506	891	64.15	38 735 000	4005176837500	860	54.19
37 965 SH0	4005176442513	891	50.87	38 736 000	4005176837517	860	43.15
37 998 000	4005176262586	844	109.50	38 748 002	4005176416323	663, 667	495.97
38				38 750 001	4005176863363	820	398.20
38 338 000	4005176286179	847	29.24	38 761 000	4005176841620	823	397.09
38 393 SD1	4005176929564	874	460.80	38 764 001	4005176863301	824	238.92
38 422 000	4005176275203	855	175.88	38 765 000	4005176846830	892	70.78
38 445 SD0	4005176282850	900	105.88	38 765 P00	4005176846847	892	69.68
38 488 000	4005176289866	896	40.93	38 765 SH0	4005176846854	892	54.20
38 496 000	4005176289958	896	187.84	38 771 000	4005176848551	896	43.15
38 505 000	4005176290053	893	48.64	38 772 001	4005176863288	823	374.97
38 505 P00	4005176290060	893	87.35	38 773 000	4005176850288	823	397.10
38 505 SH0	4005176290046	893	32.08	38 776 SD0	4005176853555	892	153.74
38 506 000	4005176290121	893	70.76	38 778 000	4005176855269	875	665.33
38 506 P00	4005176290138	893	72.41	38 779 000	4005176855306	846	103.89
38 506 SH0	4005176290114	893	65.29	38 784 000	4005176855535	902	112.77
38 525 001	4005176863967	827	352.86	38 784 P00	4005176855542	902	112.82
38 526 000	4005176291050	828	352.86	38 784 SD0	4005176877407	902	166.36
38 528 001	4005176863943	819	286.47	38 784 SH0	4005176855559	902	103.76
38 536 001	4005176863929	825	308.58	38 786 001	4005176864025	832	319.00
38 539 001	4005176863912	825	240.04	38 787 000	4005176855689	880	109.51
38 540 000	4005176807091	894	82.01	38 796 000	4005176857034	898	65.25
38 541 000	4005176291234	837, 840	209.06	38 803 001	4005176864049	832	334.04
38 543 000	4005176291258	837	294.75	38 804 000	4005176861512	902	120.56
38 545 000	4005176291272	837	292.01	38 804 P00	4005176861536	902	112.82
38 546 000	4005176291289	836	299.00	38 804 SH0	4005176861529	902	109.52
38 553 001	4005176863813	837	303.09	38 805 000	4005176865596	898	131.61
38 554 001	4005176863806	836	131.62	38 808 000	4005176864056	903	98.44
38 557 001	4005176863783	836	116.13	38 808 P00	4005176864063	903	110.62
38 558 00M	4005176291418	828, 833	26.41	38 808 SH0	4005176864070	903	88.81
38 559 001	4005176863776	841	168.75	38 809 000	4005176864681	891	574.06
38 562 001	4005176863752	846	98.44	38 821 000	4005176868986	892	231.18
38 564 000	4005176291784	895	76.35	38 827 000	4005176870477	820	419.21
38 564 SH0	4005176291777	895	60.29	38 844 000	4005176874963	893	70.78
38 565 000	4005176291845	895	48.69	38 844 P00	4005176875687	893	65.25
38 573 000	4005176292316	895	54.21	38 844 SH0	4005176874970	893	54.19
38 573 P00	4005176292323	895	72.41	38 845 KS0	4005176878343	892	242.24
38 573 SH0	4005176292309	895	61.91	38 845 LS0	4005176878336	892	242.24
38 574 000	4005176292385	895	61.91	38 845 MF0	4005176878619	892	242.24
38 629 000	4005176293191	846	55.29	38 846 KS0	4005176878268	902	296.38
38 661 000	4005176294907	854	164.82	38 846 LS0	4005176878367	902	296.38
38 672 SD0	4005176296468	895	120.57	38 857 000	4005176875694	902	112.82
38 675 001	4005176863516	826, 840	308.61	38 857 P00	4005176875663	902	109.50
38 680 001	4005176863509	826	397.08	38 857 SH0	4005176875793	902	103.98
38 691 000	4005176815454	855	175.88	38 858 000	4005176876714	893	70.78
38 698 SD1	4005176929571	874	695.74	38 858 P00	4005176876721	893	65.25
38 699 001	4005176929588	874	585.13	38 858 SH0	4005176876738	893	54.19
38 714 000	4005176828454	866, 896	14.59	38 860 000	4005176878084	820	374.99
38 719 001	4005176863448	822	214.00	38 861 000	4005176832284	893	65.26
38 721 001	4005176863431	822	359.00	38 862 000	4005176832314	893	70.78
38 722 001	4005176863424	823	343.00	38 862 P00	4005176832321	893	64.65
				38 862 SD0	4005176834721	893	164.80

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
38 862 SH0	4005176832338	893	54.18	39 354 SH1	4005176470448	756	2,764.18
38 863 000	4005176832345	855	131.62	39 367 000	4005176341533	881	514.90
38 868 000	4005176878091	824	397.09	39 368 000	4005176341540	881	514.90
38 882 000	4005176879197	898	8.40	39 369 000	4005176341557	881	685.07
38 885 000	4005176879609	821	419.19	39 374 KSO	4005176344770	818	698.17
38 888 000	4005176879630	821	430.26	39 374 LSO	4005176344787	818	698.17
38 915 KSO	4005176897108	891	844.66	39 376 000	4005176342998	832	235.65
38 915 LSO	4005176897115	891	883.78	39 383 000	4005176356926	672	54.19
38 916 0A0	4005176896941	892	297.54	39 386 00H	4005176438356	784	538.94
38 947 000	4005176911217	824	379.00	39 420 000	4005176405983	798	72.01
38 948 000	4005176911224	824	374.99	39 421 000	4005176428906	798	66.39
38 957 000	4005176914409	892	109.51	39 422 000	4005176406195	799	111.41
38 987 000	4005176924798	855	110.62	39 423 000	4005176406201	791, 799	111.41
38 994 000	4005176932335	827	352.85	39 424 000	4005176406218	799	60.75
38 995 000	4005176932342	827	363.92	39 425 000	4005176406225	800	60.75
39				39 426 000	4005176406232	800	66.40
39 053 000	4005176935978	856	76.31	39 427 000	4005176406249	800	111.39
39 054 000	4005176936289	856	76.31	39 428 000	4005176406256	800	128.26
39 056 000	4005176936302	856	19.94	39 429 000	4005176406263	801	139.51
39 111 SH0	4005176304668	752	4,843.66	39 430 000	4005176406270	801	94.52
39 140 000	4005176315268	840	590.95	39 431 000	4005176406287	801	94.52
39 201 000	4005176344947	791	73.39	39 432 000	4005176406294	802	190.13
39 202 000	4005176344954	792	84.84	39 433 000	4005176406300	802	190.15
39 206 000	4005176344992	792	262.59	39 436 000	4005176406331	801	111.38
39 206 00H	4005176418495	792	314.17	39 437 000	4005176406348	801	111.38
39 208 000	4005176345029	795	256.86	39 438 000	4005176406355	802	212.65
39 208 00H	4005176418532	795	308.45	39 439 000	4005176406362	802	212.65
39 245 00H	4005176524479	786	480.32	39 440 000	4005176405976	798	60.75
39 300 000	4005176346026	808	245.32	39 453 000	4005176421099	796, 806	21.38
39 301 000	4005176346033	808	180.84	39 454 000	4005176421105	796, 806	21.38
39 302 000	4005176346040	808	173.43	39 457 000	4005176421112	796, 806	21.38
39 305 000	4005176346071	808	306.67	39 462 000	4005176454608	794	480.81
39 306 000	4005176346088	809	199.86	39 462 00H	4005176454615	794	530.29
39 307 000	4005176346095	809	438.85	39 469 00H	4005176438363	784	465.79
39 308 000	4005176346101	809	377.51	39 473 00H	4005176438370	784	252.03
39 323 000	4005176407116	790	102.03	39 474 00H	4005176438387	784	235.15
39 323 00H	4005176417344	790	153.63	39 475 00H	4005176442599	784	538.94
39 324 000	4005176407123	791	67.66	39 476 00H	4005176442605	784	466.92
39 324 00H	4005176417375	791	119.26	39 477 00H	4005176442612	785	253.15
39 325 000	4005176407130	792	73.39	39 478 00H	4005176442629	785	237.40
39 327 000	4005176390104	791	84.84	39 479 00H	4005176442636	785	243.02
39 327 00H	4005176418341	791	136.45	39 480 00H	4005176442643	785	227.27
39 328 000	4005176407161	792	285.51	39 481 00H	4005176442650	785	227.27
39 328 00H	4005176417382	792	337.12	39 482 00H	4005176442667	785	201.39
39 329 000	4005176407178	794	210.91	39 483 00H	4005176442674	786	195.77
39 329 00H	4005176418518	794	262.58	39 484 00H	4005176442698	786	452.30
39 330 001	4005176468834	794	102.07	39 485 00H	4005176442704	786	420.80
39 331 001	4005176468827	795	72.73	39 486 00H	4005176442711	787	369.05
39 332 000	4005176407208	793	205.25	39 487 00H	4005176442728	787	381.41
39 333 000	4005176407215	793	205.25	39 488 000	4005176442735	787	174.40
39 335 000	4005176407239	790	96.32	39 489 000	4005176442742	786	237.42
39 335 00H	4005176417351	790	142.19	39 490 000	4005176442759	787	237.42
39 336 000	4005176407246	791	94.83	39 491 000	4005176449994	800	78.00
39 336 00H	4005176417368	791	140.46	39 492 000	4005176450013	801	43.89
39 337 000	4005176407253	791	102.04	39 493 000	4005176450020	802	88.91
39 337 00H	4005176418334	791	153.65	39 496 000	4005176450051	804	314.82
39 338 000	4005176407260	793	222.46	39 497 000	4005176450068	803	143.78
39 338 00H	4005176418501	793	274.04	39 500 000	4005176453861	820	264.57
39 339 000	4005176407277	794	218.24	39 501 000	4005176453878	821	372.74
39 339 00H	4005176418525	794	269.84	39 503 000	4005176454097	821	372.70
39 340 000	4005176423697	795	222.43	39 504 000	4005176454103	822	372.74
39 340 00H	4005176423703	795	274.04	39 538 000	4005176468292	793	223.66
39 346 000	4005176449673	803	313.90	39 551 000	4005176469640	796, 806	65.63
39 347 000	4005176449680	803	302.65	39 554 000	4005176484452	792	382.35
39 349 000	4005176449659	800	139.51	39 555 000	4005176484469	794	318.41
39 351 000	4005176450006	803	190.14	39 564 00H	4005176485602	774	275.84
				39 565 00H	4005176485619	774	254.54

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
39 566 00H	4005176485626	774	605.99	40 305 DA3	4005176494208	62	106.00
39 567 00H	4005176485633	774	435.59	40 305 DC3	4005176462429	62	66.66
39 568 00H	4005176485640	774	297.14	40 305 GL3	4005176494185	62	106.00
39 570 000	4005176484865	775	158.69	40 306 003	4005176461545	62	47.49
39 571 00H	4005176485671	775	382.34	40 306 AL3	4005176461569	62	76.24
39 572 00H	4005176485688	775	424.94	40 306 DA3	4005176494093	62	106.00
39 573 00H	4005176485794	775	399.38	40 306 DC3	4005176461552	62	66.66
39 574 00H	4005176485800	776	382.34	40 306 GL3	4005176494079	62	106.00
39 575 00H	4005176485817	776	399.38	40 307 003	4005176462450	62	63.74
39 576 000	4005176485121	776	105.44	40 307 AL3	4005176462474	62	104.16
39 577 000	4005176485138	776	158.69	40 307 DA3	4005176494260	62	142.00
39 578 000	4005176485145	776	243.89	40 307 DC3	4005176462467	62	87.49
39 579 000	4005176485152	776	243.89	40 307 GL3	4005176494246	62	142.00
39 581 000	4005176496011	822	372.74	40 308 003	4005176462481	63	108.33
39 584 00H	4005176519161	790	358.91	40 308 AL3	4005176462504	63	165.83
39 585 00H	4005176519178	790	463.28	40 308 DA3	4005176494321	63	236.00
39 596 000	4005176527494	752, 757	333.00	40 308 DC3	4005176462498	63	149.99
39 598 000	4005176527517	815	350.00	40 308 GL3	4005176494307	63	236.00
39 603 000	4005176527562	814	391.00	40 309 003	4005176462511	63	99.99
39 608 00H	4005176566493	774	579.36	40 309 AL3	4005176462627	63	162.49
39 609 00H	4005176566509	775	386.60	40 309 DA3	4005176494383	63	225.00
39 611 000	4005176571275	777	6,501.11	40 309 DC3	4005176462528	63	141.66
39 612 000	4005176571282	777	6,295.30	40 309 GL3	4005176494369	63	225.00
39 613 00H	4005176571299	777	6,634.61	40 312 003	4005176462535	63	32.91
39 614 00H	4005176571305	777	6,768.12	40 312 AL3	4005176462559	63	52.49
39 617 000	4005176571312	778	1,248.10	40 312 DA3	4005176494444	63	73.00
39 619 000	4005176571329	778	1,376.43	40 312 DC3	4005176462542	63	45.83
39 620 00H	4005176571336	778	1,376.43	40 312 GL3	4005176494420	63	73.00
39 621 00H	4005176571343	779	1,503.65	40 313 003	4005176462566	63	72.08
39 622 000	4005176571350	779	6,220.49	40 313 AL3	4005176462580	63	116.66
39 623 000	4005176571367	779	6,645.31	40 313 DA3	4005176494505	63	160.00
39 641 000	4005176570155	790	228.99	40 313 DC3	4005176462573	63	99.99
39 642 000	4005176570162	790	239.64	40 313 GL3	4005176494482	63	160.00
39 642 KW0	4005176573521	790	273.00	40 314 003	4005176462597	63	141.66
39 643 000	4005176570179	799	190.64	40 314 AL3	4005176462610	63	232.50
39 644 000	4005176570186	798	174.67	40 314 DA3	4005176494567	63	318.00
39 648 SH0	4005176575310	762, 804	247.00	40 314 DC3	4005176462603	63	199.17
39 649 00H	4005176571374	779	6,645.16	40 314 GL3	4005176494543	63	318.00
39 650 00H	4005176571381	779	6,780.58	40 339 000	4005176824111	47	104.16
39 651 SH0	4005176575327	762, 804	346.00	40 340 000	4005176824128	48	166.66
39 652 SH0	4005176575334	762, 805	470.00	40 341 000	4005176824135	47	154.16
39 693 000	4005176581281	793	354.40	40 342 000	4005176824142	47	154.16
39 726 00H	4005176594861	778	6,768.12	40 344 001	4005176323461	238	91.66
39 727 00H	4005176594878	778	6,634.61	40 344 DC1	4005176413209	238	129.16
39 728 000	4005176594885	777	6,295.30	40 364 001	4005176326332	235	9.99
39 729 000	4005176594991	777	5,922.30	40 364 A01	4005176429514	235	14.99
39 732 000	4005176595431	802	44.96	40 364 AL1	4005176429668	235	16.24
40				40 364 BE1	4005176430114	235	14.99
40 206 000	4005176170904	48, 966	58.03	40 364 DA1	4005176428913	235	14.99
40 207 000	4005176170973	48, 966	14.59	40 364 DL1	4005176429965	235	16.24
40 212 000	4005176171123	966	50.53	40 364 EN1	4005176326349	235	16.24
40 254 000	4005176211065	47	25.83	40 364 GL1	4005176429361	235	14.99
40 254 003	4005176462405	62	39.00	40 364 GN1	4005176429811	235	16.24
40 256 000	4005176211089	47	36.66	40 365 001	4005176326240	233	18.33
40 256 003	4005176462443	62	36.24	40 365 A01	4005176429521	233	27.49
40 265 000	4005176211171	48	63.02	40 365 AL1	4005176429675	233	29.58
40 278 000	4005176824081	47	76.66	40 365 BE1	4005176430121	233	27.49
40 279 000	4005176824098	48	104.16	40 365 DA1	4005176428920	233	27.49
40 284 000	4005176824104	47	42.08	40 365 DC1	4005176412431	233	25.83
40 304 003	4005176461576	62	47.49	40 365 DL1	4005176429972	233	29.58
40 304 AL3	4005176462399	62	76.24	40 365 EN1	4005176326257	233	29.58
40 304 DA3	4005176494154	62	106.00	40 365 GL1	4005176429378	233	27.49
40 304 DC3	4005176461583	62	66.66	40 365 GN1	4005176429828	233	29.58
40 304 GL3	4005176494130	62	106.00	40 366 001	4005176326264	234	29.16
40 305 003	4005176462412	62	47.49	40 366 A01	4005176429552	234	43.74
40 305 AL3	4005176462436	62	76.24	40 366 AL1	4005176429705	234	46.66
				40 366 BE1	4005176430152	234	43.74

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
40 366 DA1	4005176428951	234	43.74	40 392 000	4005176846656	237, 242	19.94
40 366 DC1	4005176412448	234	40.83	40 393 000	4005176846663	237, 242	12.49
40 366 DL1	4005176430008	234	46.66	40 394 001	4005176326233	232, 240	14.99
40 366 EN1	4005176326271	234	46.66	40 394 A01	4005176429583	232	22.49
40 366 GL1	4005176429408	234	43.74	40 394 AL1	4005176429736	232, 240	24.16
40 366 GN1	4005176429859	234	46.66	40 394 BE1	4005176430183	232	22.49
40 367 001	4005176326387	236	24.16	40 394 DA1	4005176428982	232	22.49
40 367 A01	4005176429620	236	36.24	40 394 DC1	4005176421532	232, 240	21.24
40 367 AL1	4005176429774	236	38.74	40 394 DL1	4005176430039	232	24.16
40 367 BE1	4005176430220	236	36.24	40 394 EN1	4005176412646	232, 250	24.16
40 367 DA1	4005176429323	236	36.24	40 394 GL1	4005176429439	232	22.49
40 367 DC1	4005176412455	236	33.74	40 394 GN1	4005176429880	232	24.16
40 367 DL1	4005176430077	236	38.74	40 404 001	4005176984068	563	51.66
40 367 EN1	4005176326394	236	38.74	40 405 000	4005176860812	562	25.83
40 367 GL1	4005176429477	236	36.24	40 407 001	4005176328350	238	57.91
40 367 GN1	4005176429927	236	38.74	40 407 DC1	4005176413179	238	81.24
40 368 001	4005176326219	232, 240	5.08	40 412 001	4005176984082	563	124.99
40 369 001	4005176326196	232	18.33	40 421 001	4005176326325	235	29.16
40 369 A01	4005176429576	232	27.49	40 421 A01	4005176429637	235	43.74
40 369 AL1	4005176429729	232	29.58	40 421 AL1	4005176429781	235	46.66
40 369 BE1	4005176430176	232	27.49	40 421 BE1	4005176430237	235	43.74
40 369 DA1	4005176428975	232	27.49	40 421 DA1	4005176429330	235	43.74
40 369 DC1	4005176412462	232	25.83	40 421 DC1	4005176413117	235	40.83
40 369 DL1	4005176430022	232	29.58	40 421 DL1	4005176430084	235	46.66
40 369 EN1	4005176326202	232	29.58	40 421 EN1	4005176430305	235	46.66
40 369 GL1	4005176429422	232	27.49	40 421 GL1	4005176429484	235	43.74
40 369 GN1	4005176429873	232	29.58	40 421 GN1	4005176429934	235	46.66
40 371 001	4005176326318	233	32.49	40 422 000	4005176890246	564	66.66
40 371 A01	4005176429538	233	48.74	40 423 000	4005176890253	565	87.49
40 371 AL1	4005176429682	233	52.08	40 430 001	4005176984075	563	95.83
40 371 BE1	4005176430138	233	48.74	40 432 000	4005176883255	571	22.08
40 371 DA1	4005176428937	233	48.74	40 434 001	4005176985294	564	29.58
40 371 DC1	4005176412479	233	45.83	40 437 000	4005176885471	562	25.83
40 371 DL1	4005176429989	233	52.08	40 438 001	4005176984105	571	141.66
40 371 EN1	4005176430268	233	52.08	40 444 001	4005176328336	233	23.33
40 371 GL1	4005176429385	233	48.74	40 444 DC1	4005176413148	233	32.91
40 371 GN1	4005176429835	233	52.08	40 444 EN1	4005176335501	233	37.49
40 372 001	4005176326226	232, 240	6.08	40 447 001	4005176328701	233	22.91
40 374 001	4005176326400	237	29.99	40 447 DC1	4005176413162	233	32.08
40 374 A01	4005176429590	237	44.99	40 447 EN1	4005176335518	233	36.24
40 374 AL1	4005176429743	237	48.33	40 448 001	4005176328343	232	34.16
40 374 BE1	4005176430190	237	44.99	40 448 DC1	4005176413155	232	47.91
40 374 DA1	4005176429293	237	44.99	40 448 EN1	4005176335525	232	54.58
40 374 DC1	4005176412486	237	42.08	40 457 001	4005176327865	247	18.33
40 374 DL1	4005176430046	237	48.33	40 459 001	4005176327810	246	20.83
40 374 EN1	4005176430282	237	48.33	40 460 001	4005176327803	246	14.58
40 374 GL1	4005176429446	237	44.99	40 461 001	4005176327858	247	8.74
40 374 GN1	4005176429897	237	48.33	40 462 001	4005176327827	247	77.08
40 385 001	4005176326356	237	18.33	40 463 001	4005176327872	247	23.74
40 385 A01	4005176429606	237	27.49	40 493 000	4005176899256	35	199.17
40 385 AL1	4005176429750	237	29.58	40 493 A00	4005176491214	35	299.17
40 385 BE1	4005176430206	237	27.49	40 493 AL0	4005176491153	35	315.83
40 385 DA1	4005176429309	237	27.49	40 493 DC0	4005176491160	35	274.17
40 385 DC1	4005176413094	237	25.83	40 494 000	4005176899263	35	299.17
40 385 DL1	4005176430053	237	29.58	40 494 A00	4005176491122	35	457.50
40 385 EN1	4005176430299	237	29.58	40 494 AL0	4005176491061	35	482.50
40 385 GL1	4005176429453	237	27.49	40 494 DC0	4005176491078	35	424.17
40 385 GN1	4005176429903	237	29.58	40 496 000	4005176899287	35	162.49
40 386 001	4005176326301	234	36.66	40 496 A00	4005176491931	35	240.83
40 386 A01	4005176429569	234	54.99	40 496 AL0	4005176491870	35	257.50
40 386 AL1	4005176429712	234	58.74	40 496 DC0	4005176491887	35	232.50
40 386 BE1	4005176430169	234	54.99	40 497 000	4005176899294	35	182.50
40 386 DA1	4005176428968	234	54.99	40 497 A00	4005176491573	35	274.17
40 386 DL1	4005176430015	234	58.74	40 497 AL0	4005176491511	35	299.17
40 386 EN1	4005176430275	234	58.74	40 497 DC0	4005176491528	35	257.50
40 386 GL1	4005176429415	234	54.99	40 498 000	4005176899300	36	78.33
40 386 GN1	4005176429866	234	58.74	40 498 A00	4005176491399	36	116.66

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
40 498 AL0	4005176491337	36	124.99	40 621 000	4005176923333	563	19.94
40 498 DC0	4005176491344	36	108.33	40 621 DC0	4005176923340	563	19.94
40 499 000	4005176899317	36	158.33	40 623 001	4005176324482	242	23.33
40 499 A00	4005176491665	36	240.83	40 623 AL1	4005176636646	242	48.00
40 499 AL0	4005176491603	36	257.50	40 623 DC1	4005176636547	242	42.00
40 499 DC0	4005176491610	36	224.17	40 624 001	4005176324444	241	47.08
40 500 000	4005176899324	36	257.50	40 624 AL1	4005176636585	241	96.00
40 500 A00	4005176492020	36	390.83	40 624 DC1	4005176636486	241	84.00
40 500 AL0	4005176491962	36	415.83	40 625 000	4005176927706	75	120.83
40 500 DC0	4005176491979	36	365.83	40 625 EN0	4005176927720	75	190.83
40 503 000	4005176900068	35	232.50	40 625 IG0	4005176927713	75	158.33
40 503 A00	4005176491306	35	349.17	40 626 000	4005176927737	74	116.66
40 503 AL0	4005176491245	35	374.17	40 626 IG0	4005176927744	74	149.99
40 503 DC0	4005176491252	35	324.17	40 627 000	4005176927768	74	154.16
40 504 000	4005176900075	35	240.83	40 627 IG0	4005176927775	74	199.17
40 504 A00	4005176491481	35	357.50	40 628 000	4005176927898	74	141.66
40 504 AL0	4005176491429	35	382.50	40 628 IG0	4005176927904	74	182.50
40 504 DC0	4005176491436	35	332.50	40 629 000	4005176927928	74	162.49
40 507 001	4005176324598	242	27.91	40 629 EN0	4005176927942	74	257.50
40 507 AL1	4005176636639	242	58.00	40 629 IG0	4005176927935	74	207.50
40 507 DC1	4005176636530	242	51.00	40 630 000	4005176927959	74	99.99
40 508 001	4005176324413	240	24.16	40 630 EN0	4005176927973	74	158.33
40 508 AL1	4005176636653	240	38.74	40 630 IG0	4005176927966	74	129.16
40 508 DC1	4005176636554	240	34.16	40 631 000	4005176927980	74	46.66
40 509 001	4005176324437	241	37.08	40 631 IG0	4005176927997	74	60.41
40 509 DC1	4005176636493	241	67.00	40 632 000	4005176928017	75	170.83
40 510 001	4005176324420	241	33.33	40 632 IG0	4005176928024	75	224.17
40 510 AL1	4005176636578	241	69.00	40 633 000	4005176928048	75	108.33
40 510 DC1	4005176636172	241	60.00	40 633 EN0	4005176928062	75	174.17
40 511 001	4005176324475	241	14.16	40 633 IG0	4005176928055	75	141.66
40 511 AL1	4005176636615	241	29.00	40 652 001	4005176324321	250	18.33
40 511 DC1	4005176636516	241	26.00	40 652 EN1	4005176324239	250	29.58
40 512 001	4005176324451	241	120.83	40 653 001	4005176324345	250	29.16
40 512 AL1	4005176636608	241	249.00	40 653 EN1	4005176324253	250	46.66
40 513 001	4005176324604	242	48.74	40 654 001	4005176324352	251	49.99
40 513 AL1	4005176636561	242	99.00	40 654 EN1	4005176324260	251	80.41
40 513 DC1	4005176636165	242	87.00	40 655 001	4005176324338	250	18.33
40 514 001	4005176324468	242	49.99	40 655 EN1	4005176324246	250	29.58
40 514 AL1	4005176636622	242	103.00	40 656 001	4005176324383	251	9.99
40 514 DC1	4005176636523	242	90.00	40 656 EN1	4005176324291	251	16.24
40 535 000	4005176905490	634	38.33	40 657 001	4005176324390	251	21.66
40 535 A00	4005176489396	634	86.00	40 657 EN1	4005176324307	251	34.58
40 535 AL0	4005176489402	634	86.00	40 658 001	4005176324406	251	29.99
40 535 BE0	4005176489457	634	86.00	40 658 EN1	4005176324314	251	48.33
40 535 DA0	4005176489433	634	86.00	40 659 001	4005176324376	252	32.91
40 535 DC0	4005176905520	634	53.74	40 659 EN1	4005176324284	252	52.49
40 535 DL0	4005176489440	634	86.00	40 660 001	4005176324369	251	99.99
40 535 GL0	4005176489419	634	86.00	40 660 EN1	4005176324277	251	158.33
40 535 GN0	4005176489426	634	86.00	40 663 001	4005176327834	237, 247	40.83
40 536 000	4005176905506	634	34.58	40 664 001	4005176327841	237, 248	32.91
40 536 DC0	4005176905537	634	48.74	40 666 000	4005176935633	359	836.40
40 537 000	4005176905513	634	42.49	40 684 000	4005176940088	586	61.91
40 537 DC0	4005176905544	634	74.51	40 684 DC0	4005176940095	586	65.06
40 547 001	4005176984099	563	51.66	40 687 000	4005176981838	564	29.16
40 553 000	4005176911422	634	48.33	40 688 001	4005176326288	234	26.66
40 553 DC0	4005176911439	634	67.49	40 688 A01	4005176429545	234	39.99
40 554 002	4005176458521	545	2,444.00	40 688 AL1	4005176429699	234	42.91
40 564 000	4005176912740	116, 948	253.31	40 688 BE1	4005176430145	234	39.99
40 564 A00	4005176491849	948	353.00	40 688 DA1	4005176428944	234	39.99
40 564 AL0	4005176491788	116, 948	376.00	40 688 DC1	4005176413124	234	37.49
40 564 DC0	4005176491795	116, 948	329.00	40 688 DL1	4005176429996	234	42.91
40 565 000	4005176912757	946	76.32	40 688 EN1	4005176326295	234	42.91
40 565 A00	4005176491757	946	88.00	40 688 GL1	4005176429392	234	39.99
40 565 AL0	4005176491696	946	94.00	40 688 GN1	4005176429842	234	42.91
40 565 DC0	4005176491702	946	83.00	40 689 001	4005176326363	236	21.66
40 575 001	4005176385766	563	221.00	40 689 A01	4005176429613	236	32.49
40 585 001	4005176327797	246	14.58	40 689 AL1	4005176429767	236	34.58

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
41 039 000	4005176577307	223	18.00	41 064 DL0	4005176578045	225	97.00
41 039 A00	4005176577383	223	27.00	41 064 EN0	4005176578007	225	97.00
41 039 AL0	4005176577390	223	29.00	41 064 GL0	4005176578014	225	91.00
41 039 BE0	4005176577321	223	27.00	41 064 GN0	4005176578021	225	97.00
41 039 DA0	4005176577369	223	27.00	41 066 000	4005176578083	225	216.00
41 039 DC0	4005176577314	223	25.00	41 066 A00	4005176578168	225	323.00
41 039 DL0	4005176577376	223	29.00	41 066 AL0	4005176578175	225	345.00
41 039 EN0	4005176577338	223	29.00	41 066 BE0	4005176578106	225	323.00
41 039 GL0	4005176577345	223	27.00	41 066 DA0	4005176578144	225	323.00
41 039 GN0	4005176577352	223	29.00	41 066 DC0	4005176578090	225	302.00
41 049 000	4005176577413	223	30.00	41 066 DL0	4005176578151	225	345.00
41 049 A00	4005176577499	223	44.00	41 066 EN0	4005176578113	225	345.00
41 049 AL0	4005176577505	223	47.00	41 066 GL0	4005176578120	225	323.00
41 049 BE0	4005176577437	223	44.00	41 066 GN0	4005176578137	225	345.00
41 049 DA0	4005176577475	223	44.00	41 067 000	4005176578199	225	49.00
41 049 DC0	4005176577420	223	42.00	41 067 A00	4005176578274	225	74.00
41 049 DL0	4005176577482	223	47.00	41 067 AL0	4005176578281	225	79.00
41 049 EN0	4005176577444	223	47.00	41 067 BE0	4005176578212	225	74.00
41 049 GL0	4005176577451	223	44.00	41 067 DA0	4005176578250	225	74.00
41 049 GN0	4005176577468	223	47.00	41 067 DC0	4005176578205	225	69.00
41 056 000	4005176577529	223	79.00	41 067 DL0	4005176578267	225	79.00
41 056 A00	4005176577604	223	118.00	41 067 EN0	4005176578229	225	79.00
41 056 AL0	4005176577611	223	126.00	41 067 GL0	4005176578236	225	74.00
41 056 BE0	4005176577543	223	118.00	41 067 GN0	4005176578243	225	79.00
41 056 DA0	4005176577581	223	118.00	41 068 000	4005176578304	225	40.00
41 056 DC0	4005176577536	223	110.00	41 068 A00	4005176578380	225	59.00
41 056 DL0	4005176577598	223	126.00	41 068 AL0	4005176578397	225	63.00
41 056 EN0	4005176577550	223	126.00	41 068 BE0	4005176578328	225	59.00
41 056 GL0	4005176577567	223	118.00	41 068 DA0	4005176578366	225	59.00
41 056 GN0	4005176577574	223	126.00	41 068 DC0	4005176578311	225	55.00
41 057 000	4005176577635	224	92.00	41 068 DL0	4005176578373	225	63.00
41 058 000	4005176577642	224	102.00	41 068 EN0	4005176578335	225	63.00
41 058 A00	4005176577727	224	153.00	41 068 GL0	4005176578342	225	59.00
41 058 AL0	4005176577734	224	163.00	41 068 GN0	4005176578359	225	63.00
41 058 BE0	4005176577666	224	153.00	41 069 000	4005176578410	226	79.00
41 058 DA0	4005176577703	224	153.00	41 069 A00	4005176578496	226	118.00
41 058 DC0	4005176577659	224	143.00	41 069 AL0	4005176578502	226	126.00
41 058 DL0	4005176577710	224	163.00	41 069 BE0	4005176578434	226	118.00
41 058 EN0	4005176577673	224	163.00	41 069 DA0	4005176578472	226	118.00
41 058 GL0	4005176577680	224	153.00	41 069 DC0	4005176578427	226	110.00
41 058 GN0	4005176577697	224	163.00	41 069 DL0	4005176578489	226	126.00
41 059 000	4005176577758	224	108.00	41 069 EN0	4005176578441	226	126.00
41 059 A00	4005176577833	224	162.00	41 069 GL0	4005176578458	226	118.00
41 059 AL0	4005176577840	224	173.00	41 069 GN0	4005176578465	226	126.00
41 059 BE0	4005176577772	224	162.00	41 076 000	4005176578526	226	98.00
41 059 DA0	4005176577819	224	162.00	41 076 A00	4005176578601	226	147.00
41 059 DC0	4005176577765	224	151.00	41 076 AL0	4005176578618	226	157.00
41 059 DL0	4005176577826	224	173.00	41 076 BE0	4005176578540	226	147.00
41 059 EN0	4005176577789	224	173.00	41 076 DA0	4005176578588	226	147.00
41 059 GL0	4005176577796	224	162.00	41 076 DC0	4005176578533	226	137.00
41 059 GN0	4005176577802	224	173.00	41 076 DL0	4005176578595	226	157.00
41 063 000	4005176577864	224	88.00	41 076 EN0	4005176578557	226	157.00
41 063 A00	4005176577949	224	132.00	41 076 GL0	4005176578564	226	147.00
41 063 AL0	4005176577956	224	141.00	41 076 GN0	4005176578571	226	157.00
41 063 BE0	4005176577888	224	132.00	41 077 000	4005176578632	226	147.00
41 063 DA0	4005176577925	224	132.00	41 077 A00	4005176578700	226	220.00
41 063 DC0	4005176577871	224	124.00	41 077 AL0	4005176578717	226	235.00
41 063 DL0	4005176577932	224	141.00	41 077 BE0	4005176578656	226	220.00
41 063 EN0	4005176577895	224	141.00	41 077 DA0	4005176575587	226	220.00
41 063 GL0	4005176577901	224	132.00	41 077 DC0	4005176578649	226	206.00
41 063 GN0	4005176577918	224	141.00	41 077 DL0	4005176578694	226	235.00
41 064 000	4005176577970	225	61.00	41 077 EN0	4005176578663	226	235.00
41 064 A00	4005176578052	225	91.00	41 077 GL0	4005176578670	226	220.00
41 064 AL0	4005176578069	225	97.00	41 077 GN0	4005176578687	226	235.00
41 064 BE0	4005176577994	225	91.00	41 275 000	4005176280481	911	40.67
41 064 DA0	4005176578038	225	91.00				
41 064 DC0	4005176577987	225	85.00				

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £	Ref. no.	EAN/UPC	Page	2020 RRP £
42				43 714 000	4005176158742	979	41.24
42 075 000	4005176244919	865	8.34	43 722 000	4005176158810	864, 978	11.54
42 137 000	4005176259524	860	19.94	43 733 000	4005176158926	859	9.44
42 181 000	4005176286872	858	40.93	43 734 000	4005176158933	864	9.44
42 216 000	4005176803185	848	19.94	43 735 000	4005176158940	865	2.41
42 229 000	4005176299223	953	208.83	43 745 000	4005176158995	865, 978	9.44
42 233 000	4005176300653	861, 978	19.94	43 758 00M	4005176159121	859, 979	40.93
42 242 000	4005176804977	865	12.59	43 770 00M	4005176159244	865	9.44
42 253 000	4005176814532	858	61.91	43 813 000	4005176152467	917	178.14
42 271 00M	4005176820588	859	50.79	43 818 000	4005176159589	885	12.59
42 297 P10	4005176832048	858	65.28	43 897 000	4005176173981	966	71.10
42 300 000	4005176832079	866	30.43	43 907 P10	4005176177545	858	82.90
42 302 000	4005176835360	975	72.41	43 908 000	4005176160257	861	19.94
42 302 SH0	4005176835384	975	61.91	43 976 000	4005176164781	865	9.44
42 303 000	4005176835391	975	72.41	43 977 000	4005176164798	876, 895	208.83
42 303 SH0	4005176835414	975	61.91	43 981 000	4005176153341	917	145.87
42 304 000	4005176835469	975	72.41	43 982 000	4005176153358	917	168.27
42 304 SH0	4005176835483	975	46.17	43 996 000	4005176160424	870	171.26
42 305 000	4005176835490	975	72.41	43 997 000	4005176160431	870	169.06
42 315 000	4005176835643	863, 977	11.54	45			
42 320 000	4005176837487	860	61.91	45 023 000	4005176006494	970	9.44
42 327 000	4005176838705	828, 862	12.49	45 044 000	4005176006678	971	13.54
42 333 000	4005176845888	828, 863	14.59	45 048 000	4005176006753	954	19.94
42 383 000	4005176903281	916	40.93	45 052 000	4005176006784	970	8.19
42 384 000	4005176903298	916	51.42	45 058 000	4005176006845	936	52.31
42 393 000	4005176905872	664, 668	68.26	45 080 000	4005176007040	928	28.86
42 394 000	4005176906084	953	149.00	45 081 000	4005176007057	929	28.86
42 397 000	4005176906855	847	11.54	45 120 000	4005176007279	704, 956	36.52
42 429 000	4005176918520	358	109.52	45 123 000	4005176052002	929	11.96
42 576 SDO	4005176478703	958	16.62	45 124 000	4005176007309	928	30.43
42 577 SDO	4005176478710	958	42.60	45 144 000	4005176007446	928	15.48
42 579 SDO	4005176478734	958	22.04	45 180 000	4005176007576	928	40.93
42 580 SDO	4005176479236	958	10.00	45 186 000	4005176007668	929	13.54
42 713 000	4005176249112	916	90.51	45 202 000	4005176052835	337, 930	11.54
42 717 000	4005176249167	917	191.35	45 203 000	4005176052842	337, 930	19.94
42 740 000	4005176230653	976	366.24	45 258 000	4005176054327	928	27.49
42 764 00M	4005176222092	978	15.64	45 304 000	4005176055201	963	31.79
42 766 000	4005176222115	847	12.59	45 314 000	4005176099250	730	82.90
42 773 000	4005176221583	863	15.84	45 316 000	4005176099267	730	72.41
42 774 000	4005176221590	861	61.91	45 342 000	4005176129865	924	51.42
42 775 000	4005176221606	978	9.44	45 346 000	4005176104572	924	51.42
42 886 000	4005176200670	736, 953	40.93	45 363 000	4005176112324	965	19.94
42 901 000	4005176167027	871	262.35	45 388 000	4005176212758	32, 42	77.76
42 946 000	4005176153655	829, 863	30.17	45 459 000	4005176056444	511	13.09
42 985 000	4005176149771	917	93.40	45 484 000	4005176135415	956	56.56
43				45 605 000	4005176250262	929	9.44
43 056 000	4005176154393	976	35.84	45 650 IPO	4005176137228	964	51.42
43 122 000	4005176154836	976	30.43	45 654 000	4005176063534	972	9.44
43 193 000	4005176155192	900	135.37	45 656 XX0	4005176063626	965	19.94
43 247 000	4005176155499	976	52.31	45 704 000	4005176081231	634, 697	40.93
43 352 000	4005176832413	861	9.44	45 869 000	4005176189876	924	30.43
43 405 000	4005176156489	977	100.06	45 882 000	4005176189883	925	40.93
43 422 000	4005176156595	977	30.43	45 883 000	4005176189890	925	40.93
43 451 000	4005176156830	977	32.32	45 885 000	4005176189913	924	103.89
43 486 000	4005176157158	860	51.42	45 888 000	4005176189944	925	72.41
43 506 000	4005176157356	977	9.44	45 899 000	4005176253072	962	19.94
43 533 000	4005176157615	978	9.44	45 900 000	4005176253089	963	40.93
43 535 000	4005176157639	864, 976	3.15	45 914 XE0	4005176842054	456, 511	24.40
43 536 000	4005176157646	859	8.24	45 937 000	4005176279683	974	24.60
43 537 000	4005176157653	858	40.93	45 964 000	4005176279911	924	7.00
43 540 000	4005176157691	864, 977	9.44	45 973 001	4005176442919	502	9.68
43 542 000	4005176157714	863	19.94	45 984 001	4005176992056	33, 43	352.85
43 544 000	4005176157738	864, 976	9.44	46			
43 545 000	4005176157745	864	19.94	46 048 000	4005176008283	914	93.40
43 617 000	4005176841163	848, 875	72.41	46 056 000	4005176008443	954	41.24

GROHE SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2020 RRP £
48 384 000	4005176474422	969	13.51
48 416 000	4005176482472	960	27.01
48 416 DC0	4005176482489	960	34.00
48 423 000	4005176484568	963	16.79

49

49 003 000	4005176413537	335	208.31
49 016 000	4005176452819	983	10.65
49 019 000	4005176452840	984	2.25
49 020 000	4005176452857	983	15.74
49 021 000	4005176452864	983	3.37
49 022 000	4005176452871	983	24.75
49 023 000	4005176452888	983	15.75
49 024 000	4005176454196	984	63.02
49 025 000	4005176454202	983	22.50
49 027 000	4005176454226	984	63.02
49 028 000	4005176442827	921	50.37
49 061 000	4005176472800	983	15.73
49 066 000	4005176472848	983	15.76
49 084 000	4005176487101	922	37.40
49 113 000	4005176571398	780	2,001.81
49 113 SH0	4005176571404	780	2,006.05
49 114 000	4005176571428	781	166.14
49 115 000	4005176571411	780	100.51
49 509 000	4005176373312	984	57.37
49 510 000	4005176373329	984	58.51
49 512 000	4005176373343	983	25.87
49 516 000	4005176373381	983	22.51
49 518 000	4005176373404	983	25.87
49 522 000	4005176421501	796, 984	25.88
49 526 000	4005176421129	983	13.49
49 528 000	4005176472763	984	33.77
49 529 000	4005176472770	984	20.25
49 530 000	4005176472787	984	8.99
49 532 000	4005176474224	796, 806	10.11
49 533 000	4005176478475	809	31.31
49 533 SH0	4005176560033	809	48.00
49 534 000	4005176478482	809	31.31
49 534 SH0	4005176560040	809	48.00

64

64 374 000	4005176869594	945	16.69
64 451 000	4005176869273	942	9.44
64 508 001	4005176984112	563	34.16

65

65 655 000	4005176844539	954	19.94
65 807 000	4005176849893	946	41.24
65 807 A00	4005176467721	946	99.00
65 807 AL0	4005176467714	946	73.63
65 807 BE0	4005176467691	946	62.00
65 807 DA0	4005176467752	946	90.00
65 807 DC0	4005176442797	946	100.48
65 807 DL0	4005176467769	946	123.00
65 807 EN0	4005176467707	946	68.00
65 807 GL0	4005176467738	946	90.00
65 807 GN0	4005176467745	946	73.63
65 808 000	4005176860065	947	43.13

66

66 791 000	4005176866562	848	15.64
------------	---------------	-----	-------

DISCOVER THE WORLD OF GROHE

If you're looking for ideas or solutions for your bathroom and kitchen, the **GROHE Media APP** is where you will find your inspiration. With a new name and a fresh new look, this app puts all the latest content from GROHE – magazines, videos, books and brochures – at your fingertips. This is just a small selection of what the world of GROHE has to offer: the perfect addition to your GROHE home.

GET IT HERE



VISIT US ONLINE AND FOLLOW US ON SOCIAL MEDIA

FACEBOOK [grohe.enjoywater](#) | INSTAGRAM [grohe_global](#)
TWITTER [grohe](#) | YOUTUBE [grohe](#) | PINTEREST [grohe](#)



System requirements

iPhone with iOS 11.0 or higher / smart phone with Android 6.0 or higher. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

LIXIL MAKES BETTER HOMES


A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.


Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**



Visit us:



QUALITY

*"No.1 most trusted brand
in the sanitary industry" –
Wirtschaftswoche, 2017*




TECHNOLOGY

*"Top 50 companies
to change the world" –
Fortune Magazine, 2017*



DESIGN

*Over 400 design awards
won since 2003*



SUSTAINABILITY

*CSR Award winner of the
German Government, 2017*

www.vosoughishop.com

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_02/2020 – Copyright by GROHE



PART OF **LIXIL**