

Pure Freude  
an Wasser

**GROHE**  
~~~~~



READY FOR  
**TOMORROW, TODAY**

GROHE RAPID SLX

[www.vosoughishop.com](http://www.vosoughishop.com)

دفتر مرکزی : مشهد، بین قرنی ۳۱ و ۳۳

تلفن : ۰۵۱ - ۳۷۱۳۳۰۰۰

# THE PAST 25 YEARS A HISTORY OF INNOVATION

## BUILDING FOR THE FUTURE

At GROHE, we don't believe in standing still. Over the years we have acquired skills and experience from a wide range of innovative enterprises in the pursuit for innovation. In 1994, one such enterprise was DAL, a producer of installation and flushing systems and a leader in the technology industry. By acquiring DAL, we entered the installation system business for the first time – and now, 25 years later, we're proud to look back and see what we've achieved.

Yet as much as we love celebrating this 25<sup>th</sup> year anniversary, we would actually prefer to look forward. Innovation is at the heart of what we do and our rich tradition of creating market-leading products will only continue by keeping our fingers on the pulse and one foot in the future. The world of bathrooms is an ever-changing landscape, but rest assured: GROHE will make sure you're not left behind.

# GROHE RAPID SLX READY FOR TOMORROW, TODAY

## BUILT AROUND THE FUTURE

We know what the future holds because we help shape it. Take the shower toilet, the smart toilet, rimless toilets and our ever-increasing range of GROHE flush plates, for instance. Some of the technology to support these developments is already in place; some of it will be in the near future. And that's where the Rapid SLX comes in.

Whatever the future holds in store, the Rapid SLX is ready. It's ready to offer you access to everything that's available today and everything that will come tomorrow. It's designed to make life easier and smarter – for both installation engineers and end consumers – and to ensure vision isn't held back by technology.

1971 1981 1986 1994 1998 2007 2008 2009 2013



|                                                                                                          |                                                                                               |                                                          |                                                                              |                                                                                           |                                                                                       |                                          |                                                                                                                       |                                                |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <p>First concealed cistern "Perfekt" 9/14 l</p> <p>First Dally filling valve with hydraulic function</p> | <p>Concealed cistern, 9 l</p> <p>First introduction of a Servo Flush valve for easy flush</p> | <p>First DAL-Rapid Element for dry wall applications</p> | <p>Rapid "S" with 6/9 l</p> <p>First cistern with small revision opening</p> | <p>First introduction of Uniset</p> <p>Same tried and trusted cistern as Rapid system</p> | <p>Introduction of new flush valve AV1</p> <p>Pneumatic system with only one hose</p> | <p>First introduction of GROHE Fresh</p> | <p>Rapid SL Upgrade</p> <p>New wall brackets</p> <p>Tool-free installation of water connection and revision shaft</p> | <p>Rapid SL WC for small, narrow bathrooms</p> |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------|

2019





- [1] Points for securing the on-the-wall installation accessories
- [2] A QR code printed on the inside of each GD2 cistern links to information such as product number, spare parts and technical drawings
- [3] **FLOW MANAGER** new
  - Rimless ready
  - Fully adjustable
  - No demounting necessary
  - Adjustable via revision opening
- [4] **SLIM FLUSH PLATES** new
  - Helps customers achieve the perfectly curated and distinctive bathroom
  - Supports our world's slimmest and thinnest flush plates
  - Small revision shaft included
  - Doesn't stand in the way of design ideas
- [5] **UNIVERSAL CISTERN**
  - Dual Flush or Start/Stop flush
  - Water connection from top, back, right
  - Tool-free installation of water connections
  - Compatible with all GROHE flush plates
- [6] **EASYCONNECT**  
Pneumatic connection of flush plate for fast and easy installation
- [7] **SAFE**  
TÜV certificate for load capacity:
  - 400 kg for WC
- [8] **SUPPLY CHANNELS**  
Dual side channels for easy installation of water pipes and electricity cables
- [9] **SILENT**  
Noise reduction thanks to GROHE Whisper
- [10] **PLUG & PLAY** new
  - Real integrated electric socket
  - Plug-and-play installation of electric products
  - Shower toilet ready
  - Easy-installation mounting and demounting
- [11] **COMFORTABLE ACCESS** new
  - Access door for future changes
  - Easily upgrade power/water connections
  - New installation box design comes as standard
- [12] **VERSATILE**  
Element feet with variable fixing points for all applications

## UNIQUE FLOW MANAGER

---

### FULLY ADJUSTABLE, RIMLESS READY

The unique integrated flow manager means you are able to easily adjust the flow of water at all times. This makes the Rapid SLX the perfect fit for the ever-increasing range of rimless ceramics entering the market. The fully-adjustable flow manager requires no demounting and is 100% ready for all future installations.



## DIRECT ACCESS DOOR

---

### READY FOR TOMORROW'S CHANGES

The Rapid SLX's new installation box comes complete with an easy-access door as standard. And when future changes are needed, such as upgrading power or water connections when a customer changes from a standard ceramic to a shower toilet, its new U-shaped crossbar gives you more space than ever to work in.



## PLUG & PLAY

---

### CONNECTED TO THE FUTURE

The Rapid SLX comes with a real integrated electric socket. A water connection for shower toilets also comes as standard. This exclusive feature enables easy plug-and-play installation of smart electric toilet features and is completely ready for all future shower toilets, such as the GROHE Sensia Arena.



## FLUSH PLATE FLEXIBILITY

---

### NO LIMITS TO VISION

The Rapid SLX supports GROHE's new range of slim flush plates. This means GROHE's complete range, including the world's slimmest and thinnest plates, is now available to everyone. So rather than being held back by outdated technology, customers can now design the bathroom of their dreams time and time again. See page 10 for the full range.

# RAPID SLX RANGE COMPLETE FLEXIBILITY

## FOR ALL INSTALLATION NEEDS

Not all bathrooms are the same and a certain degree of flexibility is required when it comes to installing fixed bathroom features. Thankfully, the Rapid SLX installation system comes with a range of possibilities to ensure you

get exactly the setup you require, ultimately saving you time and money and ensuring you can deliver complete customer satisfaction from the start.



**39 597 000**  
**Rapid SLX WC 3-6 | 1.13 m, without outlet pipe**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access and fully insulated against condensation. Without outlet pipe.



**39 599 000**  
**Rapid SLX WC 3-6 | 1.13 m F with heavy load feet**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access and fully insulated against condensation. With heavy load feet.



**39 601 000**  
**Rapid SLX WC 3-6 | 1.13 m, SASO**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access. Specifically for Saudi Arabia with different settings.



**39 596 000**  
**Rapid SLX WC 3-6 | 1.13 m, Standard**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access and fully insulated against condensation.



**39 603 000**  
**Rapid SLX WC 3-6 | 1.13 m with wall brackets and Skate Cosmopolitan S Chrome**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access and fully insulated against condensation. With wall brackets and Skate Cosmopolitan S (chrome) flush plate.



**39 598 000**  
**Rapid SLX 3in1 WC 6 | 1.13 m with wall brackets and noise protection**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access and fully insulated against condensation. With wall brackets and noise protection.



**39 600 000**  
**Rapid SLX WC 3-9 | 1.13 m SC Nordics adapter**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access. Including pipe-in-pipe connection.



**39 602 000**  
**Rapid SLX WC 3-6 | 1.13 m US**  
Rapid SLX Element for WC, 1.13 m installation height with flushing cistern GD2, with electric socket, including flow manager, easy access. Specifically for USA with specific settings.

## FLUSH PLATES FREEDOM OF DESIGN

The wide GROHE range of flush plates helps a customer's vision for their bathroom become a reality. With two sizes, three designs and a range of 12 colors and finishes available, nothing is left to the imagination.

A GROHE flush plate not only adds the finishing touch. With the Rapid SLX working behind the scenes, there'll be a peace of mind when designing your dream bathroom.

2  
SIZES




3  
DESIGNS



## 12 COLOURS



Follow us



GROHE Limited  
World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel: 0208 283 2840  
Fax: 0871 200 3415  
email: info-uk@grohe.com

© 08/2019 – Copyright by GROHE

[www.vosoughishop.com](http://www.vosoughishop.com)

PART OF **LIXIL**