



The complete range of  
**TECE** flushing technology

[www.vosoughishop.com](http://www.vosoughishop.com)

دفتر مرکزی : مشهد، بین قرنی ۳۱ و ۳۳  
تلفن : ۳۷۱۳ ۳۰۰۰ - ۵۱

**TECE:**  
Intelligent housing technology

**TECEprofil toilet module with TECE cistern**

The TECE cistern can be used universally: For dry-wall construction, it is delivered as a TECEprofil module. Thanks to its practical service brake, the module is easy to install. The TECEprofil range offers modules with various installation heights and special modules that round out the range - e.g. for odour extraction or for installation of barrier-free toilets. There are new modules for installing TOTO washlets.



**TECEprofil toilet module**  
Installation height  
1120 mm  
Front actuation



**TECEprofil toilet module**  
Installation height  
980 mm  
Front or top actuation



**TECEprofil toilet module**  
Installation height  
820 mm  
Front or top actuation

**The TECEprofil toilet module – suitable for every installation situation**



TECEprofil pre-wall  
installation



Freestanding TECEprofil  
wall



Individual module installa-  
tion in front of a brick wall



Individual module installa-  
tion with height-adjustable  
universal fixing

## Barrier-free solutions from TECE – durable, functional, simple.

### TECE Geronto module – for universal use

The Geronto module is especially developed for the installation of barrier-free toilets. It is based on the universal toilet module in the TECEprofil range. With pre-assembled conduits for cabling, the Geronto module simplifies installation of flush actuation on the safety support arm.

TECE offers matching steel plates for standard-compliant, fast assembly of the safety support arms. There is a plate with predrilled, threaded holes for practically every safety support arm on the market. Assembly is easy: The plates can be screwed onto the basic frame with four fastening screws.



1. Steel plate set to attach safety support arms
2. Preassembled conduits
3. The distribution box on the cistern cover, which folds inwards, can be reached at all times
4. Stable crossbeam with riveted thread – to hold the ceramics securely even under heavy loads; the preset seat height is 48 cm

**TECEprofil toilet Geronto modular system to accommodate safety support arms**

### **Steel plate set TECEprofil to hold the safety support arms from a range of manufacturers**

Consisting of two steel plates for attachment to the Geronto module. For more information, please see our assortment list.