

# **Technical Specifications**



#### CW994P TCF994WA

















# CW512YR TCF994WF 160-220 J. 18-33

#### **Technical Specifications**

#### Peatures

- Intergrated appearance of luxuru stylish
- Tornado Flushing for powerful flushing effect with less amount of
- Integrated WASHLET features front and rear warm water washing
- ewater\* spreads outand keeps clean toilet bowl and nozzle by preventing bacteria with sanitizing effect
- Automatic operation: Lid opens, closes and toilet flushes when sensor is activated
- Auto soft light function usable for night

time usage

#### Specifications

Flush system ... Tornado Water Use 4 5L / 3L Rough-in : H=220 mm Bowl Shape Elongated

Water Pressire : 0.05MPa~0.75MPa Power Rating : 220~240V . 50/60Hz

839~849W Length of : 1.0m

Power Cord

: 390Wx582Dx339H (mm)

#### Parts description

WASHLET included

CW994P Water Closet Bowl (P-Trap) (Rough-in 220)

TCF994WA WASHLET Unit

Optional Parts

O WH036D

Concealed Cistern w/Frame

O MB005DGN Flush Panel



White (cefiontect)

#### 0 1 - MV P Q 1 A 0 1

شعبه ۱: مشهد، بین قرنی ۳۱ و ۳۳ شعبه ۲ : مشهد، بــــاز ار بــرجيس شعبه ۳ : مشهد ، بین سناباده ۵ و ۵ یاساژ مجید www.vosoughishop.com

C762E














#### **B**eatures

- Wall Hung type, easy cleaning
- Tornado Flushing for powerful flushing effect with less amount of water
- CeFiONtect prevents debris on toilet surface
- Rimless bowl design ensures easy cleaning and ultimate hygiene

### Specifications 5 4 1

Flush system : Tomado (Wash down) Water Use

: 4.5L / 3L Rough-in : H=220 mm Bowl Shape : D-Shape

Water Pressure: 0.05MPa~0.75MPa Size : 380Wx530Dx340H (mm)

#### Parts description

Seat & Cover and Fittings are not included

#### ● C762E

D-Shape Wall Hung Closet Bowl (P-Trap) (Rough-in H=220)

#### Optional Parts

- O WH035D
- Concealed Cistern w/Frame O WH037D
- Concealed Cistern w/Frame (Low Type)
- O TC384CVK
  - Soft Close Seat & Cover (Urea Resin)
- O MB005DG
  - Flush Panel



White (cefiontect)

Please consult a TOTO representative for details














#### **B**eatures

- Wall Hung type, easy cleaning
- Tornado Flushing for powerful flushing effect with less amount of water
- CeFiONtect prevents debris on toilet surface
- Rimless bowl design ensures easy cleaning and ultimate hygiene
- Water saving

#### Specifications

Flush system : Tornado (Wash down)

Water Use : 4.5L/3L Rough-in : H=220 mm Bowl Shape : D-Shape

Water Pressure: 0.05MPa~0.75MPa : 394Wx530Dx339H (mm)

#### Parts description

CW162Y

D-Shape Wall Hung Closet Bowl (for Concealed Cistern) (P-Trap) (Rough-in H=220)

 CW162YH (For Washlet Unit) D-Shape Wall Hung Closet Bowl (for Concealed Cistern) (P-Trap) (Rough-in H=220)

#### Optional Parts

O WH035D

Concealed Cistern w/Frame WH037D

Concealed Cistern w/Frame (Low Type)

O TC390CVK (CW162Y) Soft Close Seat & Cover (Urea Resin

O TCF6532SP (CW162YH Washlet Unit


O MB005DG Flush Panel

Golors

White (cefiontect)

Please consult a TOTO representative for details





#### **G**eatures

Wall Hung toilet for concealed tank

#### **S**pecifications

 Flush system
 : Wash down

 Water Use
 : 6L / 3L

 Rough-in
 : H=220 mm

 Size
 : 520x335 (mm)

### Parts description

CW182M

#### Optional Parts

- O TC506VSIT Soft Close Seat & Cover
- O TX215C Slip in connector
- O WH076M Concealed tank w/o Frame (6/3L)
- O MB718CPM / MB718NPM / MB718PM Flush Panel

### Golors

White, White (cefiontect)














#### **B**eatures

- Stylish design for Renesse Suite
- Tornado Flushing for powerful flushing effect with less amount of water
- Dual flush system
- CeFiONtect technology: super smooth, ion barrier glazing for a clean toilet bowl
- Wall Hung type, easy cleaning

#### Specifications 5 4 1

Flush system : Tornado(Wash down)

Water Use : 4.5L/3L Rough-in : H=220 mm Bowl Shape Elongated

Water Pressire : 0.05MPa~0.75MPa Size : 390Wx582Dx339H (mm)

### Parts description

Seat & Cover and fittings are not included

CW512Y R

Elongated Wall Hung Closet Bowl (P-Trap)(Rough-in 220)

#### Optional Parts

O 7EE0017

Metallic Cover O TC501CVK

Soft Close Seat & Cover(Urea Resin)

O WH035D

Concealed Cistern w/Frame

O MB00DG

Flush Panel



White








Flush system : Wash down
Water Use : 3L / 6L
Rough-in : H=223 mm
Size : 570x370x320H (mm)

Parts description




White





#### CW580ME5





#### **B**eatures

- Dual flush system
- Wall hung type, easy cleaning.

### Specifications

Flush system : Wash down Water Use : 6L / 3L Rough-in : H=220 mm Bowl Shape : Regular

Water Pressure : 0.05MPa~0.75MPa Size : 354Wx520Dx348H (mm)

### Parts description

Fittings included. Seat & Cover are not included

#### CW580ME5

Regular Wall Hung Closet Bowl (P-Trap) (Rough-in H=220)

#### Optional Parts


- O TC504CVK Soft Close Seat & Cover (Urea Resin)
- O TC364 Seat & Cover (pp)
- O WH045D Concealed Cistern w/Frame
- O MB005DG Flush Panel











#### **G**eatures

- Unique sculpted design
- Soft-closing seat & cover
- Fully skirted styling with concealed trapway for easy cleaning
- Design for concealed distern
- CeFiONtect technology:super-smooth,ion barrier glazing for a clean toilet bowl
- The jewelhex suite: Matching toilets lavatories and bidets

#### Specifications 5 1

Flush system : Wash down, dual flush
Water Use : 6/3 L
Rough-in : H=220 mm
Bowl Shape : Elongated

Bowl Shape : Elongated Water Pressure : 0.05~0.75 (Mpa)

### Parts description

● CW682

Toilet Bowl

O CW682V Toilet Body

TCP11 O Cover Plate

● TC375CVK

Soft-closing Seat & Cover

WH045D
 Concealed Tank

Concealed Tank With Frame

 MB005DG Flush Panel




Whit









#### Beatures

- Modern Styling exclusively for Le Muse Design suite
- Dual flush system
- Water saving

### Specifications 5 4 1

Flush system : Wash down Water Use 4 5L / 3L Rough-in : H=220 mm Bowl Shape : Elongated

Water Pressure: 0.05MPa~0.75MPa Size : 380Wx595Dx346H (mm)

### Parts description

Fittings, Seat & Cover are not included

♠ CW1812J

Elongated Wall Hung Closet Bowl (P-Trap) (Rough-in 220)

#### Optional Parts

O TC811SJ Soft close Seat & Cover

(Urea Resin)

O WH035D Concealed Cistern w/Frame


O MB005DG Flush Panel



#### CW822NJ







#### Beatures

- Water-saving structure
- Dual flush system
- Sleek skirted design with concealed. trapway for easy cleaning

#### Specifications

Flush system : Wash down Water Use : 4.5L/3L Rough-in : H=220 mm Bowl Shape : Elongated

Water Pressure : 0.05MPa~0.75MPa

Size : 540x360 (mm)

#### Parts description

Seat & Cover and Fittings are not included

CW822NJ

Elongated Wall Hung Closet Bowl (for concealed

#### Optional Parts


- O TC281SJ
  - Soft close Seat & Cover
- O WH035D
- Concealed Cistern w/Framel



White







#### **B**eatures

- Unique sculpted design, Wall Hung toilet
- Dual flush system
- Skirted styling with concealed trapway for easy cleaning
- Upgrade with a softclose Seat & Cover or a Washlet
- The Le Blanc suite:
   Matching toilets, lavatories and bidets

#### Specifications 5 4 1

| Flush system | Wash down | Water Use | 6L / 3L | Rough-in | H=220 mm | Bowl Shape | Elongated | Water Pressure | 0.05MPa~0.75MPa

Size : 360Wx530Dx304H (mm)

#### Parts description

Seat & Cover and Fittings are not included

CW941K

Elongated Wall Hung Closet Bowl (P-Trap) (Rough-in H=220)

#### Optional Parts

- O TC385VS
  - Soft Close Seat & Cover
- O WH045D Concealed Cistern w/Frame
- O MB005DG Flush Panel




White, White (cefiontect)

Please consult a TOTO representative for details







#### **B**eatures

- Sleek skired design with concealed trapway for easy cleaning
- Dual flush system
- Wall Hung type, easy cleaning

#### **Specifications**

| Flush system | : Wash down | Water Use | : 4.5 L / 3 L | | Rough-in | : H=220 mm | | Bowl Shape | : Elongated |

Size : 365Wx595Dx351H (mm)

#### Parts description

Seat & Cover and Fittings are not included

**●** CW951JWS

Elongated Wall Hung Clodet Bowl (P-Trap) (Rough-in 220)

#### Optional Parts


- O TC950SJ Soft Close Seat & Cover (Urea Resin)
- O WH035D Concealed Cistern w/Frame
- O MB005DG Flush Panel





#### LT367CT

Faucets	P-trap	(A)
T5222A, T5240A, T5242A, T5205A, T5260A, T5561A	THX1A-5NV1	140~155
TX115LF, TX115LFBR, TX108LHBR, TX108LDN	THX1A-5N	185~200
DGL301	THX1A-5NV1	155~170
DL345A	THX1A-5NV1	145~160



#### **B**eatures

- Cefiontect technology; super smooth, ion barrier glazing for a clean lavatory
- Stylist, above counter design
- Rear overflow

### **Specifications**

Size

: 500x500x200(mm)

#### Parts description

- LT367CT Lavatory
  - LW367CVT Lavatory Body
  - O TX809LV5 Mounting Bolt

Lavatory faucet is not included




White

#### Remarks:

Please call TOTO sales representative for consultancy of lavatory faucet and P-Trap





#### **B**eatures

Rear overglow

### Specifications 5 1

Size : 490X490X90(mm)
Material : China

### Parts description

● LT700CET 1 Tap Hole Console Lavatory


#### Golors


White, Pastel Ivory



#### LT710CS

Faucets	P-trap	(A)
TS222A, TS240A, TS242A, TS205A, TS260A, TS561A	THX1A-5NV1	210~225
TX115U, TX115LFBR, TX108LHBR, TX108LDN	THX1A-5N	255~270
DG1301	THX1A-5NV1	225~240
DI34SA	THX1A-5NV1	220~235





- **B**eatures
  - Stylist, above counter design
  - Rear overflow

### Specifications 5 1

Size : 500x450x185(mm)

### Parts description

- ●LT710CS Lavatory
  - O LW710CVS Lavatory Body
  - O TX809LV2 Mounting Bolt

Lavatory faucet is not included




White

#### Remarks:

Please call TOTO sales representative for consultancy of lavatory faucet and P-Trap





#### **B**eatures

- Stylish design for Renesse suite
- Cefiont Technology: Super smooth,ion barrier glazing for a clean lavatory

#### Specifications |

Size : 600W X 470D X 75H(mm)

### Parts description

**●** LW170YB

Console Lavatory w/ slotted waste drainer

Basin waste plate included


Lavatory faucet is not included

#### Golors

White (#XW)

Please consult a TOTO representative for details





#### **B**eatures

Rear overglow

### Specifications 5 1

Size : 650X450X120(mm) Material : China


### Parts description

● LW542J Console Lavatory

#### Golors

White, Pastel Ivory





#### **B**eatures

- Stylist, above counter design
- Rear overflow

### Specifications 5 1

Size : 600X370X110(mm)

#### Parts description

- LW630J Lavatory
- TX809LV5
   Bracket & screws

Lavatory faucet is not included


#### Golors

White

#### Remarks:

Please call TOTO sales representative for consultancy of lavatory faucet and P-Trap





- **B**eatures
  - Stylish design

#### **S**pecifications

Size

: 505X505(mm)


#### Parts description

LW640CJ / TX812LV1
 Semi Recessed Lavatory With Towel Bar

#### Golors

White







Rear overglow

#### Specifications 5 1

Size : 660X420X75(mm)
Material : China


### Parts description

● LW645J Console Lavatory

#### Golors

White , Pastel Ivory





#### **B**eatures

- Cast-acrylic construction provides years of durability
- Luxurious stylish look

#### Specifications 5 4 1

Size : 600X400X120(mm) Material : Galaline


### Parts description

PJS03
 Console Lavatory

#### Golors

White with glossy texture #GW White with non-glossy texture #MW





#### **G**eatures

Elegantly Sophisticated Lavatory

### Specifications 5 1

Size : 600X480X150(mm)

### Parts description

● LW813CJ Vessel Lavatory


#### Golors


White




#### LW818JW/F

Faucets	P-trap	(A)
TS240AY, TS222AY	THX1A-6N	105~120
DL345A1, TX116LESBR, TTLR301EV-1 TTLR302EV-1	THX1A-6N	150~165







#### **G**eatures

- Modern, gorgeous styling
- Generous lavatory for comfortable use
- Rear overflow

### Specifications

ze : 370x650x160(mm)

#### Parts description

- LW818JW/F Lavatory
  - O LW818J Lavatory Body
  - O TX809LV5 Mounting Bolt

Lavatory faucet is not included

### Golors

White

#### Remarks:

Please call TOTO sales representative for consultancy of lavatory faucet and P-Trap







Specifications 5 1

Size : 800W X 370D X 150H(mm)

Parts description








#### **B**eatures

Specifications 5 4 1

Size : 430D X 100H(mm)

Parts description







Specifications 5 4 1

Parts description

: 430D X 130H(mm)






Specifications 5 4 1

Size : 430D X 620W X 130H(mm)

Parts description








Specifications 5 4 1

Size : 505 X 455(mm)

Parts description








Specifications 5 4 1

Size : 605 X 455(mm)

Parts description








Specifications 5 1

Size : 570 X 355(mm)

Parts description









Specifications 5 4 1

Size : 700 X 350 x 109(mm)

Parts description







#### **B**eatures

- Simple and elegant square a simple, srylish bathroom creates a top grade sanitary environment
- Thinner exquisite edge creates a bigger volume
- Thin appearance with deepburied design creates a nosplashing basin
- Cefiontect technology applied, beyond the nanoscale leaves no space for dirt to stay

### Specifications |

Size : 600X460X70(mm)

#### Others

Recommend fittings: Classical faucets: DL367/DL224 DL224A Contemporary faucets: DL368/DL369 DL226/DL370/DL225

#### LW1617B LW1617CB





# LW1617B LW1617CB (40) 000 460 700

#### Beatures

- Simple and elegant square geometry appearance creat a simple, stylish bathroom
- Big size fashion appearance creates a top grade sanitary environment
- Thinner exquisite edge creates a bigger volume
- Thin appearance with deepburied design creates a nosplashing basin
- Cefiontect technology applied, super smooth suface beyond the nanoscale leaves no for dirt to stay

### Specifications 5 |

: 700X460X70(mm) Size


Capacity : 8.2 L

#### Others

#### Recommend fittings:

Classical faucets: DL367/DL224 DL224A Contemporary faucets: DL368/DL369 DL226/DL370/DL225





#### **B**eatures

- Simple and elegant square a simple, srylish bathroom space
- Thin appearance with deepburied design creates a nosplashing basin
- Cefiontect technology applied, beyond the nanoscale leaves no space for dirt to stay

### **S**pecifications

Size : 400X400X60(mm)


Volume 5L



Series:CI Contemporary Series Recommend fittings: Contemporary faucets:

DL369-1/DL370 DLB310/DLB309-1/DL368-1





#### **G**eatures

- Cast-acrylic construction provides
- Luxurious stylish look

### Specifications

Size

: 632X404X154(mm)

Material : Galaline

#### Parts description

● PJS01

Console Lavatory

#### Golors

White with glossy texture #GW White with non-glossy texture #MW

www.vosoughishop.com