

**gorenje**

# NEW APPLIANCES 2015



[www.vosoughishop.com](http://www.vosoughishop.com)


دفتر مرکزی : مشهد، بین قرنی ۳۱ و ۳۳

تلفن : ۳۷۱۳۳۰۰۰ - ۵۱

# MORE THAN 60 YEARS OF EXPERIENCE

Gorenje is one of Europe's leading appliance manufacturers with the largest production facility in Europe producing over 4.5 million quality appliances each year. Our product range combines the very latest technology and innovative designs.

Widely recognised as one of the fastest growing appliance brands in the UK, Gorenje is a multi-award winning company that is successfully sold in over 70 countries. Our confidence in new technologies combined with our constant innovation is demonstrated by our unique free 5 year parts and labour guarantee on selected products. Our goal is to become recognised as the most INNOVATIVE, DESIGN-MINDED manufacturer of kitchen appliances in the world.



Sales in 70 markets around the world







**BO 8 KR UK**  
Built-in single oven



- Colour: White
- Handle colour: Colour of aluminium
- Control panel material: Glass
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **63 l**
- Multi-function oven BigSpace - 63 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

**Control**

- Electronic control
- DirecTOUCH

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- 1 Tray handle
- Telescopic oven guides - 3 levels
- Stainless grease filter

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 × 59.7 × 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 × 56-56.8 × 55 cm**



**BO 8 KRB UK**  
Built-in single oven



- Colour: Black
- Handle colour: Black matte
- Control panel material: Glass
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **63 l**
- Multi-function oven BigSpace - 63 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill

**Control**

- Electronic control
- DirecTOUCH

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- 1 Tray handle
- Telescopic oven guides - 3 levels
- Stainless grease filter

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 × 59.7 × 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 × 56-56.8 × 55 cm**



**IT 310 KR**  
Induction hob



- Colour: White
- Aluminium hob frame

**Control**

- Touch control
- Timer function

**Cooking surface**

- 2 induction heating zones
- Front: Ø 16 cm, 1.4 kW
- Behind: Ø 20 cm, 2.3/3 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **3650 W**
- Product dimensions (HxWxD): **7.2 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.8 × 27.5 × 49 cm**



**DVG 6565 KRB UK**  
Colour of housing: Black



**DVG 6565 KR UK**

Wall mounted cooker hood



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: White / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **463 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **211 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **332 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **463 m<sup>3</sup>/h**

**Control**

- Electronic control
- Control setting: Touch
- Timer function
- Number of speed positions: **3**

**Features**

- Constant ventilation ReFeresh
- Lamp type LED
- Number of lights: **4**
- Power of lights: **4 W**
- Airflow boost position (PowerBoost 1): **623 m<sup>3</sup>/h**
- Number of PowerBoost positions: **1**
- Perimetric suction

**Equipment**

- Filter material: Aluminium
- Grease filter indicator
- Washable grease filter
- Number of motors: **1**
- No return airflow flap: 150 mm

**Technical data**

- Noise level (max.): **52 dB(A)re 1 pW**
- Product dimensions (WxD): **60 × 44.2 cm**
- Height: **523 mm**
- Min. height of the chimney: **465 mm**
- Max. height of the chimney: **916 mm**
- Product dimensions (HxWxD): **52.3 × 60 × 44.2 cm**





**BOP 799 S51X**  
Built-in pyrolytic single oven

HomeCHEF  
Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **73 l**
- Multi-function oven BigSpace - 73 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- HomeChef, electronic programme module

**Heating types**



**Features**

- Double lightning
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pyrolytic pan
- 2 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.91 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



**BO 799 S50X**  
Built-in single oven

HomeCHEF  
Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **75 l**
- Multi-function oven BigSpace - 75 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- HomeChef, electronic programme module

**Heating types**



**Features**

- Double lightning
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Glass baking pen
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with double heat deflector (UltraCoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



**BOP 747 S32X**  
Built-in pyrolytic single oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **73 l**
- Multi-function oven BigSpace - 73 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pyrolytic pan
- 2 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 2 levels

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.91 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



**BO 747 S30X**  
Built-in single oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **75 l**
- Multi-function oven BigSpace - 75 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 2 Shallow enamelled pans
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 2 levels

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with double heat deflector (UltraCoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.94 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



**BO 658 A41XG**  
Built-in single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **67 l**
- Multi-function oven BigSpace - 67 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- DirecTouch

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Wire shelf
- 1 Meat probe
- Telescopic oven guides - 3 levels
- Catalytic oven side and backwall

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- Catalytic liners
- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BOP 647 A12XG**

Built-in pyrolytic single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **65 l**
- Multi-function oven BigSpace - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- Knobs illumination
- Ergonomic knobs
- Push pull knobs
- IconTouch

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pyrolytic pan
- 1 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- Wire oven guides

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.87 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BO 647 A20XG**

Built-in single oven

Advanced Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **67 l**
- Multi-function oven BigSpace - 67 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Electronic control
- Knobs illumination
- Ergonomic knobs
- Push pull knobs
- IconTouch

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pan
- 1 Shallow enamelled pan
- 1 Wire shelf
- Telescopic oven guides - 1 level
- Catalytic oven side and backwall

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)
- Mechanic door safety bolt

**EasyCleaning**

- Catalytic liners
- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BOP 637 E11X**

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

**Efficiency**

- Usable oven volume: **65 l**
- Multi-function oven BigSpace - 65 l
- SuperSize baking area
- Surface of the largest baking pan: **1316 cm<sup>2</sup>**
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

**Control**

- Mechanical temperature control
- Ergonomic knobs
- Push pull knobs
- IconLed

**Heating types**



**Features**

- Illumination
- Baking on different levels at the same time

**Equipment**

- 1 Deep enamelled pyrolytic pan
- 1 Shallow enamelled pyrolytic pans
- 1 Wire shelf
- Wire oven guides

**Safety**

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)

**EasyCleaning**

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

**Technical data**

- Energy consumption: **0.87 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BO 637 E24X**

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Stainless steel
- GentleClose door hinge

- Features**
- Illumination
  - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
  - Multi-function oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - PerfectGrill
  - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
  - 1 Shallow enamelled pan
  - 1 Wire shelf
  - Telescopic oven guides - 1 level

- Safety**
- Thermoelectric fuse
  - Dynamic oven cooling - DC
  - Double glazed oven door with one heat deflector (CompactDoor)

- Control**
- Mechanic temperature control
  - Ergonomic knobs
  - Push pull knobs
  - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

**Heating types**



**Technical data**

- Energy consumption: **0.85 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **3300 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BO 635 E11X UK**

Built-in single oven

Essential Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Stainless steel
- GentleClose door hinge

- Features**
- Illumination
  - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
  - Multi-function oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - PerfectGrill
  - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
  - 1 Shallow enamelled pan
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Dynamic oven cooling - DC
  - Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt

- Control**
- Mechanic temperature control
  - Ergonomic sinkable knobs
  - Push pull knobs
  - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

**Heating types**



**Technical data**

- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **2700 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BO 635 E11W UK**

Built-in single oven

Essential Line



- Colour: White
- Handle colour: Colour of stainless steel
- Control panel material: Varnished metal
- GentleClose door hinge

- Features**
- Illumination
  - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
  - Multi-function oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - PerfectGrill
  - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
  - 1 Shallow enamelled pan
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Dynamic oven cooling - DC
  - Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt

- Control**
- Mechanic temperature control
  - Ergonomic sinkable knobs
  - Push pull knobs
  - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

**Heating types**



**Technical data**

- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **2700 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



**BO 635 E11B UK**

Built-in single oven

Essential Line



- Colour: Black
- Handle colour: Black
- Control panel material: Varnished metal
- GentleClose door hinge

- Features**
- Illumination
  - Baking on different levels at the same time

- Efficiency**
- Usable oven volume: 67 l
  - Multi-function oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - PerfectGrill
  - MultiFlow 360°

- Equipment**
- 1 Deep enamelled pan
  - 1 Shallow enamelled pan
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Dynamic oven cooling - DC
  - Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt

- Control**
- Mechanic temperature control
  - Ergonomic sinkable knobs
  - Push pull knobs
  - IconLed

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

**Heating types**



**Technical data**

- Energy consumption: **0.86 kWh** (venting), **0.92 kWh** (conventional)
- Connected load: **2700 W**
- Product dimensions (HxWxD): **59.5 x 59.7 x 56.5 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.8 x 55 cm**



### BO 547 S10X

Built-in compact oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

#### Efficiency

- Usable oven volume: **51 l**
- Multi-function oven - 51 l
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- MultiFlow 360°

#### Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

#### Heating types



#### Features

- Illumination
- Baking on different levels at the same time

#### Equipment

- 1 Shallow enamelled pan
- 1 Wire shelf
- Wire oven guides

#### Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)

#### EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

#### Technical data

- Energy consumption: **0.76 kWh** (venting), **0.83 kWh** (conventional)
- Connected load: **2600 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



### BCM 547 S12X

Built-in compact microwave oven

Superior Line



- Colour: Colour of stainless steel
- Handle colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Classic door hinge

#### Efficiency

- Usable oven volume: **50 l**
- Combined microwave oven - 50 l
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- MultiFlow 360°

#### Control

- Electronic control
- Ergonomic knobs
- Push pull knobs
- IconTouch

#### Heating types



#### Features

- Inverter technology
- Stirrer technology
- Illumination

#### Equipment

- 1 Shallow enamelled pan
- 1 Glass baking pan
- 1 Wire shelf
- Wire oven guides

#### Safety

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazing with a protective grid

#### EasyCleaning

- SilverMatte (easy clean enamel surface)
- Smooth oven door surface

#### Technical data

- Energy consumption: **0.78 kWh** (venting), **0.93 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



### CMA 9200 UX

Automatic built-in coffee machine



- Colour: Stainless steel

#### Efficiency

- Brewing / steam heating time: 2 min

#### Control

- Knob control
- LCD display
- Timer function
- Coffee preparation mode: Bean and ground

#### Features

- Autocappuccino function
- Number of different shots of espresso coffee: 3
- Own coffee setting according to the recipe
- Possibility of 2 simultaneous brewed cups
- Milk frothing option

#### EasyCleaning

- Descaling programme

#### Equipment

- Lighting
- Beans container: **200 g**
- Water container capacity: **1.8 l**
- Removable milk container
- Tea brewing option

#### Safety

- Automatic shut down


#### Technical data

- Container water intake
- Pump pressure: **15 bar**
- Product dimensions (HxWxD): **45.5 x 59.5 x 40.5 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



### BM 2140 X

Built-in microwave oven



- Colour: Stainless steel
- Control panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior

- Door opening: Left
- Door open type: Button

#### Efficiency

- Oven volume: **17 l**
- Microwave power: **700 W**

#### Control

- Electronic control
- Input type: Button
- Type of display: LED display
- LogicalChoice

#### Heating types



- Microwaves

#### Features

- AUTO menu
- Defrost function by weight

#### Safety

- ChildLock

#### Equipment

- Rotating glass plate

#### Technical data

- Connected load: **1200 W**
- Frame dimensions: **595 x 385 x 20 mm**
- Product dimensions (HxWxD): **24 x 44,8 x 32 cm**
- Niche dimensions (HxWxD): **38 x 56,8 x 51,5 cm**





**BM 251 S7XG**

Built-in microwave oven

Superior Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **25 l**
  - Microwave power: **900 W**
  - Power of upper infra heater: **1100 W**
  - Number of infra heaters: 1
  - Convection: **2500 W**
  - Technology of producing microwaves: Standard technology (HVT)
  - Type of microwave distribution: Rotating plate

- Control**
- Electronic control
  - Touch control
  - LCD display

**Heating types**



- Combined heating: Microwaves / Grill / Hot air

- Features**
- AUTO menu
  - Time display
- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
  - Rotating grid

- Technical data**
- Connected load: **1450 W**
  - Frame dimensions: **595 × 390 × 20 mm**
  - Product dimensions (HxWxD): **38.8 × 59.5 × 47 cm**
  - Niche dimensions (HxWxD): **38 × 56.7 × 55 cm**



**BM 171 A4XG**

Built-in microwave oven

Advanced Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
  - Microwave power: **700 W**
  - Power of upper infra heater: **1000 W**
  - Number of infra heaters: 1
  - Technology of producing microwaves: Standard technology (HVT)
  - Type of microwave distribution: Rotating plate

- Control**
- Electronic control
  - Input type: Button
  - LCD display

**Heating types**



- Combined heating: Microwaves + grill

- Features**
- AUTO menu
- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
  - Rotating grid

- Technical data**
- Connected load: **1050 W**
  - Frame dimensions: **595 × 390 × 20 mm**
  - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
  - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



**BM 171 E2XG**

Built-in microwave oven

Essential Line



- Colour: Black
- Control panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
  - Microwave power: **700 W**
  - Power of upper infra heater: **1000 W**
  - Number of infra heaters: 1
  - Technology of producing microwaves: Standard technology (HVT)
  - Type of microwave distribution: Rotating plate

- Control**
- Manual control
  - Input type: Button

**Heating types**



- Combined heating: Microwaves + grill

- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
  - Rotating grid

- Technical data**
- Connected load: **1050 W**
  - Frame dimensions: **595 × 390 × 20 mm**
  - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
  - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



**BM 171 E2X**

Built-in microwave oven

Essential Line



- Colour: Stainless steel
- Control panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior
- Door opening: Left
- Door open type: Button
- Oven doors: Double-glazed oven door

- Efficiency**
- Oven volume: **17 l**
  - Microwave power: **700 W**
  - Power of upper infra heater: **1000 W**
  - Number of infra heaters: 1
  - Technology of producing microwaves: Standard technology (HVT)
  - Type of microwave distribution: Rotating plate

- Control**
- Manual control
  - Input type: Button

**Heating types**




- Combined heating: Microwaves + grill

- Safety**
- Door safety bolt
- Equipment**
- Rotating glass plate
  - Rotating grid

- Technical data**
- Connected load: **1050 W**
  - Frame dimensions: **595 × 390 × 20 mm**
  - Product dimensions (HxWxD): **38.8 × 59.5 × 32 cm**
  - Niche dimensions (HxWxD): **38 × 56.7 × min. 32 cm**



**UWD 3000 X**  
Warming drawer



• Colour: Stainless steel

**Efficiency**

- Number of servings:  
12 standard place settings or  
160 coffee cups or  
80 tea cups

**Features**

- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

**Technical data**

- Connected load: **417 W**
- Product dimensions (HxWxD):  
**29.5 × 59.5 × 56.5 cm**
- Niche dimensions (HxWxD):  
**29.5 × 56 × 55 cm**



**UWD 3000 X**  
Warming drawer



• Colour: Black

**Efficiency**

- Number of servings:  
12 standard place settings or  
160 coffee cups or  
80 tea cups

**Features**


- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

**Technical data**

- Connected load: **417 W**
- Product dimensions (HxWxD):  
**29.5 × 59.5 × 56.5 cm**
- Niche dimensions (HxWxD):  
**29.5 × 56 × 55 cm**



**UWD 1400 X**  
Warming drawer



• Colour: Stainless steel

**Efficiency**

- Number of servings  
Set for **6** persons or  
**20** dishes in diameter 28 cm or  
**80** coffee cups or  
**40** tea cups
- Capacity: 6 servings

**Features**

- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

**Technical data**

- Connected load: **417 W**
- Product dimensions (HxWxD):  
**14 × 59.5 × 56.5 cm**
- Niche dimensions (HxWxD):  
**14 × 56 × 55 cm**



**UWD 1400 X**  
Warming drawer



• Colour: Black

**Efficiency**

- Number of servings  
Set for **6** persons or  
**20** dishes in diameter 28 cm or  
**80** coffee cups or  
**40** tea cups
- Capacity: 6 servings

**Features**

- Air vented circulation
- Illuminated power button
- Temperature between **30-85 °C**
- Telescopic pull-out mechanism
- Cold front

**Technical data**

- Connected load: **417 W**
- Product dimensions (HxWxD):  
**14 × 59.5 × 56.5 cm**
- Niche dimensions (HxWxD):  
**14 × 56 × 55 cm**



**EI 647 A21X2**  
Electric cooker

Advanced Line



- Colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
  - Multisystem oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
  - IconTouch

- Hob**
- Induction hob
  - BoilControl, prevents pots from boiling over
  - Cooking surface: 4 induction heating zones, Left front: Ø 18,5 cm, 1,4/2 kW, Right front: Ø 16,5 cm, 1,2/1,4 kW, Left behind: Ø 16,5 cm, 1,2/1,4 kW, Right behind: Ø 20,5 cm, 2/2,3 kW

**Heating types**



- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - 1 Meat probe
  - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
  - Thermoelectric fuse
  - ChildLock
  - Mechanic door safety bolt
  - Dynamic oven cooling plus - DC+
  - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (venting), **0.92 kWh** (conventional)
  - Connected load: **10400 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**EI 647 A21W2**  
Electric cooker

Advanced Line



- Colour: White
- Control panel material: Glass and stainless steel
- Door material: Glass and stainless steel
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
  - Multisystem oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
  - IconTouch

- Hob**
- Induction hob
  - BoilControl, prevents pots from boiling over
  - Cooking surface: 4 induction heating zones, Left front: Ø 18,5 cm, 1,4/2 kW, Right front: Ø 16,5 cm, 1,2/1,4 kW, Left behind: Ø 16,5 cm, 1,2/1,4 kW, Right behind: Ø 20,5 cm, 2/2,3 kW

**Heating types**



- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - 1 Meat probe
  - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
  - Thermoelectric fuse
  - ChildLock
  - Mechanic door safety bolt
  - Dynamic oven cooling plus - DC+
  - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (venting), **0.92 kWh** (conventional)
  - Connected load: **10400 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**EC 647 A21XV**  
Electric cooker

Advanced Line



- Colour: Colour of stainless steel
- Control panel material: Glass and stainless steel
- Door material: Glass and stainless steel
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
  - Multisystem oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
  - IconTouch

- Hob**
- Glass ceramic hob
  - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 14,5 cm, 1,2 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø 26,5x17 cm, 2,4 kW

**Heating types**



- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - 1 Meat probe
  - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
  - Thermoelectric fuse
  - Mechanic door safety bolt
  - Dynamic oven cooling plus - DC+
  - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
  - Connected load: **10300 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**EC 647 A21WV**  
Electric cooker

Advanced Line



- Colour: White
- Control panel material: Glass and stainless steel
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
  - Multisystem oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
  - IconTouch

- Hob**
- Glass ceramic hob
  - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 14,5 cm, 1,2 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø 26,5x17 cm, 2,4 kW

**Heating types**



- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - 1 Meat probe
  - Telescopic oven guides - 1 level

- Safety**
- Residual heat indicator
  - Thermoelectric fuse
  - Mechanic door safety bolt
  - Dynamic oven cooling plus - DC+
  - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
  - Connected load: **10300 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**EC 637 E14WX**

Electric cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **67 l**
  - Multisystem oven BigSpace - 67 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven
  - MultiFlow 360

- Control**
- Ergonomic sinkable knobs
  - IconLed

- Hob**
- Glass ceramic hob
  - Cooking surface: 4 HiLight heating zones, Left front: Ø two ring 21/12 cm, 2,2 kW, Right front: Ø 18 cm, 1,8 kW, Left behind: Ø 14,5 cm, 1,2 kW, Right behind: Ø two ring 18/12 cm, 1,7 kW



- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Residual heat indicator
  - Thermoelectric fuse
  - Mechanic door safety bolt
  - Double glazed oven door with one heat deflector (CompactDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
  - Connected load: **10200 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**E 613 E17WKE**

Electric cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- Cover material: Varnished

- Oven**
- Usable oven volume: **72 l**
  - Conventional oven - 72 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven

- Control**
- Ergonomic knobs

- Hob**
- Electric hob
  - Cooking surface: 1 fast electric cooking zone + 3 standard electric cooking zones, Left front: Ø 18 cm, 2 kW, Right front: Ø 14,5 cm, 1 kW, Left behind: Ø 14,5 cm, 1 kW, Right behind: Ø 18 cm, 1,5 kW



- Features**
- Illumination

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Mechanic door safety bolt
  - Triple glazed oven door with one heat deflector (CoolDoor)

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.88 kWh** (conventional)
  - Connected load: **8200 W**
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**K 637 E14WKE**  
Dual Fuel cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- GentleClose door hinge

- Oven**
- Usable oven volume: **65 l**
  - Multisystem oven BigSpace - 65 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven

- Control**
- Ergonomic knobs
  - IconLed
  - Single-handed ignition device

- Hob**
- Gas hob
  - Triple burner
  - Burner frames number: 2
  - Cooking surface: 2 standard burners + 1 auxiliary burner + 1 triple burner, Left front: Ø 6,9 cm, 1,9 kW, Right front: Ø 13,2 cm, 3,5 kW, Left behind: Ø 6,9 cm, 1,9 kW, Right behind: Ø 4,6 cm, 1 kW
  - Type of pan support: Enameled

- Heating types**
- 

- Features**
- Illumination
  - Baking on different levels at the same time

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Dynamic oven cooling - DC
  - Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt


- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.82 kWh** (venting), **0.92 kWh** (conventional)
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**K 613 E17WKD**  
Dual Fuel cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass
- Cover material: Varnished

- Oven**
- Usable oven volume: **65 l**
  - Conventional oven - 65 l
  - SuperSize baking area
  - Surface of the largest baking pan: **1316 cm<sup>2</sup>**
  - HomeMADE® modelled on traditional wood-fired bread oven

- Control**
- Ergonomic knobs
  - Electric ignition of gas burners

- Hob**
- Gas hob
  - Burner frames number: 2
  - Cooking surface: 1 auxiliary burner + 1 large burner + 2 standard burners, Left front: Ø 6,9 cm, 1,9 kW, Right front: Ø 9,4 cm, 3 kW, Left behind: Ø 6,9 cm, 1,9 kW, Right behind: Ø 4,6 cm, 1 kW
  - Type of pan support: Enameled

- Heating types**
- 

- Features**
- Illumination

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Thermoelectric fuse
  - Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **0.79 kWh** (venting), **0.88 kWh** (conventional)
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**



**G 611 E17WKA**  
Gas cooker

Essential Line



- Colour: White
- Control panel material: Varnished metal
- Door material: Glass

- Oven**
- Usable oven volume: **47 l**
  - Gas oven - 47 l
  - SuperSize baking area
  - HomeMADE® modelled on traditional wood-fired bread oven

- Control**
- Ergonomic knobs
  - Electric ignition of gas burners

- Hob**
- Gas hob
  - Burner frames number: 2
  - Cooking surface: 1 auxiliary burner + 1 large burner + 2 standard burners, Left front: Ø 6,9 cm, 1,9 kW, Right front: Ø 9,4 cm, 3 kW, Left behind: Ø 6,9 cm, 1,9 kW, Right behind: Ø 4,6 cm, 1 kW
  - Type of pan support: Enameled

- Heating types**
- 

- Features**
- Illumination

- Equipment**
- 1 Deep enamelled pan
  - 2 Shallow enamelled pans
  - 1 Wire shelf
  - Wire oven guides

- Safety**
- Double glazed oven door with one heat deflector (CompactDoor)
  - Mechanic door safety bolt

- EasyCleaning**
- SilverMatte (easy clean enamel surface)
  - Smooth oven door surface

- Technical data**
- Energy consumption: **1.69 kWh** (conventional)
  - Product dimensions (HxWxD): **90 x 60 x 60 cm**





**IT 984 USC**  
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

**Control**

- SmartControl
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- StopGo function
- StayWarm function
- SoftMelt function
- Silent operation SuperSilent

**Cooking surface**

- 5 induction heating zones
- Left front: Ø 18 cm, 1,85/3 kW
- Middle front: Ø 18 cm, 1,85/3 kW
- Left behind: Ø 18 cm, 1,85/3 kW
- Middle behind: Ø 18 cm, 1,85/3 kW
- Right middle: Ø 26 cm, 2,6/3,7 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **11100 W**
- Product dimensions (HxWxD): **5.3 × 90 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 86 × 49 cm**



**IS 777 USC**  
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

**Control**

- SmartControl
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- MultiSlider
- StayWarm function
- PowerBoost Supreme
- XpandZone
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 19×22 cm, 2,3/3,7 kW
- Right front: Ø 19×22 cm, 2,3/3,7 kW
- Left behind: Ø 19×22 cm, 2,3/3,7 kW
- Right behind: Ø 19×22 cm, 2,3/3,7 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7400 W**
- Product dimensions (HxWxD): **5.3 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 56 × 49 cm**



**IS 677 USC**  
Induction hob

Superior Line



- Colour: Black
- Bevelled hob edges

**Control**

- SmartControl
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- MultiSlider
- StayWarm function
- PowerBoost Supreme
- XpandZone
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 19×22 cm, 2,3/3,7 kW
- Right front: Ø 19×22 cm, 2,3/3,7 kW
- Left behind: Ø 19×22 cm, 2,3/3,7 kW
- Right behind: Ø 19×22 cm, 2,3/3,7 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7400 W**
- Product dimensions (HxWxD): **5.3 × 60 × 51 cm**
- Niche dimensions (HxWxD): **4.8 × 56 × 49 cm**



**IT 635 SC**  
Induction hob

Advanced Line



- Colour: Black
- Bevelled hob edge

**Control**

- Touch control
- Timer function

**Features**

- SuperBoost
- PowerBoost function
- AllBoost
- BridgeZone
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 18,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.6 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5.2 × 56 × 49 cm**



**IQ 634 USC**  
Induction hob

Advanced Line



- Colour: Black
- Bevelled hob edge

**Control**

- SliderTouch, control at your fingertips
- Timer function

**Features**

- IQcook sensor
- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent
- IQboil, cooking with a large amount of water
- IQgrill, grilling mode (Doneness level setting)
- IQpoach
- IQpro, slow cooking
- IQsteam, steam cooking

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/2 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 2/2.3 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.6 × 60 × 51 cm**
- Niche dimensions (HxWxD): **5.2 × 56 × 49 cm**



**IT 332 CSC**  
Induction hob

Advanced Line



- Colour: Black
- Bevelled front hob edge

**Control**

- Touch control
- Timer function

**Cooking surface**

- 2 induction heating zones
- Front: Ø 16 cm, 1.4 kW
- Behind: Ø 20 cm, 2.3/3 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **3650 W**
- Product dimensions (HxWxD): **7.2 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.8 × 27.5 × 49 cm**



**IT 734 CSC**  
Induction hob

Essential Line



- Colour: Black
- Bevelled front hob edge

**Control**

- Touch control
- Timer function

**Features**

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 16,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.5 × 75 × 51 cm**
- Niche dimensions (HxWxD): **5 × 71 × 49 cm**



**IT 734 X**  
Induction hob

Essential Line



- Colour: Black
- Stainless steel hob frame

**Control**

- Touch control
- Timer function

**Features**

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18,5 cm, 1,4/2 kW
- Right front: Ø 16,5 cm, 1,2/1,4 kW
- Left behind: Ø 16,5 cm, 1,2/1,4 kW
- Right behind: Ø 20,5 cm, 2/2,3 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **6.2 × 75.4 × 51.4 cm**
- Niche dimensions (HxWxD): **5.6 × 71 × 49 cm**



**IT 614 CSC**  
Induction hob

Essential Line



- Colour: Black
- Bevelled front hob edge

**Control**

- Touch control
- Timer function

**Features**

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/1.9 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 1.9/2.1 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **6800 W**
- Product dimensions (HxWxD): **5.5 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



**IT 614 X**  
Induction hob

Essential Line



- Colour: Black
- Stainless steel hob frame

**Control**

- Touch control
- Timer function

**Features**

- SuperBoost
- PowerBoost function
- AllBoost
- Silent operation SuperSilent

**Cooking surface**

- 4 induction heating zones
- Left front: Ø 18.5 cm, 1.4/1.9 kW
- Right front: Ø 16.5 cm, 1.2/1.4 kW
- Left behind: Ø 16.5 cm, 1.2/1.4 kW
- Right behind: Ø 20.5 cm, 1.9/2.1 kW

**Safety and durability**

- Residual heat indicator
- ChildLock

**Technical data**

- Connected load: **6800 W**
- Product dimensions (HxWxD): **5.7 × 60 × 51.5 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



**ECT 880 USC**  
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

**Control**

- SliderTouch, control at your fingertips
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- StayWarm function

**Cooking surface**

- 4 HiLight heating zones + 1 resistance heater
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Middle behind: Resistance heater 29x16 cm, 0.1 kW
- Right behind: Ø 26.5x17 cm, 2.4 kW

**Safety and durability**

- Residual indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **7200 W**
- Product dimensions (HxWxD): **5.4 × 85 × 51 cm**
- Niche dimensions (HxWxD): **5 × 81 × 49 cm**



**ECS 780 USC**  
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

**Control**

- SliderTouch, control at your fingertips
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- StayWarm function

**Cooking surface**

- 4 HiLight heating zones
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 26.5x17 cm, 2.4 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.5 × 75 × 51 cm**
- Niche dimensions (HxWxD): **5 × 71 × 49 cm**



**ECS 680 USC**  
Glass ceramic hob

Advanced Line



- Colour: Black
- Bevelled hob edges

**Control**

- SliderTouch, control at your fingertips
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- StayWarm function

**Cooking surface**

- 4 HiLight heating zones
- Left front: Ø 21/17.5/12 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 26.5x17 cm, 2.4 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **7100 W**
- Product dimensions (HxWxD): **5.4 × 60 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



**ECT 693 CSC**  
Glass ceramic hob

Essential Line



- Colour: Black
- Bevelled front hob edge

**Control**

- Touch control
- Timer function

**Features**

- BoilControl, prevents pots from boiling over
- StopGo function
- StayWarm function

**Cooking surface**

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.1/3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 17x26.5 cm, 2.4 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **6600 W**
- Product dimensions (HxWxD): **5.6 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



**ECT 610 SC**  
Glass ceramic hob

Essential Line



- Colour: Black
- Bevelled hob edge

**Control**

- Touch control

**Features**

- BoilControl, prevents pots from boiling over

**Cooking surface**

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 18 cm, 1.8 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **6500 W**
- Product dimensions (HxWxD): **5.4 × 59.5 × 51 cm**
- Niche dimensions (HxWxD): **5 × 56 × 49 cm**



**ECT 330 CSC**  
Glass ceramic hob

Essential Line



- Colour: Black
- Faceted front hob edge

**Control**

- Touch control

**Features**

- BoilControl, prevents pots from boiling over

**Cooking surface**


- 1 HiLight heating zone + 1 HiLight two ring heating zone
- Front: Ø two ring 18/12 cm, 1.7 kW
- Behind: Ø 14.5 cm, 1.2 kW

**Safety and durability**

- Residual heat indicator
- Safety control hob lock
- ChildLock

**Technical data**

- Connected load: **2900 W**
- Product dimensions (HxWxD): **6.6 × 30 × 51 cm**
- Niche dimensions (HxWxD): **6.2 × 27.5 × 49 cm**



**GW 761 UX**  
Gas hob



• Colour: Stainless steel

**Control**

• Ergonomic knobs

**Features**

• Triple burner

**Cooking surface**


- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 normal burners + 1 wok burner
- Left front: Ø 13.44 cm, 3.8 kW
- Middle front: Ø 4.3 cm, 1 kW
- Right front: Ø 6.7 cm, 1.75 kW
- Middle behind: Ø 9.7 cm, 3 kW
- Right behind: Ø 6.7 cm, 1.75 kW
- Wok burner
- Type of pan support: Cast iron grid

**Safety and durability**

• Safety function

**Technical data**

- Product dimensions (HxWxD): **9.6 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.5 × 72 × 48 cm**



**GTW 761 UB**  
Gas on tempered glass



• Colour: Black

**Control**

• Ergonomic knobs

**Features**

• Triple burner

**Cooking surface**

- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 normal burners + 1 wok burner
- Left front: Ø 13.44 cm, 3.8 kW
- Middle front: Ø 4.3 cm, 1 kW
- Right front: Ø 6.7 cm, 1.75 kW
- Middle behind: Ø 9.7 cm, 3 kW
- Right behind: Ø 6.7 cm, 1.75 kW
- Wok burner
- Type of pan support: Cast iron grid

**Safety and durability**

• Safety function

**Technical data**

- Product dimensions (HxWxD): **9.6 × 75 × 51 cm**
- Niche dimensions (HxWxD): **4.5 × 72 × 48 cm**



**GW 6N41 IX**  
Gas hob



• Colour: Stainless steel

**Control**

• Ergonomic knobs

**Features**

• Double burner

**Cooking surface**

- Single-handed ignition device
- 1 auxiliary burner + 1 double burner + 2 normal burners
- Left front: Ø 6.9 cm, 1.9 kW
- Right front: Ø 4.4 cm, 1 kW
- Left behind: Ø 6.9 cm, 1.9 kW
- Right behind: Ø 13.2 cm, 3.5 kW
- Wok burner
- Type of pan support: Cast iron grid

**Safety and durability**

• Safety function

**Technical data**

- Product dimensions (HxWxD): **10.7 × 58 × 51 cm**
- Niche dimensions (HxWxD): **4.7 × 56 × 49 cm**



**G 6N41 IX**  
Gas hob



• Colour: Stainless steel

**Control**

• Ergonomic knobs

**Cooking surface**

- Single-handed ignition device
- 1 auxiliary burner + 1 large burner + 2 standard burners
- Left front: Ø 6.9 cm, 1.9 kW,
- Right front: Ø 4.4 cm, 1 kW,
- Left behind: Ø 6.9 cm, 1.9 kW,
- Right behind: Ø 9.4 cm, 3 kW
- Type of pan support: Cast iron grid

**Safety and durability**

• Safety function

**Technical data**

- Product dimensions (HxWxD): **10.7 × 58 × 51 cm**
- Niche dimensions (HxWxD): **4.7 × 56 × 49 cm**





**G 6N41 IB**  
Gas hob


Gas 58  
← cm →

- Colour: Black
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
  - 1 auxiliary burner + 1 large burner + 2 standard burners
  - Left front: Ø 6.9 cm, 1.9 kW,
  - Right front: Ø 4.4 cm, 1 kW,
  - Left behind: Ø 6.9 cm, 1.9 kW,
  - Right behind: Ø 9.4 cm, 3 kW
  - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):  
**10.7 × 58 × 51 cm**
  - Niche dimensions (HxWxD):  
**4.7 × 56 × 49 cm**



**G 6N41 IW**  
Gas hob


Gas 58  
← cm →

- Colour: White
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
  - 1 auxiliary burner + 1 large burner + 2 standard burners
  - Left front: Ø 6.9 cm, 1.9 kW,
  - Right front: Ø 4.4 cm, 1 kW,
  - Left behind: Ø 6.9 cm, 1.9 kW,
  - Right behind: Ø 9.4 cm, 3 kW
  - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):  
**10.7 × 58 × 51 cm**
  - Niche dimensions (HxWxD):  
**4.7 × 56 × 49 cm**



**GC 341 UC**  
Gas on glass ceramic

Gas 30  
← cm →

- Colour: Black
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
  - 1 auxiliary burner + 1 large burner
  - Front: Ø 5.5 cm, 1 kW
  - Behind: Ø 10 cm, 3 kW
  - Type of pan support: Cast iron grid

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):  
**10.8 × 30 × 51 cm**
  - Niche dimensions (HxWxD):  
**6.4 × 27.5 × 49 cm**



**G 340 UX**  
Gas hob

Gas 28.8  
← cm →

- Colour: Stainless steel
- Control**
- Ergonomic knobs

- Cooking surface**
- Single-handed ignition device
  - 1 auxiliary burner + 1 large burner
  - Front: Ø 4.3 cm, 1 kW,
  - Behind: Ø 9.7 cm, 3 kW
  - Type of pan support: Enameled

- Safety and durability**
- Safety function

- Technical data**
- Product dimensions (HxWxD):  
**5.5 × 28.8 × 51 cm**
  - Niche dimensions (HxWxD):  
**5.5 × 28.8 × 48 cm**



**IHT 961 S2X UK**  
Island cooker hood

Superior Line

**A** Energy Class **89.8** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **400 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **200 m³/h**
- Air flow by extraction version, step 2: **288 m³/h**
- Air flow by extraction version, step 3: **400 m³/h**

**Control**

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **2**
- Power of lights: **14 W**
- Airflow boost position (PowerBoost 1): **619 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

**Equipment**

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 61.1 cm**
- Height: **59 mm**
- Min. height of the chimney: **797 mm**
- Max. height of the chimney: **1141 mm**
- Product dimensions (HxWxD): **5.9 × 89.8 × 61.1 cm**



**WHI 961 S2X UK**  
Wall mounted cooker hood

Superior Line

**A** Energy Class **89.8** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **448 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **250 m³/h**
- Air flow by extraction version, step 2: **320 m³/h**
- Air flow by extraction version, step 3: **448 m³/h**

**Control**

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1): **641 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

**Equipment**

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **61 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



**WHI 661 S2X UK**  
Wall mounted cooker hood

Superior Line

**A** Energy Class **59.5** ← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **448 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **250 m³/h**
- Air flow by extraction version, step 2: **320 m³/h**
- Air flow by extraction version, step 3: **448 m³/h**

**Control**

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: Touch control on metal
- Timer function
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Constant ventilation ReRefresh
- Lamp type Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1): **641 m³/h**
- Airflow boost position (PowerBoost 2): **729 m³/h**
- Number of PowerBoost functions: **2**

**Equipment**

- Filter material: AdaptAir
- Grease filter indicator
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **61 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**



**WHI 951 S1XGB UK**  
Wall mounted cooker hood

Superior Line

**A** Energy Class | **89.8** ← cm → |

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **464 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **195 m³/h**
- Air flow by extraction version, step 2: **240 m³/h**
- Air flow by extraction version, step 3: **304 m³/h**
- Air flow by extraction version, step 9: **464 m³/h**

**Control**

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: SliderTouch control
- Timer function
- Number of speed positions: **9**

**Features**

- TouchFree Inox
- Constant ventilation ReFresh
- Lamp type: Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1 / PowerBoost 2): **641 m³/h / 707 m³/h**
- Number of PowerBoost functions: **2**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Grease filter indicator
- Number of motors: **1**
- Motor type: Inverter motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **59 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



**WHI 651 S1XGB UK**  
Wall mounted cooker hood

Superior Line

**A** Energy Class | **59.5** ← cm → |

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **464 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **195 m³/h**
- Air flow by extraction version, step 2: **240 m³/h**
- Air flow by extraction version, step 3: **304 m³/h**
- Air flow by extraction version, step 9: **464 m³/h**

**Control**

- AdaptTech venting: Memorizing intelligent system
- Electronic control
- Control setting: SliderTouch control
- Timer function
- Number of speed positions: **9**

**Features**

- TouchFree Inox
- Constant ventilation ReFresh
- Lamp type: Led strip
- Number of lights: **1**
- Power of lights: **7 W**
- Airflow boost position (PowerBoost 1 / PowerBoost 2): **641 m³/h / 707 m³/h**
- Number of PowerBoost functions: **2**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Grease filter indicator
- Number of motors: **1**
- Motor type: Inverter motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **59 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**



**WHI 921 E3B UK**  
Wall mounted cooker hood

Essential Line

**C** Energy Class | **89.8** ← cm →

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Black

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- Lamp type: Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



**WHI 621 E3B UK**  
Wall mounted cooker hood

Essential Line

**C** Energy Class | **59.5** ← cm → |

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Black

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m³/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **368 m³/h**
- Air flow by extraction version, step 3: **553 m³/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- Lamp type: Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 59.5 × 37.1 cm**



**WHI 921 E1XGB UK**

Wall mounted cooker hood

Essential Line

**C** Energy Class **89,8**  
← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **368 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 37.1 cm**
- Height: **416 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1105 mm**
- Product dimensions (HxWxD): **41.6 × 89.8 × 37.1 cm**



**WHI 621 E1XGB UK**

Wall mounted cooker hood

Essential Line

**C** Energy Class **59,5**  
← cm →

- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **368 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**
- Perimetric suction

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **62 dB(A)re 1 pW**
- Product dimensions (WxD): **59.5 × 37.3 cm**
- Height: **450 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **1104 mm**
- Product dimensions (HxWxD): **45 × 59.5 × 37.3 cm**



**WHT 921 E3XBG UK**

Wall mounted cooker hood

Essential Line

**C** Energy Class **89,8**  
← cm →

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **352 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **68 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 89.8 × 45 cm**



**WHT 621 E3XBG UK**

Wall mounted cooker hood

Essential Line

**C** Energy Class **59,8**  
← cm →

- Venting with air extraction or recirculation
- Colour of housing/chimney: Black painted and black glass / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **352 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**


**Technical data**

- Noise level (max.): **68 dB(A)re 1 pW**
- Product dimensions (WxD): **59.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 59.8 × 45 cm**

**WHT 921 E5X UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **368 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**


**Technical data**

- Noise level (max.): **65 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 89.8 × 45 cm**

**WHT 621 E5X UK**

Wall mounted cooker hood

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel / Stainless steel
- Colour of housing/chimney: Stainless steel / Stainless steel

**Efficiency**

- Maximum extraction rate by extraction operation: **553 m<sup>3</sup>/h**
- Venting tube diameter: **15 cm**

**The capacity of ventilator**

- Air flow by extraction version, step 1: **240 m<sup>3</sup>/h**
- Air flow by extraction version, step 2: **368 m<sup>3</sup>/h**
- Air flow by extraction version, step 3: **553 m<sup>3</sup>/h**

**Control**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

**Features**

- TouchFree Inox
- Lamp type Halogen
- Number of lights: **2**
- Power of lights: **40 W**

**Equipment**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type Capacitor motor
- No return airflow flap: **150 mm**

**Technical data**

- Noise level (max.): **65 dB(A)re 1 pW**
- Product dimensions (WxD): **59.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **577 mm**
- Max. height of the chimney: **1117 mm**
- Product dimensions (HxWxD): **4.2 × 59.8 × 45 cm**





**RK 60359 OX**  
Freestanding fridge freezer

Gorenje Retro Collection

A<sup>+</sup> Energy Class
60 cm
188.7 cm

- Colour: Metallic grey
  - Right door opening
  - Climate class: **SN, ST, N, T**
- Efficiency**
- 1 compressor
  - Total gross/net volume: **342 / 321 l**
  - Capacity of cooling compartment: gross/net **231 / 229 l**
  - Capacity of freezer compartment: gross/net **111 / 92 l**
  - Freezing capacity in 24 hours: **4 kg / 24h**
  - Power cut safe time: **21 h**
- Control**
- Mechanic control
- Features**
- Fan-assisted cooling in fridge
  - SuperCool

- Equipment of refrigerator**
- Decorative cover
  - Type of interior light: LED
  - 4 glass shelves
  - Bottle holder
  - Dairy shelf
  - Bottle shelf with fixed trap
  - Flexible egg tray (12x)
  - Deep door two-partition bottle shelf
  - Large crisper pan for vegetables and fruit
- Equipment of freezer**
- 2 storage drawers
  - 1 drawer for freezing
  - 1 ice tray

**Technical data**

- Energy consumption kWh/24h: **0,628 kWh**
- Energy consumption kWh/year: **229 kWh**
- Level of noise (max.): **41 dB(A)re 1 pW**
- Product dimensions (HxWxD): **188,7 x 60 x 64 cm**



**RF 60309 OX**  
Freestanding fridge freezer

Gorenje Retro Collection

A<sup>+</sup> Energy Class
60 cm
173.4 cm

- Colour: Metallic grey
  - Right door opening
  - Climate class: **SN, ST, N, T**
- Efficiency**
- 1 compressor
  - Total gross/net volume: **296 / 294 l**
  - Capacity of cooling compartment: gross/net **231 / 229 l**
  - Capacity of freezer compartment: gross/net **65 / 65 l**
  - Freezing capacity in 24 hours: **4,5 kg / 24h**
  - Power cut safe time: **22 h**
- Control**
- Mechanic control
- Features**
- Fan-assisted cooling in fridge
  - SuperCool
  - FastFreeze

- Equipment of refrigerator**
- Decorative cover
  - Type of interior light: LED
  - 4 glass shelves
  - Bottle holder
  - Dairy shelf
  - Bottle shelf with fixed trap
  - Flexible egg tray (12x)
  - Deep door two-partition bottle shelf
  - Large crisper pan for vegetables and fruit
- Equipment of freezer**
- 1 wire shelf in freezer department
  - 1 compartment with door for frozen food
  - 1 ice tray

**Technical data**

- Energy consumption kWh/24h: **0,583 kWh**
- Energy consumption kWh/year: **213 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **173,4 x 60 x 64 cm**



**RB 60299 OX**  
Freestanding refrigerator

Gorenje Retro Collection

A<sup>+</sup> Energy Class
60 cm
152.4 cm

- Colour: Metallic grey
  - Right door opening
  - Climate class: **SN, ST, N, T**
- Efficiency**
- 1 compressor
  - Total gross/net volume: **288 / 281 l**
  - Capacity of cooling compartment: gross/net **262 / 255 l**
  - Capacity of freezer compartment: gross/net **26 / 26 l**
  - Freezing capacity in 24 hours: **2 kg / 24h**
  - Power cut safe time: **18 h**
- Control**
- Mechanic control
- Features**
- Fan-assisted cooling in fridge
  - SuperCool

- Equipment of refrigerator**
- Decorative cover
  - Type of interior light: LED
  - 4 glass shelves
  - Bottle holder
  - Dairy shelf
  - Bottle shelf with fixed trap
  - Flexible egg tray (12x)
  - Deep door two-partition bottle shelf
  - Large crisper pan for vegetables and fruit
- Equipment of freezer**
- 1 compartment with door for frozen food
  - 1 ice tray

**Technical data**

- Energy consumption kWh/24h: **0,536 kWh**
- Energy consumption kWh/year: **196 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **152,4 x 60 x 64 cm**



**RB 60299 OBL/OBL-L**  
Freestanding refrigerator

Gorenje Retro Collection

A<sup>+</sup> Energy Class
60 cm
152.4 cm

- Colour: Baby Blue
  - **RB60299OBL**: Right door opening
  - **RB60299OBL-L**: Left door opening
  - Climate class: **SN, ST, N, T**
- Efficiency**
- 1 compressor
  - Total gross/net volume: **288 / 281 l**
  - Capacity of cooling compartment: gross/net **262 / 255 l**
  - Capacity of freezer compartment: gross/net **26 / 26 l**
  - Freezing capacity in 24 hours: **2 kg / 24h**
  - Power cut safe time: **18 h**
- Control**
- Mechanic control
- Features**
- Fan-assisted cooling in fridge
  - SuperCool

- Equipment of refrigerator**
- Decorative cover
  - Type of interior light: LED
  - 4 glass shelves
  - Bottle holder
  - Dairy shelf
  - Bottle shelf with fixed trap
  - Flexible egg tray (12x)
  - Deep door two-partition bottle shelf
  - Large crisper pan for vegetables and fruit
- Equipment of freezer**
- 1 compartment with door for frozen food
  - 1 ice tray

**Technical data**

- Energy consumption kWh/24h: **0,536 kWh**
- Energy consumption kWh/year: **196 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **152,4 x 60 x 64 cm**



**NRK 6192 TX**  
Freestanding fridge freezer

Superior Line



- Colour: Metallic grey
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **329 / 307 l**
- Capacity of cooling compartment: gross/net **231 / 222 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **12 kg / 24h**
- Power cut safe time: **18 h**

**Control**

- Electronic control
- LED display
- Sound alarm for open door
- Sound and visual signal for high temperature in refrigerator: white signal

**Features**

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- SuperCool

- FastFreeze
- Saving programme EcoMode

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- ZeroZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- XtremeFreeze: very intensive freezing in the upper freezer drawer
- 3 drawers for freezing

**Technical data**

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**NRK 6192 TW**  
Freestanding fridge freezer

Superior Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **329 / 307 l**
- Capacity of cooling compartment: gross/net **231 / 222 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **12 kg / 24h**
- Power cut safe time: **18 h**

**Control**

- Electronic control
- LED display
- Sound alarm for open door
- Sound and visual signal for high temperature in refrigerator: white signal

**Features**

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- SuperCool

- FastFreeze
- Saving programme EcoMode

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- ZeroZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- XtremeFreeze: very intensive freezing in the upper freezer drawer
- 3 drawers for freezing

**Technical data**

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**NRK 6192 JW**  
Freestanding fridge freezer

Advanced Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **329 / 306 l**
- Capacity of cooling compartment: gross/net **231 / 221 l**
- Capacity of freezer compartment: gross/net **98 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **18 h**

**Control**

- Electronic control

**Features**

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Multiflow 360 °: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- 3 drawers for freezing

**Technical data**

- Energy consumption kWh/24h: **0,643 kWh**
- Energy consumption kWh/year: **235 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**NRK 6191 GX**  
Freestanding fridge freezer

Essential Line



- Colour: Metallic grey
- Reversible door opening
- Climate class: **ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **325 / 307 l**
- Capacity of cooling compartment: gross/net **230 / 222 l**
- Capacity of freezer compartment: gross/net **95 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **21 h**

**Control**

- Electronic control

**Features**

- IonAir: Ionizer in the fridge
- Multiflow 360°: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze
- Saving programme EcoMode

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- 3 drawers for freezing

**Technical data**

- Energy consumption kWh/24h: **0,819 kWh**
- Energy consumption kWh/year: **299 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**NRK 6191 GW**  
Freestanding fridge freezer

Essential Line



- Colour: White
- Reversible door opening
- Climate class: **ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **325 / 307 l**
- Capacity of cooling compartment: gross/net **230 / 222 l**
- Capacity of freezer compartment: gross/net **95 / 85 l**
- Freezing capacity in 24 hours: **5 kg / 24h**
- Power cut safe time: **21 h**

**Control**

- Electronic control

**Features**

- IonAir: Ionizer in the fridge
- Multiflow 360°: Multi 3D air blowing
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- NoFrost Plus
- FastFreeze
- Saving programme EcoMode

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- 3 drawers for freezing

**Technical data**

- Energy consumption kWh/24h: **0,819 kWh**
- Energy consumption kWh/year: **299 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**RK 6193 KW**  
Freestanding fridge freezer

Advanced Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **326 / 322 l**
- Capacity of cooling compartment: gross/net **229 / 227 l**
- Capacity of freezer compartment: gross/net **97 / 95 l**
- Freezing capacity in 24 hours: **4,5 kg / 24h**
- Power cut safe time: **30 h**

**Control**

- Electronic control

**Features**

- IonAir: Ionizer in the fridge
- AdaptTech cooling: Memorizing intelligent system
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- FrostLess: Less ice building in the freezer
- DynamiCooling
- FastFreeze

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 2
- Type of interior light: LED
- 4 glass shelves
- Bottle holder
- Bottle shelf with fixed trap
- MultiBox for butter and cheese
- FreshZone drawer
- CrispZone with HumidityControl: big vegetable drawer with humidity regulation

**Equipment of freezer**

- XXL SpaceBox drawer
- 2 storage drawers
- 1 drawer for freezing

**Technical data**

- Energy consumption kWh/24h: **0,423 kWh**
- Energy consumption kWh/year: **154 kWh**
- Level of noise (max.): **40 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**R 6192 FX**  
Freestanding refrigerator

Essential Line



- Colour: Metallic grey
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **370 / 368 l**
- Capacity of cooling compartment: gross/net **370 / 368 l**

**Control**

- Mechanic control

**Features**

- CrispZone with HumidityControl: big vegetable drawer with humidity regulation
- CrispZone: vegetable drawer
- IonAir: ionizer in the fridge
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- DynamiCooling
- SuperCool

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 3
- Type of interior light: LED
- 7 glass shelves
- Bottle holder
- Bottle shelf without trap
- Bottle shelf with fixed trap
- FreshZone drawer

**Technical data**

- Energy consumption kWh/24h: **0,312 kWh**
- Energy consumption kWh/year: **114 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**R 6192 FW**  
Freestanding refrigerator

Essential Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **370 / 368 l**
- Capacity of cooling compartment: gross/net **370 / 368 l**

**Control**

- Mechanic control

**Features**

- CrispZone with HumidityControl: big vegetable drawer with humidity regulation
- CrispZone: vegetable drawer
- IonAir: ionizer in the fridge
- Slot-in: possibility to put the appliance into the kitchen niche 60 cm
- DynamiCooling
- SuperCool

**Equipment of refrigerator**

- Egg/Ice bin: 1 x 7
- SimpleSLide height adjustable door shelves: 3
- Type of interior light: LED
- 7 glass shelves
- Bottle holder
- Bottle shelf without trap
- Bottle shelf with fixed trap
- FreshZone drawer

**Technical data**

- Energy consumption kWh/24h: **0,312 kWh**
- Energy consumption kWh/year: **114 kWh**
- Level of noise (max.): **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**FN 6192 CX**  
Upright freezer

Essential Line



- Colour: Metallic grey brown
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **277 / 243 l**
- FastFreeze
- Freezing capacity in 24 hours: **18 kg**
- Power cut safe time: **15 h**

**Control**

- Electronic control

**Features**

- Automatic defrost freezer
- NoFrost

**Equipment of freezer**

- Illuminated interior of freezer compartment: LED light
- Storage compartments with door for frozen food: 1
- 5 storage drawers for frozen food
- Drawers for freezing: 1

**Technical data**

- Energy consumption kWh/24h: **0,649 kWh**
- Energy consumption kWh/year: **237 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**FN 6192 CW**  
Upright freezer

Essential Line



- Colour: White
- Reversible door opening
- Climate class: **SN, ST, N, T**

**Efficiency**

- 1 compressor
- Total gross/net volume: **277 / 243 l**
- FastFreeze
- Freezing capacity in 24 hours: **18 kg**
- Power cut safe time: **15 h**

**Control**

- Electronic control

**Features**

- Automatic defrost freezer
- NoFrost

**Equipment of freezer**

- Illuminated interior of freezer compartment: LED light
- Storage compartments with door for frozen food: 1
- 5 storage drawers for frozen food
- Drawers for freezing: 1

**Technical data**

- Energy consumption kWh/24h: **0,649 kWh**
- Energy consumption kWh/year: **237 kWh**
- Level of noise (max.): **42 dB(A)re 1 pW**
- Product dimensions (HxWxD): **185 x 60 x 64 cm**



**GV 63315 UK**  
Integrated dishwasher

Exclusive Line

<b>A+</b> Energy Class	<b>A</b> Washing Efficiency	<b>A</b> Drying Efficiency	59.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

**Efficiency**

- Max. temperature of inflow water: **60 °C**

**Control**

- Selected programme indicator
- On/Off indicator

**Programmes**

- Washing temperature(s): **40, 50, 55, 60, 65 °C**
- **8** programmes: Normal; Half load; Automatic programme; 1; Sensitive programme; Programme for glass; Intensive programme; Eco programme; Quick intensive programme; Quick programme; Soaking
- Reference programme: **4**

**Features**

- SpaceDeluxe: **14** place settings
- Function 3 in 1
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle
- Time remaining indicator

**UseLogic technology**

- Start delay up to 24 hours

**Equipment**

- Number of baskets: **3**
- Variable top basket
- Upper basket system: Click Clack system
- Basket with handle
- Foldable bottom plate baskets
- Number of water jet levels: **5**
- Number of sprinkle hands: **3**
- Selfcleaning filter

**Safety**

- Total Aquastop
- Service diagnostics
- Stainless steel tub

**Consumption data (IEC standard EN 50242)**

- Water consumption: **10 l**
- Energy consumption - normal program: **0.93 kWh**
- Energy consumption kWh/year: **266 kWh**
- Estimated annual water consumption: **2800 l**

**Technical data**

- Height setting: **50 mm**
- Level of noise (max.): **47 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.5 × 59.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 60 × 58 cm**



**GV 61214 UK**  
Integrated dishwasher

Classic Line

<b>A+</b> Energy Class	<b>A</b> Washing Efficiency	<b>A</b> Drying Efficiency	59.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

**Efficiency**

- Max. temperature of inflow water: **60 °C**

**Control**

- Selected programme indicator
- On/Off indicator

**Programmes**

- Washing temperature(s): **40, 50, 62, 65 °C**
- **6** programmes: Normal; Half load; Sensitive programme; Intensive programme; Eco programme; Quick intensive programme; Quick programme
- Reference programme: **3**

**Features**

- **12** place settings
- Function 3 in 1
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle

**UseLogic technology**

- Variable start delay up to 3/6/9 hours

**Equipment**

- Number of baskets: **2**
- Variable top basket
- Basket with handle
- Foldable bottom plate baskets
- Number of water jet levels: **4**
- Number of sprinkle hands: **2**
- Selfcleaning filter

**Safety**

- Total Aquastop
- Service diagnostics
- Stainless steel tub

**Consumption data (IEC standard EN 50242)**

- Water consumption: **12 l**
- Energy consumption - normal program: **1.02 kWh**
- Energy consumption kWh/year: **291 kWh**
- Estimated annual water consumption: **3360 l**

**Technical data**

- Height setting: **60 mm**
- Level of noise (max.): **49 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.8 × 59.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 60 × 57 cm**



**GV 53315 UK**  
Integrated dishwasher

Classic Line

<b>A+</b> Energy Class	<b>A</b> Washing Efficiency	<b>A</b> Drying Efficiency	44.8 ← cm →	total	eco	
------------------------	-----------------------------	----------------------------	----------------	-------	-----	--

**Efficiency**

- Max. temperature of inflow water: **60 °C**

**Control**

- Selected programme indicator
- On/Off indicator

**Programmes**

- Washing temperature(s): **40, 50, 55, 60, 65 °C**
- **8** programmes: Normal; Half load; Automatic programme; 1; Sensitive programme; Programme for glass; Intensive programme; Eco programme; Quick intensive programme; Quick programme
- Reference programme: **4**

**Features**

- **10** place settings
- Selected programme indicator
- Visual indicator for wash finish on control panel
- Voice signal for the end of washing cycle
- Time remaining indicator

**UseLogic technology**

- Start delay up to 24 hours

**Equipment**

- Number of baskets: **3**
- Variable top basket
- Upper basket system: Click Clack system
- Basket with handle
- Number of water jet levels: **5**
- Number of sprinkle hands: **3**
- Selfcleaning filter

**Safety**

- Total Aquastop
- Service diagnostics
- Stainless steel tub

**Consumption data (IEC standard EN 50242)**

- Water consumption: **8.5 l**
- Energy consumption - normal program: **0.75 kWh**
- Energy consumption kWh/year: **211 kWh**
- Estimated annual water consumption: **2380 l**

**Technical data**

- Level of noise (max.): **47 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.5 × 44.8 × 55 cm**
- Niche dimensions (HxWxD): **82 × 45 × 57 cm**



**WI 73140**

Integrated washing machine

<b>A+</b> Energy Class	<b>B</b> Spinning Efficiency	59,6 ← cm →	7 kg	Carbo Tech	1400	LED
------------------------	------------------------------	----------------	------	------------	------	-----

• Colour: White

**Efficiency**

- Standard collector motor
- Spin speed: 1400 rpm
- Washer load: 1-7 kg

**Control**

- Type of display: LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Preset washing EndTime
- Cold wash Knob

**Programmes**

- 15 programmes
- Special programs: Eko 20°C, Quick-wash 15', Sport, Shirts
- Easy ironing: Button

**Features**

- Selfcleaning filter
- Audio signal SoftSound
- Cold water connection

**Safety and durability**

- Child protection (CDP)
- Carbotech tub

**Technical data**

- Energy consumption kWh/year: **218 kWh**
- Annual water consumption: **10340 l**
- Level of noise (max.): **72 dB(A)re 1 pW**
- Product dimensions (HxWxD):  
**82 x 59.6 x 56 cm**
- Niche dimensions (HxWxD):  
**82 x 60 x 58 cm**



**WDI 73120**

Integrated washing-drying machine

<b>B</b> Energy Class	59,6 ← cm →	7 kg	Carbo Tech	1200	LED	LED
-----------------------	----------------	------	------------	------	-----	-----

• Colour: White

**Efficiency**

- Spin speed: 1200 rpm
- Washer load: 1-7 kg
- Door opening angle: 110 °

**Control**

- LED display
- Temperature setting
- Start delay: 24h
- Audio signal SoftSound

**Programmes washing**

- 15 programmes
- Functions: Phase indicator, Start delay: 24 h, Easy ironing, Spinning stop control
- Basic programmes: Cotton, Synthetics, Delicate, Wool
- Extra programmes: Rinsing, Water pump, Spinning

**Special programmes washing**

- Easy ironing: Button
- Intensive washing
- Cold wash Knob
- Extra rinsing

**Features**

- Pump STOP
- Audio signal SoftSound
- Shower system

**Safety and durability**

- Child protection (CDP)
- Time-attendance door lock
- Carbotech tub

**Technical data**

- Energy consumption kWh/year: **238 kWh**
- Annual water consumption: **9400 l**
- Level of noise (max.): **70 dB(A)re 1 pW**
- Product dimensions (HxWxD):  
**82 x 59.6 x 56 cm**
- Niche dimensions (HxWxD):  
**82 x 60 x 58 cm**



**W 9865 E**  
Washing machine

Superior Line

**A<sup>++</sup>** Energy Class **A** Spinning Efficiency

60 cm ← → 85 cm ↓ (9 kg) 34cm

Carbo Tech, SensorIQ, AquaStop, Child Protection, LED, 24h

• Colour: White

**Efficiency**

- Inverter PowerDrive motor
- SensoCARE
- StainExpert
- Special drum construction SpaDrum
- Spin speed: **1600 rpm**
- Washer load: **1-9 kg**
- Drum volume: **64 l**
- Drum illumination with LED light

**Control**

- LCD display
- TimeComfort
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

**Programmes**

- **31** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Prewash
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

**Features**

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold & hot water connection

**SensorIQ technology**

- Automatic recognition of laundry weight TotalWeight
- QuickWet
- ECOSystem

**Safety and durability**

- Durable heater DuraHeat
- Total Aqua STOP
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- FiberTech

**Technical data**

- Energy consumption kWh/year: **170 kWh**
- Annual water consumption: **10654 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 × 60 × 60 cm**



**W 8543 C**  
Washing machine

Essential Line

**A<sup>++</sup>** Energy Class **B** Spinning Efficiency

60 cm ← → 85 cm ↓ (8 kg) 34cm

Carbo Tech, SensorIQ, AquaStop, Child Protection, LED

• Colour: White

**Efficiency**

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1400 rpm**
- Washer load: **1-8 kg**
- Drum volume: **64 l**

**Control**

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

**Programmes**

- **23** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

**Features**

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

**SensorIQ technology**

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

**Safety and durability**

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- FiberTech

**Technical data**

- Energy consumption kWh/year: **192 kWh**
- Annual water consumption: **10340 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 × 60 × 60 cm**



**W 7543 LC**  
Washing machine

Essential Line

**A<sup>++</sup>** Energy Class **B** Spinning Efficiency

60 cm ← → 85 cm ↓ (7 kg) 34cm

Carbo Tech, SensorIQ, AquaStop, Child Protection, LED

• Colour: White

**Efficiency**

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1400 rpm**
- Washer load: **1-7 kg**
- Drum volume: **54 l**

**Control**

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

**Programmes**

- **23** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

**Features**

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

**SensorIQ technology**

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

**Safety and durability**

- Durable heater DuraHeat
- Partial AquaStop
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

**Technical data**

- Energy consumption kWh/year: **166 kWh**
- Annual water consumption: **9586 l**
- Level of noise (max.): **73 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 × 60 × 60 cm**



**W 7223**  
Washing machine

Primary Line

**A<sup>++</sup>** Energy Class **B** Spinning Efficiency

60 cm ← → 85 cm ↓ (7 kg) 34cm

Carbo Tech, SensorIQ, AquaStop, Child Protection, LED

• Colour: White

**Efficiency**

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1200 rpm**
- Washer load: **1-7 kg**
- Drum volume: **54 l**

**Control**

- Adjustable spin speed
- Temperature setting
- Cold wash: Button
- Personal settings for all programmes

**Programmes**

- **18** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Prewash
- Special programs: UltraWhite, PerfectBlack

**Features**

- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

**SensorIQ technology**

- ECOSystem

**Safety and durability**

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

**Technical data**

- Energy consumption kWh/year: **166 kWh**
- Annual water consumption: **9586 l**
- Level of noise (max.): **74 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 × 60 × 60 cm**





**W 6523/SC**  
Washing machine

Essential Line

**A<sup>++</sup>** Energy Class | **B** Spinning Efficiency

60 cm | 85 cm | 6 kg | 34cm | Carbo Tech | SensorIQ | LED

• Colour: White

**Efficiency**

- Standard collector motor
- SensoCARE
- Special drum construction SpaDrum
- Spin speed: **1200 rpm**
- Washer load: **1-6 kg**
- Drum volume: **42 l**

**Control**

- LED display
- Presetting time delay of start
- Adjustable spin speed
- Temperature setting
- Cold wash Button
- Personal settings for all programmes

**Programmes**

- **23** programmes
- Wool , Hand wash, Mix, Cotton, Quick programme, Synthetics
- Special programs: BioWash, UltraWhite, PerfectBlack, NightWash, Sport, Eco programme, MyFavorite

**Features**

- Audio signal SoftSound
- Self cleaning program SterilTub
- Pump STOP
- Cold water connection

**SensorIQ technology**

- Automatic recognition of laundry weight TotalWeight
- ECOSystem

**Safety and durability**

- Durable heater DuraHeat
- Overflow protection
- Child protection (CDP)
- Stability Control (SCS)
- Carbotech tub

**Technical data**

- Energy consumption kWh/year: **153 kWh**
- Annual water consumption: **9209 l**
- Level of noise (max.): **70 dB(A)re 1 pW**
- Product dimensions (HxWxD): **85 x 60 x 44 cm**



**D 9866 E**  
Freestanding condenser tumble dryer

Superior Line

**A<sup>++</sup>** Energy Class

60 cm | 85 cm | 9 kg | 35cm | SensorIQ | LCD | LED

• Colour: White

**Efficiency**

- Dryer load: Large drum volume - **9 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action

**Control**

- Personal settings for all programmes
- LCD display

**Programmes**

- **27** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme
- SteamTech

**Functions**

- Energy temperature of drying
- Anticrease

**Features**

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

**SensorIQ technology**

- Humidity sensor
- Service diagnostic indicator

**Safety and durability**

- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

**Technical data**

- Noise level: **66 dB(A)re 1 pW**
- Energy consumption kWh/year: **189 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



**D 9665 N**  
Freestanding condenser tumble dryer

Advanced Line

**A<sup>+</sup>** Energy Class

60 cm | 85 cm | 9 kg | 35cm | SensorIQ | LCD | auto | LED

• Colour: White

**Efficiency**

- Dryer load: Large drum volume - **9 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action
- Direct discharge of condensate AutoDrain

**Control**

- Personal settings for all programmes
- LCD display

**Programmes**

- **27** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme

**Functions**

- Refresh
- Lower temperature of drying
- Anticrease

**Features**

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

**SensorIQ technology**

- Humidity sensor
- Service diagnostic indicator

**Safety and durability**

- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

**Technical data**

- Noise level: **65 dB(A)re 1 pW**
- Energy consumption kWh/year: **259 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**



**D 8565 N**  
Freestanding condenser tumble dryer

Essential Line

**A<sup>+</sup>** Energy Class

60 cm | 85 cm | 8 kg | 35cm | SensorIQ | LCD | auto | LED

• Colour: White

**Efficiency**

- Dryer load: **1-8 kg**
- IonTech technology
- TwinAir
- Heat pump
- Drum volume: **120 l**
- Drum illumination with LED light
- Porthole diameter: **35 cm**
- Door opening angle: **180 °**
- Reversible drum action
- Direct discharge of condensate AutoDrain

**Control**

- Personal settings for all programmes
- LED display

**Programmes**

- **15** programmes
- Programmes: Cotton / Synthetics / Delicates / Mix / Wool / XL programme

**Functions**

- Refresh
- Anticrease

**Features**

- Audio signal SoftSound
- FiltrationSupreme
- Drying phase indicator
- Signal for "full water container"
- Remaining time on display
- Vacuum feet

**SensorIQ technology**

- Humidity sensor
- Service diagnostic indicator

**Safety and durability**
































- Protective thermostat
- Automatic switch off when door is open
- Child protection (CDP)
- Stainless steel inner/outer drum

**Technical data**















- Noise level: **65 dB(A)re 1 pW**
- Energy consumption kWh/year: **218 kWh**
- Product dimensions (HxWxD): **85 x 60 x 60 cm**

# SYMBOL DESCRIPTION

## BUILT-IN OVENS AND FREESTANDING COOKERS

	HomeMade oven		Double glazed oven door with one heat deflector (CompactDoor)		Lower heater and fan
	PerfectGrill		Pyrolytic cleaning		Lower heater with circular heater and fan
	GentleClose door hinge		AquaClean		Defrosting
	BigSpace, large oven capacity 73/75 L		Upper & lower heater		FastPreheat
	SuperSize baking area		Lower heater		AquaClean
	Telescopic oven guides - 3 levels		Upper heater		StayWarm, keeping dishes warm
	Telescopic oven guides - 2 levels		Fan		WarmPlate, for professional service
	Telescopic oven guides - 1 level		Circular heater and fan		Auto roast
	Quadruple glazed oven door with double heat deflector (UltraCoolDoorQuadro)		Large infra grill		Pyrolytic
	Triple glazed oven door with double heat deflector (UltraCoolDoor)		Small grill		Gas thermostat
	Triple glazed oven door with one heat deflector (CoolDoor)		Large infra grill and fan		





## BUILT-IN COMPACT MICROWAVE OVENS





	HomeMade oven		Large infra grill		Defrosting
	SuperSize baking area		Large infra grill and fan		FastPreheat
	Upper & lower heater		Lower heater with circular heater and fan		AquaClean
	Fan		Microwaves		WarmPlate, for professional service
	Circular heater and fan		Microwaves and circular heater and fan		





## BUILT-IN MICROWAVE OVENS

	Microwaves		Microwaves + grill
	Grill		Fan

## BUILT-IN HOBS


	IQcook
	SliderTouch
	Touch control
	SmartControl


	SuperSilent
	PowerBoost faster heating and cooking
	PowerBoost Supreme
	BoilControl prevents the food from boiling over

	SoftMelt melting food at low temperature
	StayWarm function
	StopGo function
	Wok gas burner






## COOKER HOODS





	SliderTouch
---	-------------





	Touch control
---	---------------

	AdaptTech venting: Memorizing intelligent system
---	---


## COOLING

	AdaptTech cooling - Memorizing intelligent system
	NoFrost Plus
	FrostLess - Less ice building in the freezer
	NoFrost
	Multiflow 360 °


	DynamCooling
	IonAir - Ionizer in the fridge
	SuperCool function for rapid cooling of a major quantity of food
	Fan-assisted cooling in fridge

	CrispZone with HumidityControl - big vegetable drawer with humidity regulation
	ZeroZone drawer
	FreshZone drawer
	FastFreeze - rapid food freezing







## INTEGRATED DISHWASHERS

	Total AquaStop, total spill protection
---	--













	ECO programme
---	---------------

	Function 3 in 1
---	-----------------













## INTEGRATED WASHING & DRYING MACHINES

 Load 1-7 kg	 Cold wash at 15°C	 Spin speed 1400 rpm
 CarboTech tub material	 LED display	 Spin speed 1200 rpm

## FREESTANDING WASHING MACHINES

 Load 1-9 kg	 SensorIQ system - advanced sensor technology	 Inverter PowerDrive efficient brushless motor
 Load 1-8 kg	 Super silent operation	 Total AquaStop, spill protection
 Load 1-7 kg	 Silent operation	 AquaStop, spill protection
 Load 1-6 kg	 Durable heater DuraHeat	 LCD display
 Door opening 34 cm	 SterilTub self-cleaning program	 LED display
 FiberTech tub material	 SensoCare - washing modes which upgrade and personalize standard washing programs	 StartDelay 24h in advance
 CarboTech tub material	 StainExpert efficient stain removal	 Low temperature wash 20 °C

## FREESTANDING TUMBLE DRYERS

 Load 1-9 kg	 Condenser dryer with a heat pump	 LED display
 Load 1-8 kg	 IonTech anti-bacterial treatment	 SteamTech steam drying technology
 Door opening 35 cm	 SensorIQ sensor technology	 AutoDrain - direct discharge of Condensate
 TwinAir - Special two-directional air blowing system	 LCD display	 Drum illumination with LED light



GORENJE UK Ltd  
Tuition House  
27-37 St George's Road  
London  
SW19 4EU  
T 020 8247 39 80  
F 020 8247 39 99  
E [info.uk@gorenje.com](mailto:info.uk@gorenje.com)  
[www.gorenje.co.uk](http://www.gorenje.co.uk)